

	Folder no.	003961273	003961274	003961275	003961276	003961277	003961278	003961279	003961280
	Project no.	20999029	20999029	20999029	20999029	20999029	20999029	20999029	20999029
	Project name	13992 Fresh Water Analysis	13992 Fresh Water Analysis	13992 Fresh Water Analysis	13992 Fresh Water Analysis	13992 Fresh Water Analysis	13992 Fresh Water Analysis	13992 Fresh Water Analysis	13992 Fresh Water Analysis
	Batch no.	20115466	20115466	20115466	20115466	20115466	20115466	20115466	20115466
	Comment	J05	J84	J142	J20	J31	J36	J136	J107
	Sample taken	06-NOV-17 09:10	06-NOV-17 09:30	06-NOV-17 10:50	06-NOV-17 11:55	06-NOV-17 12:25	07-NOV-17 10:00	07-NOV-17 11:25	07-NOV-17 11:50
Analyte	Units								
Chromium Hexavalent, Dissolved	ug/l	<0.05	0.092	<0.05	0.097	<0.05	0.31	<0.05	0.169
Arsenic	ug/l	<1	2.14	<1	<1	<1	<1	<1	<1
Aluminium	ug/l	<10	136	28.2	<10	<10	<10	<10	<10
Cadmium	ug/l	0.118	<0.1	0.242	<0.1	<0.1	<0.1	<0.1	<0.1
Chromium	ug/l	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Copper	ug/l	1.76	3.14	3.63	8.53	3.45	1.38	7.4	6.21
Lead	ug/l	<2	<2	<2	<2	<2	<2	<2	<2
Nickel	ug/l	<1	1.34	1.86	<1	<1	<1	<1	2.26
Zinc	ug/l	5.72	12.4	18.6	21.9	8.03	<5	34.6	16.5
Mercury	ug/l	<0.01	<0.01	0.796	0.0134	<0.01	<0.01	<0.01	0.1
DDT : Sum of components	ug/l	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
1,2,3-Trichlorobenzene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
1,2,4-Trichlorobenzene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
1,3,5-Trichlorobenzene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
2,3,5,6-Tetrachloroaniline	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2,3,5,6-Tetrachloroanisole	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Aldrin	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Chlorothalonil	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Chlorpropham	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
DDE -op	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DDE -pp	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DDT -op	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
DDT -pp	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Dichlobenil :- (2,6-Dichlorobenzonitrile )	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Dieldrin	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Endosulfan A	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endosulfan B	ug/l	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Endrin	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
HCH -alpha	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
HCH -beta	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
HCH -delta	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
HCH -epsilon	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
HCH -gamma :- (Lindane)	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Heptachlor	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Hexachlorobenzene	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Hexachlorobutadiene	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Isodrin	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Methoxychlor	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 008	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 020	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 028	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 031	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 035	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 052	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 077	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 101	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 105	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 118	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 126	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 128	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 138	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 149	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 153	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 156	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 169	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 170	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
PCB - 180	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Pendimethalin	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Pentachlorobenzene	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	0.00144	<0.001	<0.001
Propachlor	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
TDE - op	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
TDE - pp	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Tecnazene	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Tri-allate	ug/l	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Trifluralin	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Vinclozolin	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
cis-Chlordane	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
cis-Heptachlor epoxide	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
trans-Chlordane	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
trans-Heptachlor epoxide	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Atrazine	ug/l	<0.003	<0.003	0.0418	<0.003	<0.003	<0.003	0.0279	<0.003
Atrazine-desethyl	ug/l	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.058	<0.02
Atrazine-desisopropyl	ug/l	<0.02	0.0261	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Azinphos-ethyl	ug/l	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Azinphos-methyl	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Bendiocarb	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Bupirimate	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Carbophenothion	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chlorfenvinphos	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorpyrifos-ethyl	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.234
Chlorpyrifos-methyl	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Coumaphos	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Cyanazine	ug/l	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Desmetryn	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Diazinon	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Dichlorvos	ug/l	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Dimethoate	ug/l	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Ethion	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Ethofumesate	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Fenchlorphos	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Fenitrothion	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Fenprophosph	ug/l	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
Fenthion	ug/l	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
Fonofos	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Iodofenphos	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Iprodione	ug/l	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	0.115
Irgarol 1051	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Malathion	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Metaxyl	ug/l	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
Metazachlor	ug/l	<0.005	<0.005	<0.005	&lt				

