

Folder no.	004204503	004204504	004204505	004204506	004204507	004204508	004204509	004204510
Project no.	20999041	20999041	20999041	20999041	20999041	20999041	20999041	20999041
Project name	14912 Groundwater analysis	14912 Groundwater analysis	14912 Groundwater analysis	14912 Groundwater analysis	14912 Groundwater analysis	14912 Groundwater analysis	14912 Groundwater analysis	14912 Groundwater analysis
Batch no.	20126772	20126772	20126772	20126772	20126772	20126772	20126772	20126772
Comment	J05	J84	J142	J20	J31	J36	J136	J167
Sample taken	05-NOV-18 09:15	05-NOV-18 10:00	05-NOV-18 11:20	05-NOV-18 11:55	05-NOV-18 12:25	06-NOV-18 09:55	06-NOV-18 10:50	06-NOV-18 11:20
Analys	Units							
Carbon, Organic, Dissolved as C - (DOC)	mg/l	1.45	1.26	0.88	0.77	0.39	0.69	1.2
Arsenic Dissolved	ug/l	<1	2.3	<1	<1	<1	<1	<1
Aluminium, Dissolved	ug/l	<10	<10	<10	<10	<10	<10	<10
Cadmium, Dissolved	ug/l	0.122	<0.1	0.233	<0.1	<0.1	<0.1	0.257
Chromium, Dissolved	ug/l	<0.5	0.664	<0.5	<0.5	<0.5	0.611	<0.5
Copper, Dissolved	ug/l	1.73	1.85	3.24	5.28	2.98	20.3	96.6
Lead, Dissolved	ug/l	<2	<2	<2	<2	<2	3.16	<2
Nickel, Dissolved	ug/l	<1	1.43	2.42	1.07	1.27	1.11	5.87
Zinc, Dissolved	ug/l	<5	7.16	49.5	7.73	432	6.21	1130
Iron, Dissolved	ug/l	<30	<30	<30	<30	<30	<30	<30
Manganese, Dissolved	ug/l	<10	11.9	1080	<10	69.9	127	<10
Mercury, Dissolved	ug/l	<0.01	<0.01	0.579	0.0131	<0.01	<0.01	0.0628
DDT: Sum of components	ug/l	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
1,2,3-Trichlorobenzene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
1,2,4-Trichlorobenzene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
1,3,5-Trichlorobenzene	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
2,3,5,6-Tetrachlorobenzene	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
2,3,5,6-Tetrachloroanisole	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Aldrin	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Chlorobutanol	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Chloropropanol	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DDE -op	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DDE -pp	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
DDT -op	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
DDT -pp	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Dichobenzil - (2,6-Dichlorobenzonitrile)	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Diédrin	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Endosulfan A	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endosulfan B	ug/l	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Endrin	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
HCH -alpha	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
HCH -beta	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
HCH -delta	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
HCH -epsilon	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
HCH -gamma - (Lindane)	ug/l	<0.003	<0.003	0.0053	<0.003	<0.003	<0.003	<0.003
Heptachlor	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Hexachlorobenzene	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Hexachlorobutadiene	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Isodrin	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Methoxychlor	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 008	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 020	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 028	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 031	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 035	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 052	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 077	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 101	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 105	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 118	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 126	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 128	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 138	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 149	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 153	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 156	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 169	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PCB - 170	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
PCB - 180	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Pendimethalin	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Pentachlorobenzene	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Propachlor	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
TDE - op	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
TDE - pp	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Terbufos	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Terbufos-ethyl	ug/l	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Terbufos-methyl	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Triallate	ug/l	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Trihalin	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Vinclozolin	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
cis-Chlordane	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
cis-Heptachlor epoxide	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
trans-Chlordane	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
trans-Heptachlor epoxide	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Azinphos	ug/l	<0.003	<0.003	0.0417	<0.003	<0.003	<0.003	0.0201
Azinphos-ethyl	ug/l	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.028
Azinphos-desisopropyl	ug/l	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.046
Azinphos-methyl	ug/l	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Bendiocarb	ug/l	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Bupirimate	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Carbophenothion	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chlorfenvinphos	ug/l	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorpyrifos-ethyl	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chlorpyrifos-methyl	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Coumaphos	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Cymazine	ug/l	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Desametryn	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Diazinon	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Dichlorvos	ug/l	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Diethoate	ug/l	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Ethion	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Ethofumesate	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Fenchlorfos	ug/l	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Fenitrothion	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Fenprophosph	ug/l	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
Fenthion	ug/l	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
Fonofos	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Isofenphos	ug/l	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Iprodione	ug/l	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
Malathion	ug/l	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Metasulph	ug/l	<0.008	<0.008	<0.008				

