

# Jersey Shoreline Management Plan

Still Water Level Defended and undefended level  
analysis (Appendix D):

Government of Jersey

Project number: 60580871

May 2019

## Quality information

<b>Prepared by</b>	<b>Checked by</b>	<b>Verified by</b>	<b>Approved by</b>
Baoxing Wang Principal Coastal Modeller	Paul Norton Technical Director	Paul Norton Technical Director	Mark Davin Associate Director

## Revision History

<b>Revision</b>	<b>Revision date</b>	<b>Details</b>	<b>Authorised</b>	<b>Name</b>	<b>Position</b>
1	February 2019	Draft	February 2019	Mark Davin	Associate Director
2	April 2019	Final	April 2019	Mark Davin	Associate Director
3	May 2019	Revised Final (study naming and formatting changes only)	June 2019	Tara-Leigh McVey	Project Director

## Distribution List

<b># Hard Copies</b>	<b>PDF Required</b>	<b>Association / Company Name</b>
0	1	Government of Jersey (Jamie Mason and Fiona Glover)

Prepared for:

Government of Jersey



Prepared by:

AECOM Infrastructure & Environment UK Limited  
Midpoint, Alençon Link  
Basingstoke  
Hampshire, RG21 7PP  
United Kingdom

T: 01256 310 200  
aecom.com

© 2019 AECOM Infrastructure & Environment UK Limited. All Rights Reserved.

This document has been prepared by AECOM Infrastructure & Environment UK Limited ("AECOM") for sole use of our client (the "Client") in accordance with generally accepted consultancy principles, the budget for fees and the terms of reference agreed between AECOM and the Client. Any information provided by third parties and referred to herein has not been checked or verified by AECOM, unless otherwise expressly stated in the document. No third party may rely upon this document without the prior and express written agreement of AECOM.

## D. Still Water Level Defended and Undefended Level Analysis

Table D-1: Still Water Level Defended and Undefended Level Analysis

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
0.50%	2020	07-03D	2	3	6.85	7.82	N	7.82	N
0.50%	2020	07-04D	2	3	6.85	10.058	N	7.602	N
0.50%	2020	07-08D	2	3	6.85	8.58	N	7.75	N
0.50%	2020	07-09D	2	3	6.85	9.083	N	7.924	N
0.50%	2020	07-11 Flood Gate	2	3	6.85	8.165	N	7.204	N
0.50%	2020	07-11 Slipway	2	3	6.85	7.865	N	7.265	N
0.50%	2020	07-11D	2	3	6.85	8.385	N	7.493	N
0.50%	2020	07-12D	2	3	6.85	10.75	N	8.44	N
0.50%	2020	07-13D	2	3	6.85	8.36	N	8.36	N
0.50%	2020	07-14D	2	3	6.85	9.21	N	8.26	N
0.50%	2020	07-16D	2	2	6.85	9.25	N	8.34	N
0.50%	2020	07-17D	2	2	6.85	8.99	N	8.03	N
0.50%	2020	07-19D	2	2	6.85	15.6	N	14.05	N
0.50%	2020	08-01D	2	1	6.85	7.168	N	7.168	N
0.50%	2020	08-03D	2	1	6.85	7.669	N	7.669	N
0.50%	2020	09-01D	2	1	6.85	7.535	N	7.546	N
0.50%	2020	09-03D	2	1	6.85	7.851	N	7.851	N
0.50%	2020	09-04D	2	1	6.85	7.936	N	7.936	N
0.50%	2020	10-02D	2	1	6.85	8.05	N	8.05	N
0.50%	2020	11-01D	2	1	6.85	7.171	N	7.171	N
0.50%	2020	11-03D	2	1	6.85	10.13	N	9.29	N
0.50%	2020	12-02D	1		6.95	8.634	N	8.634	N
0.50%	2020	14-01D	1	4	6.95	7.08	N	7.08	N
0.50%	2020	14-04D	1	4	6.95	7.09	N	7.09	N
0.50%	2020	15-02D	1		6.95	7.39	N	7.37	N
0.50%	2020	19-05D	1		6.95	8.89	N	8.24	N
0.50%	2020	20-01D	1		6.95	7.42	N	7.42	N
0.50%	2020	20-03D	1		6.95	7.44	N	7.44	N
0.50%	2020	20-04D	1		6.95	7.78	N	6.68	Y
0.50%	2020	20-06D	1		6.95	8.576	N	7.139	N
0.50%	2020	20-07D	1		6.95	8.67	N	8.6	N
0.50%	2020	20-08D	2		6.85	8.55	N	8.55	N
0.50%	2020	20-09D	2		6.85	8.29	N	8.29	N
0.50%	2020	20-11D	2		6.85	8.13	N	8.13	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
0.50%	2020	25-04D	2		6.85	7.955	N	6.884	N
0.50%	2020	35-12D	3		6.65	9.434	N	8.562	N
0.50%	2020	35-14D	3		6.65	9.737	N	9.29	N
0.50%	2020	35-15D	3		6.65	9.845	N	9	N
1.33%	2020	07-03D	2	3	6.75	7.82	N	7.82	N
1.33%	2020	07-04D	2	3	6.75	10.058	N	7.602	N
1.33%	2020	07-08D	2	3	6.75	8.58	N	7.75	N
1.33%	2020	07-09D	2	3	6.75	9.083	N	7.924	N
1.33%	2020	07-11 Flood Gate	2	3	6.75	8.165	N	7.204	N
1.33%	2020	07-11 Slipway	2	3	6.75	7.865	N	7.265	N
1.33%	2020	07-11D	2	3	6.75	8.385	N	7.493	N
1.33%	2020	07-12D	2	3	6.75	10.75	N	8.44	N
1.33%	2020	07-13D	2	3	6.75	8.36	N	8.36	N
1.33%	2020	07-14D	2	3	6.75	9.21	N	8.26	N
1.33%	2020	07-16D	2	2	6.75	9.25	N	8.34	N
1.33%	2020	07-17D	2	2	6.75	8.99	N	8.03	N
1.33%	2020	07-19D	2	2	6.75	15.6	N	14.05	N
1.33%	2020	08-01D	2	1	6.75	7.168	N	7.168	N
1.33%	2020	08-03D	2	1	6.75	7.669	N	7.669	N
1.33%	2020	09-01D	2	1	6.75	7.535	N	7.546	N
1.33%	2020	09-03D	2	1	6.75	7.851	N	7.851	N
1.33%	2020	09-04D	2	1	6.75	7.936	N	7.936	N
1.33%	2020	10-02D	2	1	6.75	8.05	N	8.05	N
1.33%	2020	11-01D	2	1	6.75	7.171	N	7.171	N
1.33%	2020	11-03D	2	1	6.75	10.13	N	9.29	N
1.33%	2020	12-02D	1		6.85	8.634	N	8.634	N
1.33%	2020	14-01D	1	4	6.85	7.08	N	7.08	N
1.33%	2020	14-04D	1	4	6.85	7.09	N	7.09	N
1.33%	2020	15-02D	1		6.85	7.39	N	7.37	N
1.33%	2020	16-04D	1		6.85	9.472	N	9.472	N
1.33%	2020	16-05D	1		6.85	7.883	N	7.883	N
1.33%	2020	17-01D	1		6.85	8.07	N	8.07	N
1.33%	2020	19-05D	1		6.85	8.89	N	8.24	N
1.33%	2020	20-01D	1		6.85	7.42	N	7.42	N
1.33%	2020	20-03D	1		6.85	7.44	N	7.44	N
1.33%	2020	20-04D	1		6.85	7.78	N	6.68	Y
1.33%	2020	20-06D	1		6.85	8.576	N	7.139	N
1.33%	2020	20-07D	1		6.85	8.67	N	8.6	N
1.33%	2020	20-08D	2		6.75	8.55	N	8.55	N
1.33%	2020	20-09D	2		6.75	8.29	N	8.29	N
1.33%	2020	20-11D	2		6.75	8.13	N	8.13	N
1.33%	2020	25-04D	2		6.75	7.955	N	6.884	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
1.33%	2020	35-12D	3		6.55	9.434	N	8.562	N
1.33%	2020	35-14D	3		6.55	9.737	N	9.29	N
1.33%	2020	35-15D	3		6.55	9.845	N	9	N
5%	2020	07-03D	2	3	6.61	7.82	N	7.82	N
5%	2020	07-04D	2	3	6.61	10.058	N	7.602	N
5%	2020	07-08D	2	3	6.61	8.58	N	7.75	N
5%	2020	07-09D	2	3	6.61	9.083	N	7.924	N
5%	2020	07-11 Flood Gate	2	3	6.61	8.165	N	7.204	N
5%	2020	07-11 Slipway	2	3	6.61	7.865	N	7.265	N
5%	2020	07-11D	2	3	6.61	8.385	N	7.493	N
5%	2020	07-12D	2	3	6.61	10.75	N	8.44	N
5%	2020	07-13D	2	3	6.61	8.36	N	8.36	N
5%	2020	07-14D	2	3	6.61	9.21	N	8.36	N
5%	2020	07-16D	2	2	6.61	9.25	N	8.34	N
5%	2020	07-17D	2	2	6.61	8.991	N	8.025	N
5%	2020	07-19D	2	2	6.61	15.6	N	14.05	N
5%	2020	08-01D	2	1	6.61	7.168	N	7.168	N
5%	2020	08-03D	2	1	6.61	7.669	N	7.669	N
5%	2020	09-01D	2	1	6.61	7.535	N	7.546	N
5%	2020	09-03D	2	1	6.61	7.851	N	7.851	N
5%	2020	09-04D	2	1	6.61	7.936	N	7.936	N
5%	2020	10-02D	2	1	6.61	8.05	N	8.05	N
5%	2020	11-01D	2	1	6.61	7.171	N	7.171	N
5%	2020	11-03D	2	1	6.61	10.13	N	9.29	N
5%	2020	12-02D	1		6.71	8.634	N	8.634	N
5%	2020	14-01D	1	4	6.71	7.08	N	7.08	N
5%	2020	14-04D	1	4	6.71	7.09	N	7.09	N
5%	2020	15-02D	1		6.71	7.39	N	7.37	N
5%	2020	16-04D	1		6.71	9.472	N	9.472	N
5%	2020	16-05D	1		6.71	7.883	N	7.883	N
5%	2020	17-01D	1		6.71	8.07	N	8.07	N
5%	2020	19-05D	1		6.71	8.89	N	8.24	N
5%	2020	20-01D	1		6.71	7.42	N	7.42	N
5%	2020	20-03D	1		6.71	7.44	N	7.44	N
5%	2020	20-04D	1		6.71	7.78	N	6.68	Y
5%	2020	20-06D	1		6.71	8.576	N	7.139	N
5%	2020	20-07D	1		6.71	8.67	N	8.6	N
5%	2020	20-08D	2		6.61	8.55	N	8.55	N
5%	2020	20-09D	2		6.61	8.29	N	8.29	N
5%	2020	20-11D	2		6.61	8.13	N	8.13	N
5%	2020	25-04D	2		6.61	7.955	N	6.884	N
5%	2020	35-12D	3		7.22	9.434	N	8.562	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
5%	2020	35-14D	3		7.22	9.737	N	9.29	N
5%	2020	35-15D	3		7.22	9.845	N	9	N
100%	2020	07-03D	2	3	6.32	7.82	N	7.82	N
100%	2020	07-04D	2	3	6.32	10.058	N	7.602	N
100%	2020	07-08D	2	3	6.32	8.58	N	7.75	N
100%	2020	07-09D	2	3	6.32	9.083	N	7.924	N
100%	2020	07-11 Flood Gate	2	3	6.32	8.165	N	7.204	N
100%	2020	07-11 Slipway	2	3	6.32	7.865	N	7.265	N
100%	2020	07-11D	2	3	6.32	8.385	N	7.493	N
100%	2020	07-12D	2	3	6.32	10.75	N	8.44	N
100%	2020	07-13D	2	3	6.32	8.36	N	8.36	N
100%	2020	07-14D	2	3	6.32	9.21	N	8.36	N
100%	2020	07-16D	2	2	6.32	9.25	N	8.34	N
100%	2020	07-17D	2	2	6.32	8.991	N	8.025	N
100%	2020	07-19D	2	2	6.32	15.6	N	14.05	N
100%	2020	08-01D	2	1	6.32	7.168	N	7.168	N
100%	2020	08-03D	2	1	6.32	7.669	N	7.669	N
100%	2020	09-01D	2	1	6.32	7.535	N	7.546	N
100%	2020	09-03D	2	1	6.32	7.851	N	7.851	N
100%	2020	09-04D	2	1	6.32	7.936	N	7.936	N
100%	2020	10-02D	2	1	6.32	8.05	N	8.05	N
100%	2020	11-01D	2	1	6.32	7.171	N	7.171	N
100%	2020	11-03D	2	1	6.32	10.13	N	9.29	N
100%	2020	12-02D	1		6.42	8.634	N	8.634	N
100%	2020	14-01D	1	4	6.42	7.08	N	7.08	N
100%	2020	14-04D	1	4	6.42	7.09	N	7.09	N
100%	2020	15-02D	1		6.42	7.39	N	7.37	N
100%	2020	16-04D	1		6.42	9.472	N	9.472	N
100%	2020	16-05D	1		6.42	7.883	N	7.883	N
100%	2020	17-01D	1		6.42	8.07	N	8.07	N
100%	2020	19-05D	1		6.42	8.89	N	8.24	N
100%	2020	20-01D	1		6.42	7.42	N	7.42	N
100%	2020	20-03D	1		6.42	7.44	N	7.44	N
100%	2020	20-04D	1		6.42	7.78	N	6.68	N
100%	2020	20-06D	1		6.42	8.576	N	7.139	N
100%	2020	20-07D	1		6.42	8.67	N	8.6	N
100%	2020	20-08D	2		6.32	8.55	N	8.55	N
100%	2020	20-09D	2		6.32	8.29	N	8.29	N
100%	2020	20-11D	2		6.32	8.13	N	8.13	N
100%	2020	25-04D	2		6.32	7.955	N	6.884	N
100%	2020	35-12D	3		6.91	9.434	N	8.562	N
100%	2020	35-14D	3		6.91	9.737	N	9.29	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefined Level	SWL exceed undefined level
100%	2020	35-15D	3		6.91	9.845	N	9	N
0.50%	2040	07-03D	2	3	6.98	7.82	N	7.82	N
0.50%	2040	07-04D	2	3	6.98	10.058	N	7.602	N
0.50%	2040	07-08D	2	3	6.98	8.58	N	7.75	N
0.50%	2040	07-09D	2	3	6.98	9.083	N	7.924	N
0.50%	2040	07-11 Flood Gate	2	3	6.98	8.165	N	7.204	N
0.50%	2040	07-11 Slipway	2	3	6.98	7.865	N	7.265	N
0.50%	2040	07-11D	2	3	6.98	8.385	N	7.493	N
0.50%	2040	07-12D	2	3	6.98	10.75	N	8.44	N
0.50%	2040	07-13D	2	3	6.98	8.36	N	8.36	N
0.50%	2040	07-14D	2	3	6.98	9.21	N	8.26	N
0.50%	2040	07-16D	2	2	6.98	9.25	N	8.34	N
0.50%	2040	07-17D	2	2	6.98	8.99	N	8.03	N
0.50%	2040	07-19D	2	2	6.98	15.6	N	14.05	N
0.50%	2040	08-01D	2	1	6.98	7.168	N	7.168	N
0.50%	2040	08-03D	2	1	6.98	7.669	N	7.669	N
0.50%	2040	09-01D	2	1	6.98	7.535	N	7.546	N
0.50%	2040	09-03D	2	1	6.98	7.851	N	7.851	N
0.50%	2040	09-04D	2	1	6.98	7.936	N	7.936	N
0.50%	2040	10-02D	2	1	6.98	8.05	N	8.05	N
0.50%	2040	11-01D	2	1	6.98	7.171	N	7.171	N
0.50%	2040	11-03D	2	1	6.98	10.13	N	9.29	N
0.50%	2040	12-02D	1		7.08	8.634	N	8.634	N
0.50%	2040	14-01D	1	4	7.08	7.08	Y	7.08	Y
0.50%	2040	14-04D	1	4	7.08	7.09	N	7.09	N
0.50%	2040	15-02D	1		7.08	7.39	N	7.37	N
0.50%	2040	16-04D	1		7.08	9.472	N	9.472	N
0.50%	2040	16-05D	1		7.08	7.883	N	7.883	N
0.50%	2040	17-01D	1		7.08	8.07	N	8.07	N
0.50%	2040	19-05D	1		7.08	8.89	N	8.24	N
0.50%	2040	20-01D	1		7.08	7.42	N	7.42	N
0.50%	2040	20-03D	1		7.08	7.44	N	7.44	N
0.50%	2040	20-04D	1		7.08	7.78	N	6.68	Y
0.50%	2040	20-06D	1		7.08	8.576	N	7.139	N
0.50%	2040	20-07D	1		7.08	8.67	N	8.6	N
0.50%	2040	20-08D	2		6.98	8.55	N	8.55	N
0.50%	2040	20-09D	2		6.98	8.29	N	8.29	N
0.50%	2040	20-11D	2		6.98	8.13	N	8.13	N
0.50%	2040	25-04D	2		6.98	7.955	N	6.884	Y
0.50%	2040	35-12D	3		6.78	9.434	N	8.562	N
0.50%	2040	35-14D	3		6.78	9.737	N	9.29	N
0.50%	2040	35-15D	3		6.78	9.845	N	9	N



AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefined Level	SWL exceed undefined level
1.33%	2040	07-03D	2	3	6.87	7.82	N	7.82	N
1.33%	2040	07-04D	2	3	6.87	10.058	N	7.602	N
1.33%	2040	07-08D	2	3	6.87	8.58	N	7.75	N
1.33%	2040	07-09D	2	3	6.87	9.083	N	7.924	N
1.33%	2040	07-11 Flood Gate	2	3	6.87	8.165	N	7.204	N
1.33%	2040	07-11 Slipway	2	3	6.87	7.865	N	7.265	N
1.33%	2040	07-11D	2	3	6.87	8.385	N	7.493	N
1.33%	2040	07-12D	2	3	6.87	10.75	N	8.44	N
1.33%	2040	07-13D	2	3	6.87	8.36	N	8.36	N
1.33%	2040	07-14D	2	3	6.87	9.21	N	8.26	N
1.33%	2040	07-16D	2	2	6.87	9.25	N	8.34	N
1.33%	2040	07-17D	2	2	6.87	8.99	N	8.03	N
1.33%	2040	07-19D	2	2	6.87	15.6	N	14.05	N
1.33%	2040	08-01D	2	1	6.87	7.168	N	7.168	N
1.33%	2040	08-03D	2	1	6.87	7.669	N	7.669	N
1.33%	2040	09-01D	2	1	6.87	7.535	N	7.546	N
1.33%	2040	09-03D	2	1	6.87	7.851	N	7.851	N
1.33%	2040	09-04D	2	1	6.87	7.936	N	7.936	N
1.33%	2040	10-02D	2	1	6.87	8.05	N	8.05	N
1.33%	2040	11-01D	2	1	6.87	7.171	N	7.171	N
1.33%	2040	11-03D	2	1	6.87	10.13	N	9.29	N
1.33%	2040	12-02D	1		6.97	8.634	N	8.634	N
1.33%	2040	14-01D	1	4	6.97	7.08	N	7.08	N
1.33%	2040	14-04D	1	4	6.97	7.09	N	7.09	N
1.33%	2040	15-02D	1		6.97	7.39	N	7.37	N
1.33%	2040	16-04D	1		6.97	9.472	N	9.472	N
1.33%	2040	16-05D	1		6.97	7.883	N	7.883	N
1.33%	2040	17-01D	1		6.97	8.07	N	8.07	N
1.33%	2040	19-05D	1		6.97	8.89	N	8.24	N
1.33%	2040	20-01D	1		6.97	7.42	N	7.42	N
1.33%	2040	20-03D	1		6.97	7.44	N	7.44	N
1.33%	2040	20-04D	1		6.97	7.78	N	6.68	Y
1.33%	2040	20-06D	1		6.97	8.576	N	7.139	N
1.33%	2040	20-07D	1		6.97	8.67	N	8.6	N
1.33%	2040	20-08D	2		6.87	8.55	N	8.55	N
1.33%	2040	20-09D	2		6.87	8.29	N	8.29	N
1.33%	2040	20-11D	2		6.87	8.13	N	8.13	N
1.33%	2040	25-04D	2		6.87	7.955	N	6.884	N
1.33%	2040	35-12D	3		6.67	9.434	N	8.562	N
1.33%	2040	35-14D	3		6.67	9.737	N	9.29	N
1.33%	2040	35-15D	3		6.67	9.845	N	9	N
5%	2040	07-03D	2	3	6.74	7.82	N	7.82	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefined Level	SWL exceed undefined level
5%	2040	07-04D	2	3	6.74	10.058	N	7.602	N
5%	2040	07-08D	2	3	6.74	8.58	N	7.75	N
5%	2040	07-09D	2	3	6.74	9.083	N	7.924	N
5%	2040	07-11 Flood Gate	2	3	6.74	8.165	N	7.204	N
5%	2040	07-11 Slipway	2	3	6.74	7.865	N	7.265	N
5%	2040	07-11D	2	3	6.74	8.385	N	7.493	N
5%	2040	07-12D	2	3	6.74	10.75	N	8.44	N
5%	2040	07-13D	2	3	6.74	8.36	N	8.36	N
5%	2040	07-14D	2	3	6.74	9.21	N	8.36	N
5%	2040	07-16D	2	2	6.74	9.25	N	8.34	N
5%	2040	07-17D	2	2	6.74	8.991	N	8.025	N
5%	2040	07-19D	2	2	6.74	15.6	N	14.05	N
5%	2040	08-01D	2	1	6.74	7.168	N	7.168	N
5%	2040	08-03D	2	1	6.74	7.669	N	7.669	N
5%	2040	09-01D	2	1	6.74	7.535	N	7.546	N
5%	2040	09-03D	2	1	6.74	7.851	N	7.851	N
5%	2040	09-04D	2	1	6.74	7.936	N	7.936	N
5%	2040	10-02D	2	1	6.74	8.05	N	8.05	N
5%	2040	11-01D	2	1	6.74	7.171	N	7.171	N
5%	2040	11-03D	2	1	6.74	10.13	N	9.29	N
5%	2040	12-02D	1		6.84	8.634	N	8.634	N
5%	2040	14-01D	1	4	6.84	7.08	N	7.08	N
5%	2040	14-04D	1	4	6.84	7.09	N	7.09	N
5%	2040	15-02D	1		6.84	7.39	N	7.37	N
5%	2040	16-04D	1		6.84	9.472	N	9.472	N
5%	2040	16-05D	1		6.84	7.883	N	7.883	N
5%	2040	17-01D	1		6.84	8.07	N	8.07	N
5%	2040	19-05D	1		6.84	8.89	N	8.24	N
5%	2040	20-01D	1		6.84	7.42	N	7.42	N
5%	2040	20-03D	1		6.84	7.44	N	7.44	N
5%	2040	20-04D	1		6.84	7.78	N	6.68	Y
5%	2040	20-06D	1		6.84	8.576	N	7.139	N
5%	2040	20-07D	1		6.84	8.67	N	8.6	N
5%	2040	20-08D	2		6.74	8.55	N	8.55	N
5%	2040	20-09D	2		6.74	8.29	N	8.29	N
5%	2040	20-11D	2		6.74	8.13	N	8.13	N
5%	2040	25-04D	2		6.74	7.955	N	6.884	N
5%	2040	35-12D	3		6.77	9.434	N	8.562	N
5%	2040	35-14D	3		6.77	9.737	N	9.29	N
5%	2040	35-15D	3		6.77	9.845	N	9	N
100%	2040	07-03D	2	3	6.45	7.82	N	7.82	N
100%	2040	07-04D	2	3	6.45	10.058	N	7.602	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
100%	2040	07-08D	2	3	6.45	8.58	N	7.75	N
100%	2040	07-09D	2	3	6.45	9.083	N	7.924	N
100%	2040	07-11 Flood Gate	2	3	6.45	8.165	N	7.204	N
100%	2040	07-11 Slipway	2	3	6.45	7.865	N	7.265	N
100%	2040	07-11D	2	3	6.45	8.385	N	7.493	N
100%	2040	07-12D	2	3	6.45	10.75	N	8.44	N
100%	2040	07-13D	2	3	6.45	8.36	N	8.36	N
100%	2040	07-14D	2	3	6.45	9.21	N	8.36	N
100%	2040	07-16D	2	2	6.45	9.25	N	8.34	N
100%	2040	07-17D	2	2	6.45	8.991	N	8.025	N
100%	2040	07-19D	2	2	6.45	15.6	N	14.05	N
100%	2040	08-01D	2	1	6.45	7.168	N	7.168	N
100%	2040	08-03D	2	1	6.45	7.669	N	7.669	N
100%	2040	09-01D	2	1	6.45	7.535	N	7.546	N
100%	2040	09-03D	2	1	6.45	7.851	N	7.851	N
100%	2040	09-04D	2	1	6.45	7.936	N	7.936	N
100%	2040	10-02D	2	1	6.45	8.05	N	8.05	N
100%	2040	11-01D	2	1	6.45	7.171	N	7.171	N
100%	2040	11-03D	2	1	6.45	10.13	N	9.29	N
100%	2040	12-02D	1		6.55	8.634	N	8.634	N
100%	2040	14-01D	1	4	6.55	7.08	N	7.08	N
100%	2040	14-04D	1	4	6.55	7.09	N	7.09	N
100%	2040	15-02D	1		6.55	7.39	N	7.37	N
100%	2040	16-04D	1		6.55	9.472	N	9.472	N
100%	2040	16-05D	1		6.55	7.883	N	7.883	N
100%	2040	17-01D	1		6.55	8.07	N	8.07	N
100%	2040	19-05D	1		6.55	8.89	N	8.24	N
100%	2040	20-01D	1		6.55	7.42	N	7.42	N
100%	2040	20-03D	1		6.55	7.44	N	7.44	N
100%	2040	20-04D	1		6.55	7.78	N	6.68	N
100%	2040	20-06D	1		6.55	8.576	N	7.139	N
100%	2040	20-07D	1		6.55	8.67	N	8.6	N
100%	2040	20-08D	2		6.45	8.55	N	8.55	N
100%	2040	20-09D	2		6.45	8.29	N	8.29	N
100%	2040	20-11D	2		6.45	8.13	N	8.13	N
100%	2040	25-04D	2		6.45	7.955	N	6.884	N
100%	2040	35-12D	3		6.47	9.434	N	8.562	N
100%	2040	35-14D	3		6.47	9.737	N	9.29	N
100%	2040	35-15D	3		6.47	9.845	N	9	N
0.50%	2070	07-03D	2	3	7.21	7.82	N	7.82	N
0.50%	2070	07-04D	2	3	7.21	10.058	N	7.602	N
0.50%	2070	07-08D	2	3	7.21	8.58	N	7.75	N
0.50%	2070	07-09D	2	3	7.21	9.083	N	7.924	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
0.50%	2070	07-11 Flood Gate	2	3	7.21	8.165	N	7.204	Y
0.50%	2070	07-11 Slipway	2	3	7.21	7.865	N	7.265	N
0.50%	2070	07-11D	2	3	7.21	8.385	N	7.493	N
0.50%	2070	07-12D	2	3	7.21	10.75	N	8.44	N
0.50%	2070	07-13D	2	3	7.21	8.36	N	8.36	N
0.50%	2070	07-14D	2	3	7.21	9.21	N	8.26	N
0.50%	2070	07-16D	2	2	7.21	9.25	N	8.34	N
0.50%	2070	07-17D	2	2	7.21	8.99	N	8.03	N
0.50%	2070	07-19D	2	2	7.21	15.6	N	14.05	N
0.50%	2070	08-01D	2	1	7.21	7.168	Y	7.168	Y
0.50%	2070	08-03D	2	1	7.21	7.669	N	7.669	N
0.50%	2070	09-01D	2	1	7.21	7.535	N	7.546	N
0.50%	2070	09-03D	2	1	7.21	7.851	N	7.851	N
0.50%	2070	09-04D	2	1	7.21	7.936	N	7.936	N
0.50%	2070	10-02D	2	1	7.21	8.05	N	8.05	N
0.50%	2070	11-01D	2	1	7.21	7.171	Y	7.171	Y
0.50%	2070	11-03D	2	1	7.21	10.13	N	9.29	N
0.50%	2070	12-02D	1		7.31	8.634	N	8.634	N
0.50%	2070	14-01D	1	4	7.31	7.08	Y	7.08	Y
0.50%	2070	14-04D	1	4	7.31	7.09	Y	7.09	Y
0.50%	2070	15-02D	1		7.31	7.39	N	7.37	N
0.50%	2070	16-04D	1		7.31	9.472	N	9.472	N
0.50%	2070	16-05D	1		7.31	7.883	N	7.883	N
0.50%	2070	17-01D	1		7.31	8.07	N	8.07	N
0.50%	2070	19-05D	1		7.31	8.89	N	8.24	N
0.50%	2070	20-01D	1		7.31	7.42	N	7.42	N
0.50%	2070	20-03D	1		7.31	7.44	N	7.44	N
0.50%	2070	20-04D	1		7.31	7.78	N	6.68	Y
0.50%	2070	20-06D	1		7.31	8.576	N	7.139	Y
0.50%	2070	20-07D	1		7.31	8.67	N	8.6	N
0.50%	2070	20-08D	2		7.21	8.55	N	8.55	N
0.50%	2070	20-09D	2		7.21	8.29	N	8.29	N
0.50%	2070	20-11D	2		7.21	8.13	N	8.13	N
0.50%	2070	25-04D	2		7.21	7.955	N	6.884	Y
0.50%	2070	35-12D	3		7.01	9.434	N	8.562	N
0.50%	2070	35-14D	3		7.01	9.737	N	9.29	N
0.50%	2070	35-15D	3		7.01	9.845	N	9	N
1.33%	2070	07-03D	2	3	7.11	7.82	N	7.82	N
1.33%	2070	07-04D	2	3	7.11	10.058	N	7.602	N
1.33%	2070	07-08D	2	3	7.11	8.58	N	7.75	N
1.33%	2070	07-09D	2	3	7.11	9.083	N	7.924	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
1.33%	2070	07-11 Flood Gate	2	3	7.11	8.165	N	7.204	N
1.33%	2070	07-11 Slipway	2	3	7.11	7.865	N	7.265	N
1.33%	2070	07-11D	2	3	7.11	8.385	N	7.493	N
1.33%	2070	07-12D	2	3	7.11	10.75	N	8.44	N
1.33%	2070	07-13D	2	3	7.11	8.36	N	8.36	N
1.33%	2070	07-14D	2	3	7.11	9.21	N	8.26	N
1.33%	2070	07-16D	2	2	7.11	9.25	N	8.34	N
1.33%	2070	07-17D	2	2	7.11	8.99	N	8.03	N
1.33%	2070	07-19D	2	2	7.11	15.6	N	14.05	N
1.33%	2070	08-01D	2	1	7.11	7.168	N	7.168	N
1.33%	2070	08-03D	2	1	7.11	7.669	N	7.669	N
1.33%	2070	09-01D	2	1	7.11	7.535	N	7.546	N
1.33%	2070	09-03D	2	1	7.11	7.851	N	7.851	N
1.33%	2070	09-04D	2	1	7.11	7.936	N	7.936	N
1.33%	2070	10-02D	2	1	7.11	8.05	N	8.05	N
1.33%	2070	11-01D	2	1	7.11	7.171	N	7.171	N
1.33%	2070	11-03D	2	1	7.11	10.13	N	9.29	N
1.33%	2070	12-02D	1		7.21	8.634	N	8.634	N
1.33%	2070	14-01D	1	4	7.21	7.08	Y	7.08	Y
1.33%	2070	14-04D	1	4	7.21	7.09	Y	7.09	Y
1.33%	2070	15-02D	1		7.21	7.39	N	7.37	N
1.33%	2070	16-04D	1		7.21	9.472	N	9.472	N
1.33%	2070	16-05D	1		7.21	7.883	N	7.883	N
1.33%	2070	17-01D	1		7.21	8.07	N	8.07	N
1.33%	2070	19-05D	1		7.21	8.89	N	8.24	N
1.33%	2070	20-01D	1		7.21	7.42	N	7.42	N
1.33%	2070	20-03D	1		7.21	7.44	N	7.44	N
1.33%	2070	20-04D	1		7.21	7.78	N	6.68	Y
1.33%	2070	20-06D	1		7.21	8.576	N	7.139	Y
1.33%	2070	20-07D	1		7.21	8.67	N	8.6	N
1.33%	2070	20-08D	2		7.11	8.55	N	8.55	N
1.33%	2070	20-09D	2		7.11	8.29	N	8.29	N
1.33%	2070	20-11D	2		7.11	8.13	N	8.13	N
1.33%	2070	25-04D	2		7.11	7.955	N	6.884	Y
1.33%	2070	35-12D	3		6.91	9.434	N	8.562	N
1.33%	2070	35-14D	3		6.91	9.737	N	9.29	N
1.33%	2070	35-15D	3		6.91	9.845	N	9	N
5%	2070	07-03D	2	3	6.97	7.82	N	7.82	N
5%	2070	07-04D	2	3	6.97	10.058	N	7.602	N
5%	2070	07-08D	2	3	6.97	8.58	N	7.75	N
5%	2070	07-09D	2	3	6.97	9.083	N	7.924	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
5%	2070	07-11 Flood Gate	2	3	6.97	8.165	N	7.204	N
5%	2070	07-11 Slipway	2	3	6.97	7.865	N	7.265	N
5%	2070	07-11D	2	3	6.97	8.385	N	7.493	N
5%	2070	07-12D	2	3	6.97	10.75	N	8.44	N
5%	2070	07-13D	2	3	6.97	8.36	N	8.36	N
5%	2070	07-14D	2	3	6.97	9.21	N	8.36	N
5%	2070	07-16D	2	2	6.97	9.25	N	8.34	N
5%	2070	07-17D	2	2	6.97	8.991	N	8.025	N
5%	2070	07-19D	2	2	6.97	15.6	N	14.05	N
5%	2070	08-01D	2	1	6.97	7.168	N	7.168	N
5%	2070	08-03D	2	1	6.97	7.669	N	7.669	N
5%	2070	09-01D	2	1	6.97	7.535	N	7.546	N
5%	2070	09-03D	2	1	6.97	7.851	N	7.851	N
5%	2070	09-04D	2	1	6.97	7.936	N	7.936	N
5%	2070	10-02D	2	1	6.97	8.05	N	8.05	N
5%	2070	11-01D	2	1	6.97	7.171	N	7.171	N
5%	2070	11-03D	2	1	6.97	10.13	N	9.29	N
5%	2070	12-02D	1		7.07	8.634	N	8.634	N
5%	2070	14-01D	1	4	7.07	7.08	N	7.08	N
5%	2070	14-04D	1	4	7.07	7.09	N	7.09	N
5%	2070	15-02D	1		7.07	7.39	N	7.37	N
5%	2070	16-04D	1		7.07	9.472	N	9.472	N
5%	2070	16-05D	1		7.07	7.883	N	7.883	N
5%	2070	17-01D	1		7.07	8.07	N	8.07	N
5%	2070	19-05D	1		7.07	8.89	N	8.24	N
5%	2070	20-01D	1		7.07	7.42	N	7.42	N
5%	2070	20-03D	1		7.07	7.44	N	7.44	N
5%	2070	20-04D	1		7.07	7.78	N	6.68	Y
5%	2070	20-06D	1		7.07	8.576	N	7.139	N
5%	2070	20-07D	1		7.07	8.67	N	8.6	N
5%	2070	20-08D	2		6.97	8.55	N	8.55	N
5%	2070	20-09D	2		6.97	8.29	N	8.29	N
5%	2070	20-11D	2		6.97	8.13	N	8.13	N
5%	2070	25-04D	2		6.97	7.955	N	6.884	Y
5%	2070	35-12D	3		6.54	9.434	N	8.562	N
5%	2070	35-14D	3		6.54	9.737	N	9.29	N
5%	2070	35-15D	3		6.54	9.845	N	9	N
100%	2070	07-03D	2	3	6.67	7.82	N	7.82	N
100%	2070	07-04D	2	3	6.67	10.058	N	7.602	N
100%	2070	07-08D	2	3	6.67	8.58	N	7.75	N
100%	2070	07-09D	2	3	6.67	9.083	N	7.924	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
100%	2070	07-11 Flood Gate	2	3	6.67	8.165	N	7.204	N
100%	2070	07-11 Slipway	2	3	6.67	7.865	N	7.265	N
100%	2070	07-11D	2	3	6.67	8.385	N	7.493	N
100%	2070	07-12D	2	3	6.67	10.75	N	8.44	N
100%	2070	07-13D	2	3	6.67	8.36	N	8.36	N
100%	2070	07-14D	2	3	6.67	9.21	N	8.36	N
100%	2070	07-16D	2	2	6.67	9.25	N	8.34	N
100%	2070	07-17D	2	2	6.67	8.991	N	8.025	N
100%	2070	07-19D	2	2	6.67	15.6	N	14.05	N
100%	2070	08-01D	2	1	6.67	7.168	N	7.168	N
100%	2070	08-03D	2	1	6.67	7.669	N	7.669	N
100%	2070	09-01D	2	1	6.67	7.535	N	7.546	N
100%	2070	09-03D	2	1	6.67	7.851	N	7.851	N
100%	2070	09-04D	2	1	6.67	7.936	N	7.936	N
100%	2070	10-02D	2	1	6.67	8.05	N	8.05	N
100%	2070	11-01D	2	1	6.67	7.171	N	7.171	N
100%	2070	11-03D	2	1	6.67	10.13	N	9.29	N
100%	2070	12-02D	1		6.77	8.634	N	8.634	N
100%	2070	14-01D	1	4	6.77	7.08	N	7.08	N
100%	2070	14-04D	1	4	6.77	7.09	N	7.09	N
100%	2070	15-02D	1		6.77	7.39	N	7.37	N
100%	2070	16-04D	1		6.77	9.472	N	9.472	N
100%	2070	16-05D	1		6.77	7.883	N	7.883	N
100%	2070	17-01D	1		6.77	8.07	N	8.07	N
100%	2070	19-05D	1		6.77	8.89	N	8.24	N
100%	2070	20-01D	1		6.77	7.42	N	7.42	N
100%	2070	20-03D	1		6.77	7.44	N	7.44	N
100%	2070	20-04D	1		6.77	7.78	N	6.68	Y
100%	2070	20-06D	1		6.77	8.576	N	7.139	N
100%	2070	20-07D	1		6.77	8.67	N	8.6	N
100%	2070	20-08D	2		6.67	8.55	N	8.55	N
100%	2070	20-09D	2		6.67	8.29	N	8.29	N
100%	2070	20-11D	2		6.67	8.13	N	8.13	N
100%	2070	25-04D	2		6.67	7.955	N	6.884	N
100%	2070	35-12D	3		6.25	9.434	N	8.562	N
100%	2070	35-14D	3		6.25	9.737	N	9.29	N
100%	2070	35-15D	3		6.25	9.845	N	9	N
0.50%	2120	07-03D	2	3	7.67	7.82	N	7.82	N
0.50%	2120	07-04D	2	3	7.67	10.058	N	7.602	Y
0.50%	2120	07-08D	2	3	7.67	8.58	N	7.75	N
0.50%	2120	07-09D	2	3	7.67	9.083	N	7.924	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
0.50%	2120	07-11 Flood Gate	2	3	7.67	8.165	N	7.204	Y
0.50%	2120	07-11 Slipway	2	3	7.67	7.865	N	7.265	Y
0.50%	2120	07-11D	2	3	7.67	8.385	N	7.493	Y
0.50%	2120	07-12D	2	3	7.67	10.75	N	8.44	N
0.50%	2120	07-13D	2	3	7.67	8.36	N	8.36	N
0.50%	2120	07-14D	2	3	7.67	9.21	N	8.26	N
0.50%	2120	07-16D	2	2	7.67	9.25	N	8.34	N
0.50%	2120	07-17D	2	2	7.67	8.99	N	8.03	N
0.50%	2120	07-19D	2	2	7.67	15.6	N	14.05	N
0.50%	2120	08-01D	2	1	7.67	7.168	Y	7.168	Y
0.50%	2120	08-03D	2	1	7.67	7.669	Y	7.669	Y
0.50%	2120	09-01D	2	1	7.67	7.535	Y	7.546	Y
0.50%	2120	09-03D	2	1	7.67	7.851	N	7.851	N
0.50%	2120	09-04D	2	1	7.67	7.936	N	7.936	N
0.50%	2120	10-02D	2	1	7.67	8.05	N	8.05	N
0.50%	2120	11-01D	2	1	7.67	7.171	Y	7.171	Y
0.50%	2120	11-03D	2	1	7.67	10.13	N	9.29	N
0.50%	2120	12-02D	1		7.77	8.634	N	8.634	N
0.50%	2120	14-01D	1	4	7.77	7.08	Y	7.08	Y
0.50%	2120	14-04D	1	4	7.77	7.09	Y	7.09	Y
0.50%	2120	15-02D	1		7.77	7.39	Y	7.37	Y
0.50%	2120	16-04D	1		7.77	9.472	N	9.472	N
0.50%	2120	16-05D	1		7.77	7.883	N	7.883	N
0.50%	2120	17-01D	1		7.77	8.07	N	8.07	N
0.50%	2120	19-05D	1		7.77	8.89	N	8.24	N
0.50%	2120	20-01D	1		7.77	7.42	Y	7.42	Y
0.50%	2120	20-03D	1		7.77	7.44	Y	7.44	Y
0.50%	2120	20-04D	1		7.77	7.78	N	6.68	Y
0.50%	2120	20-06D	1		7.77	8.576	N	7.139	Y
0.50%	2120	20-07D	1		7.77	8.67	N	8.6	N
0.50%	2120	20-08D	2		7.67	8.55	N	8.55	N
0.50%	2120	20-09D	2		7.67	8.29	N	8.29	N
0.50%	2120	20-11D	2		7.67	8.13	N	8.13	N
0.50%	2120	25-04D	2		7.67	7.955	N	6.884	Y
0.50%	2120	35-12D	3		7.47	9.434	N	8.562	N
0.50%	2120	35-14D	3		7.47	9.737	N	9.29	N
0.50%	2120	35-15D	3		7.47	9.845	N	9	N
1.33%	2120	07-03D	2	3	7.56	7.82	N	7.82	N
1.33%	2120	07-04D	2	3	7.56	10.058	N	7.602	N
1.33%	2120	07-08D	2	3	7.56	8.58	N	7.75	N
1.33%	2120	07-09D	2	3	7.56	9.083	N	7.924	N



AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
1.33%	2120	07-11 Flood Gate	2	3	7.56	8.165	N	7.204	Y
1.33%	2120	07-11 Slipway	2	3	7.56	7.865	N	7.265	Y
1.33%	2120	07-11D	2	3	7.56	8.385	N	7.493	Y
1.33%	2120	07-12D	2	3	7.56	10.75	N	8.44	N
1.33%	2120	07-13D	2	3	7.56	8.36	N	8.36	N
1.33%	2120	07-14D	2	3	7.56	9.21	N	8.26	N
1.33%	2120	07-16D	2	2	7.56	9.25	N	8.34	N
1.33%	2120	07-17D	2	2	7.56	8.99	N	8.03	N
1.33%	2120	07-19D	2	2	7.56	15.6	N	14.05	N
1.33%	2120	08-01D	2	1	7.56	7.168	Y	7.168	Y
1.33%	2120	08-03D	2	1	7.56	7.669	N	7.669	N
1.33%	2120	09-01D	2	1	7.56	7.535	Y	7.546	Y
1.33%	2120	09-03D	2	1	7.56	7.851	N	7.851	N
1.33%	2120	09-04D	2	1	7.56	7.936	N	7.936	N
1.33%	2120	10-02D	2	1	7.56	8.05	N	8.05	N
1.33%	2120	11-01D	2	1	7.56	7.171	Y	7.171	Y
1.33%	2120	11-03D	2	1	7.56	10.13	N	9.29	N
1.33%	2120	12-02D	1		7.66	8.634	N	8.634	N
1.33%	2120	14-01D	1	4	7.66	7.08	Y	7.08	Y
1.33%	2120	14-04D	1	4	7.66	7.09	Y	7.09	Y
1.33%	2120	15-02D	1		7.66	7.39	Y	7.37	Y
1.33%	2120	16-04D	1		7.66	9.472	N	9.472	N
1.33%	2120	16-05D	1		7.66	7.883	N	7.883	N
1.33%	2120	17-01D	1		7.66	8.07	N	8.07	N
1.33%	2120	19-05D	1		7.66	8.89	N	8.24	N
1.33%	2120	20-01D	1		7.66	7.42	Y	7.42	Y
1.33%	2120	20-03D	1		7.66	7.44	Y	7.44	Y
1.33%	2120	20-04D	1		7.66	7.78	N	6.68	Y
1.33%	2120	20-06D	1		7.66	8.576	N	7.139	Y
1.33%	2120	20-07D	1		7.66	8.67	N	8.6	N
1.33%	2120	20-08D	2		7.56	8.55	N	8.55	N
1.33%	2120	20-09D	2		7.56	8.29	N	8.29	N
1.33%	2120	20-11D	2		7.56	8.13	N	8.13	N
1.33%	2120	25-04D	2		7.56	7.955	N	6.884	Y
1.33%	2120	35-12D	3		7.36	9.434	N	8.562	N
1.33%	2120	35-14D	3		7.36	9.737	N	9.29	N
1.33%	2120	35-15D	3		7.36	9.845	N	9	N
5%	2120	07-03D	2	3	7.42	7.82	N	7.82	N
5%	2120	07-04D	2	3	7.42	10.058	N	7.602	N
5%	2120	07-08D	2	3	7.42	8.58	N	7.75	N
5%	2120	07-09D	2	3	7.42	9.083	N	7.924	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefended Level	SWL exceed undefended level
5%	2120	07-11 Flood Gate	2	3	7.42	8.165	N	7.204	Y
5%	2120	07-11 Slipway	2	3	7.42	7.865	N	7.265	Y
5%	2120	07-11D	2	3	7.42	8.385	N	7.493	N
5%	2120	07-12D	2	3	7.42	10.75	N	8.44	N
5%	2120	07-13D	2	3	7.42	8.36	N	8.36	N
5%	2120	07-14D	2	3	7.42	9.21	N	8.36	N
5%	2120	07-16D	2	2	7.42	9.25	N	8.34	N
5%	2120	07-17D	2	2	7.42	8.991	N	8.025	N
5%	2120	07-19D	2	2	7.42	15.6	N	14.05	N
5%	2120	08-01D	2	1	7.42	7.168	Y	7.168	Y
5%	2120	08-03D	2	1	7.42	7.669	N	7.669	N
5%	2120	09-01D	2	1	7.42	7.535	N	7.546	N
5%	2120	09-03D	2	1	7.42	7.851	N	7.851	N
5%	2120	09-04D	2	1	7.42	7.936	N	7.936	N
5%	2120	10-02D	2	1	7.42	8.05	N	8.05	N
5%	2120	11-01D	2	1	7.42	7.171	Y	7.171	Y
5%	2120	11-03D	2	1	7.42	10.13	N	9.29	N
5%	2120	12-02D	1		7.52	8.634	N	8.634	N
5%	2120	14-01D	1	4	7.52	7.08	Y	7.08	Y
5%	2120	14-04D	1	4	7.52	7.09	Y	7.09	Y
5%	2120	15-02D	1		7.52	7.39	Y	7.37	Y
5%	2120	16-04D	1		7.52	9.472	N	9.472	N
5%	2120	16-05D	1		7.52	7.883	N	7.883	N
5%	2120	17-01D	1		7.52	8.07	N	8.07	N
5%	2120	19-05D	1		7.52	8.89	N	8.24	N
5%	2120	20-01D	1		7.52	7.42	Y	7.42	Y
5%	2120	20-03D	1		7.52	7.44	Y	7.44	Y
5%	2120	20-04D	1		7.52	7.78	N	6.68	Y
5%	2120	20-06D	1		7.52	8.576	N	7.139	Y
5%	2120	20-07D	1		7.52	8.67	N	8.6	N
5%	2120	20-08D	2		7.42	8.55	N	8.55	N
5%	2120	20-09D	2		7.42	8.29	N	8.29	N
5%	2120	20-11D	2		7.42	8.13	N	8.13	N
5%	2120	25-04D	2		7.42	7.955	N	6.884	Y
5%	2120	35-12D	3		6.41	9.434	N	8.562	N
5%	2120	35-14D	3		6.41	9.737	N	9.29	N
5%	2120	35-15D	3		6.41	9.845	N	9	N
100%	2120	07-03D	2	3	7.11	7.82	N	7.82	N
100%	2120	07-04D	2	3	7.11	10.058	N	7.602	N
100%	2120	07-08D	2	3	7.11	8.58	N	7.75	N
100%	2120	07-09D	2	3	7.11	9.083	N	7.924	N

AEP	Climate Change	Defence Profile	SWL Zone	Priority Area	Still Water Level	Defended Level	SWL exceed defended level	Undefined Level	SWL exceed undefined level
100%	2120	07-11 Flood Gate	2		7.11	8.165	N	7.204	N
100%	2120	07-11 Slipway	2		7.11	7.865	N	7.265	N
100%	2120	07-11D	2		7.11	8.385	N	7.493	N
100%	2120	07-12D	2		7.11	10.75	N	8.44	N
100%	2120	07-13D	2		7.11	8.36	N	8.36	N
100%	2120	07-14D	2		7.11	9.21	N	8.36	N
100%	2120	07-16D	2	2	7.11	9.25	N	8.34	N
100%	2120	07-17D	2	2	7.11	8.991	N	8.025	N
100%	2120	07-19D	2	2	7.11	15.6	N	14.05	N
100%	2120	08-01D	2	1	7.11	7.168	N	7.168	N
100%	2120	08-03D	2	1	7.11	7.669	N	7.669	N
100%	2120	09-01D	2	1	7.11	7.535	N	7.546	N
100%	2120	09-03D	2	1	7.11	7.851	N	7.851	N
100%	2120	09-04D	2	1	7.11	7.936	N	7.936	N
100%	2120	10-02D	2	1	7.11	8.05	N	8.05	N
100%	2120	11-01D	2	1	7.11	7.171	N	7.171	N
100%	2120	11-03D	2	1	7.11	10.13	N	9.29	N
100%	2120	12-02D	1		7.21	8.634	N	8.634	N
100%	2120	14-01D	1	4	7.21	7.08	Y	7.08	Y
100%	2120	14-04D	1	4	7.21	7.09	Y	7.09	Y
100%	2120	15-02D	1		7.21	7.39	N	7.37	N
100%	2120	16-04D	1		7.21	9.472	N	9.472	N
100%	2120	16-04D	1		7.21	9.472	N	9.472	N
100%	2120	16-05D	1		7.21	7.883	N	7.883	N
100%	2120	16-05D	1		7.21	7.883	N	7.883	N
100%	2120	17-01D	1		7.21	8.07	N	8.07	N
100%	2120	17-01D	1		7.21	8.07	N	8.07	N
100%	2120	19-05D	1		7.21	8.89	N	8.24	N
100%	2120	20-01D	1		7.21	7.42	N	7.42	N
100%	2120	20-03D	1		7.21	7.44	N	7.44	N
100%	2120	20-04D	1		7.21	7.78	N	6.68	Y
100%	2120	20-06D	1		7.21	8.576	N	7.139	Y
100%	2120	20-07D	1		7.21	8.67	N	8.6	N
100%	2120	20-08D	2		7.11	8.55	N	8.55	N
100%	2120	20-09D	2		7.11	8.29	N	8.29	N
100%	2120	20-11D	2		7.11	8.13	N	8.13	N
100%	2120	25-04D	2		7.11	7.955	N	6.884	Y
100%	2120	35-12D	3		6.12	9.434	N	8.562	N
100%	2120	35-14D	3		6.12	9.737	N	9.29	N
100%	2120	35-15D	3		6.12	9.845	N	9	N



