



- NOTES**
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH DRAWING 9759/DR/101
  2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND MECHANICAL DRAWINGS TOGETHER WITH THE SPECIFICATION.
  3. SERVICE INFORMATION SHOWN ON THE DRAWINGS IS INDICATIVE. CONTRACTOR TO ALLOW FOR THE ACCURATE LOCATION OF ALL SERVICES CLOSE TO THE WORKS AND FOR THE SAFE EXECUTION OF THE WORKS AROUND THESE SERVICES. CONTRACTOR TO NOTIFY THE CONTRACT ADMINISTRATOR OF ANY DISCREPANCIES THAT AFFECT THE WORKS.
  4. ALL DRAINAGE TO BE CONSTRUCTED USING U-PVC PIPEWORK TO BS EN 1401-1 & CONCENTRIC EXTERNALLY RIBBED U-PVC PIPES TO WIS-4-31-05
  5. ALL DIMENSIONS ARE IN MILLIMETRES AND ALL LEVELS ARE IN METRES ABOVE ORDNANCE DATUM (NEWLYN) UNLESS NOTED OTHERWISE.
  6. ALL PIPE TO BE 110mm UNLESS NOTED OTHERWISE.
  7. MINIMUM GRADIENTS FOR ALL PIPES WHERE NOT SHOWN TO BE.  
FOUL - 110mm 1:80, 150mm 1:150  
SURFACE - 110mm 1:100, 150mm 1:150
  8. ALL INSPECTION CHAMBERS & MANHOLES IN TRAFFICKED AREAS TO BE INSTALLED WITH A COVER AND FRAME THAT CONFIRMS TO CLASS D400 OF BS EN 124.
  9. ALL INSPECTION CHAMBERS & MANHOLES IN NON TRAFFICKED AREAS TO BE INSTALLED WITH A COVER AND FRAME THAT CONFIRMS TO CLASS C250 OF BS EN 124.
  10. ALL DRAIN CONNECTIONS TO BE FITTED WITH RODDING POINTS AT THE BASE OF EACH CONNECTION TO ALLOW FOR THE MAINTENANCE OF THE SYSTEM.
  11. ALL LEVELS TO BE CONFIRMED. BASED ON LEVELS PROVIDED BY SURVEYOR & ARCHITECT.

**HEALTH & SAFETY INFORMATION.**  
FOR HEALTH AND SAFETY INFORMATION SEE THE SEPARATE DOCUMENT "NUMERICAL RISK ASSESSMENT".  
PROJECT HEALTH AND SAFETY COORDINATOR:- SWECO LTD  
PROJECT PRINCIPAL CONTRACTOR:- HVC LIMITED

**CONSTRUCTION ISSUE**

Issue	Revision	Initial	Date
E	Levels adjusted to suit site conditions, drainage altered to suit. Services shown. Dims to RWP's & ACO channels added	PM	23.08.17
D	Gully relocated and made 150mm. Pipe sizes revised, shown clouded. Minor corrections to annotations	PM	21.07.17
C	Altered to suite bin Pit, Foul drainage levels revised	PM	29.06.17
B	Additional Notes Added	PM	21.04.17
A	SCHEME DEVELOPMENT, BYE-LAW ISSUE	PM	24.03.17

Issue	Revision	Initial	Date
<b>Revision Schedule</b>			

Consulting civil, structural, mechanical and electrical engineers.

**Hartigan**  
Engineering

Norman Hayes, La Collette, St. Helier, Jersey JE2 7GR. Tel: 01534 766655. Fax: 01534 766650. Email: info@hartigan.co.uk. Website: www.hartigan.co.uk

Clinical Waste Incinerator  
La Collette, St. Helier

**DRAINAGE SCHEME**

Drawn: PM	Checked: APR	9759 -100	E
Scale: 1 : 100	Date: 30.03.2017		

Copyright D.J. Hartigan & Associates Ltd.

**1 DRAINAGE SCHEME**  
1 : 100