

PLATES



Plate 1 A Good Example of an Open Species-rich Grassland with Lichens and Mosses (Type B)



Plate 2 Open Marram Mixed with Species-rich Open Turf (C/B)



Plate 3 Frontal Dunes with Open Marram (C) Above Sea Wall, Frequent Sea Holly

PLATES



Plate 4 Open and Closed Marram (C or D) on Sides of Blowout (Bare Sand), Gorse Scrub (F) in Foreground, Rank Grass (E) Between the Gorse and the Blowout



Plate 5 Closed Marram (D) and Small Patch of Bare Sand, Pine Woodland (K) Behind



Plate 6 Linear, Narrow Strip of Strandline Vegetation Beside Sea Wall on Frontal Dunes, Dense (D) Marram to Left of Path

PLATES




Plate 7 Bosdet Gorse (F) and Scrub (G), Russian Vine Centre Above Houses, Rank Grass (E)



Plate 8 Bracken Patches on Bosdet Slopes Co-dominant with Open Marram at Front



Plate 9 Rose-dominated (J), with Bare Sand and Sand/Rose in Centre (S or J/S). Open and Closed Marram Beyond on Blowout Slopes

PLATES



Plate 10 Heath Mixed with Species-rich Rescue Grassland (Bi/L) on Dune Plain



Plate 11 Pyramidal Orchids with Hare's Tail on Frontal Dunes

APPENDICES

APPENDIX 1

Species Found in the Different Plant Communities in 2014

Appendix 1 Species Found in the Different Plant Communities in 2014

| English Name | Scientific Name | A | B | Bi | Bii | C | D | E | F | G | H | I | J | K | L | T |
|---------------------------------|-------------------------------|------|------|-----------|-----|-----|------|-----|------|-----|-----|-----|-----|---|---|------|
| Trees and Shrubs | | | | | | | | | | | | | | | | |
| Sycamore | <i>Acer pseudoplatanus</i> | | | | | | | | | | | | | | | O-id |
| Shrubby orache | <i>Atriplex halimus</i> | | | | | | | | | | | | | | | |
| Butterfly-bush | <i>Buddleja davidii</i> | | | | | | | | | | | | | | | |
| Hazel | <i>Corylus avellana</i> | | | | | | | | | | | | | | | |
| Hawthorn | <i>Crataegus monogyna</i> | | | | | | | | | | | | | | | |
| Broom | <i>Cytisus scoparius</i> | | | | | | | | | | | | | | | |
| Spurge-laurel | <i>Daphne laureola</i> | | | | | | | | | | | | | | | |
| Ash | <i>Fraxinus excelsior</i> | | | | | | | | | | | | | | | |
| Holly | <i>Ilex aquifolium</i> | | | | | | | | | | | | | | | |
| Wild privet | <i>Ligustrum vulgare</i> | | | | | | | | | | | | | | | |
| Tree lupin | <i>Lupinus arboreus</i> | | | | | | | | | | | | | | | |
| Apple species | <i>Malus sp.</i> | | | | | | | | | | | | | | | |
| Monterey pine | <i>Pinus radiata</i> | | | | | | | | | | | | | | | |
| Pine species | <i>Pinus sp.</i> | | | | | | | | | | | | | | | |
| Poplar species | <i>Populus sp.</i> | | | | | | | | | | | | | | | |
| Italian poplar | <i>Populus x canadensis</i> | | | | | | | | | | | | | | | |
| Plum species | <i>Prunus sp.</i> | | | | | | | | | | | | | | | |
| Blackthorn | <i>Prunus spinosa</i> | | | | | | | | | | | | | | | |
| Evergreen oak | <i>Quercus ilex</i> | r-o | | | | | | | | | | | | | | |
| Pedunculate oak | <i>Quercus robur</i> | | | | | | | | | | | | | | | |
| Currant species | <i>Ribes sp.</i> | | | | | | | | | | | | | | | |
| Burnet rose | <i>Rosa pimpinellifolia</i> | f-a | a-id | | r-f | | o-if | | f-la | | o-f | | d | | | |
| Rose species (garden) | <i>Rosa sp.</i> | | | | | | | | | | | | | | | |
| Butcher's-broom | <i>Ruscus aculeatus</i> | | | | | | | | | | | | | | | |
| Goat/grey willow | <i>Salix caprea/cineraria</i> | | | | | | | | | | | | | | | O |
| Grey willow | <i>Salix cinerea</i> | | | | | | | | | | | | | | | |
| Crack-willow | <i>Salix fragilis</i> | | | | | | | | | | | | | | | |
| Willow species | <i>Salix sp.</i> | | | | | | | | | | | | | | | |
| Elder | <i>Sambucus nigra</i> | | | | | | | | | | | | | | | |
| European gorse | <i>Ulex europeaeus</i> | | | | | | | | | | | | | | | |
| Elm species | <i>Ulmus spp.</i> | | | | | | | | | | | | | | | |
| Herbs, Grasses and Ferns | | | | | | | | | | | | | | | | |
| Mosses and lichens | | | | | | | | | | | | | | | | |
| Yarrow | <i>Achillea millefolium</i> | o | | r-o | | | (f) | | r-o | r | | (+) | | | | |
| Common bent | <i>Agrostis capillaris</i> | if | r-la | | | o | | la | if | lo | | | lo | | | O |
| Creeping bent | <i>Agrostis stolonifera</i> | o | | | | | | | | | | | | | | |
| Silver hair-grass | <i>Aira caryophyllea</i> | o-f | | o-f | | | o-f | | if | lo | | | a | | | |
| Early hair-grass | <i>Aira praecox</i> | lo-f | | o-f | | | o-f | | o-lo | lo | | | | | | |
| Garlic mustard | <i>Alliaria petiolata</i> | | | | | | | | | | | | (r) | | | |
| Wild onion | <i>Allium vineale</i> | r-f | | r-coast f | | r-o | | f-a | a-d | o-f | | | lo | | | |
| Marram | <i>Ammophila arenaria</i> | o | o | o-f | | r-o | | | r-o | | | | r | | | |
| Pyramidal orchid | <i>Anacamptis pyramidalis</i> | r | | r-lf | | | | | | | | | ff | | | |
| Scarlet pimpernel | <i>Anagallis arvensis</i> | (o) | | lf inland | | | | | | | | | r | | | |
| Great brome | <i>Anisantha diandra</i> | if | f | lo | | lo | | | | | | | | | | |
| Rigged brome | <i>Anisantha rigidia</i> | | | (f) | (+) | | | | | | | | | | | |
| Bairren brome | <i>Anisantha sterilis</i> | o | | la | | (o) | | | | | | | r | | | |
| Sweet vernal-grass | <i>Anthoxanthum odoratum</i> | o | | la | | (o) | | | | | | | + | | | |
| Bur chervil | <i>Anthriscus caucalis</i> | (a) | | | | | | | | | | | o | | | O-f |
| Kidney vetch | <i>Anthyllis vulneraria</i> | r | | (lo) | | | | | | | | | | | | |
| Parley-piert | <i>Aphanes anensis</i> | | | (f) | | | | | | | | | | | | |
| Fool's-water-cress | <i>Apium nodiflorum</i> | | | | | | | | | | | | la | | | |
| | | | | | | | | | | | | | lo | | | |

Appendix 1 Species Found in the Different Plant Communities in 2014

| English Name | Scientific Name | A | B | Bi | Bii | C | D | E | F | G | H | I | J | K | L | T |
|--------------------------|----------------------------------|-----|------|------|------|-----------|-----|-----|-----|-----|------|------|------|---|-----|-----|
| Lesser burdock | <i>Arctium minus</i> | | | | | | | | | | r | | | | (+) | |
| Slender sandwort | <i>Arenaria leptoclados</i> | | | r | | | | | | | | | | | | |
| Thyme-leaved sandwort | <i>Arenaria serpyllifolia</i> | f | f | | | | | | | | | | | | r | |
| Jersey thrift | <i>Ameria arenaria</i> | f-f | f | lo | | r | | | | | o | | | | | |
| False oat-grass | <i>Arrhenatherum elatius</i> | | | r | | | | | | | (r) | | | | | |
| Mugwort | <i>Artemisia vulgaris</i> | o | | | | | | | | | r-o | | | | (r) | |
| Italian Lords-and-Ladies | <i>Arum italicum</i> | + | | | | | | | | | + | r-o | | | | |
| Lords-and-Ladies species | <i>Arum sp.</i> | | | | | | | | | | | r | | | r-o | |
| Wild asparagus | <i>Asparagus officinalis</i> | | | | | | | | | | | | | | | |
| Black spleenwort | <i>Asplenium adiantum-nigrum</i> | | | | | | | | | | | | | | | |
| Goosefoot species | <i>Atriplex sp</i> | | | | | | | | | | | | | | | |
| Downy oat-grass | <i>Avenula pubescens</i> | o | o | (o) | lf | f | | | | | lf | | | | o | |
| Daisy | <i>Bellis perennis</i> | | | (a) | | | | | | | + | | | | | |
| Sea beet | <i>Beta maritima</i> | | | | | | | | | | | | | | | |
| Large quaking grass | <i>Briza maxima</i> | f | | | | o | | | | | o | o-lf | | | o | |
| Soft-brrome | <i>Bromus hordeaceus</i> | o-f | f-la | (a) | | o | | | | | o | | | | r | (r) |
| Small hare's-ear | <i>Bupleurum baldense</i> | o-f | o-f | lr | | r | | | | | | | | | (r) | |
| Sea rocket | <i>Cakile maritima</i> | | | | | | | | | | | | | | | |
| Hedge bindweed | <i>Calystegia sepium</i> | | | | | | | | | | | f | | | | |
| Large bindweed | <i>Calystegia silvatica</i> | | | | | | | | | | | | | | r | |
| Sea bindweed | <i>Calystegia soldanella</i> | r | (r) | (lf) | (+) | + r-coast | +io | r | | | | | | | | |
| Wavy bitter-cress | <i>Cardamine flexuosa</i> | | | | | | | | | | | | | | (+) | |
| Slender thistle | <i>Carduus tenuiflorus</i> | | | o | o | | | | | | lf | o | | | | |
| Thistle species | <i>Carduus sp.</i> | | | | | | | | | | | | | | | |
| Sand sedge | <i>Carex arenaria</i> | r | f | f | o-f | f | o | o-f | (o) | (o) | | (lf) | | r | | |
| Glaucous sedge | <i>Carex flacca</i> | | | | | (o) | | | | | | | | | | |
| Hairy sedge | <i>Carex hirta</i> | | | | | (o) | | | | | | (+) | f | f | | |
| Carline thistle | <i>Carlina vulgaris</i> | | | | | | | | | | | | | | (f) | |
| Sea fern-grass | <i>Catapodium marinum</i> | f | | l-a | o | (+) | (+) | | | | | | | | r | |
| Fern-grass | <i>Catapodium rigidum</i> | r | | lf | o-f | o | | | | | | | | | | |
| Rough star-thistle | <i>Centaura aspera</i> | a | | o-f | o-lo | o | r-o | | | | lf-f | o | (lo) | o | o | |
| Common knapweed | <i>Centaura nigra</i> | | | | | | | | | | | | | | r | |
| Common centaury | <i>Centaurium erythraea</i> | o-f | o-f | o | (+) | | | | | | r | (o) | (o) | | + | o |
| Red valerian | <i>Centranthus ruber</i> | lf | | | | | | | | | | | | | (r) | |
| Sea mouse-ear chickweed | <i>Cerastium diffusum</i> | | | o | | | | | | | | | | | | |
| Common mouse-ear | <i>Cerastium fontanum</i> | o | | o | | | | | | | | | | | | |
| Sticky mouse-ear | <i>Cerastium glomeratum</i> | | | | | (r-o) | | | | | | | | | | |
| Mouse-ear species | <i>Cerastium sp.</i> | f | r | f | o | | | | | | | | | | | |
| Show-in-summer | <i>Cerastium tomentosum</i> | | | | | | | | | | | | | | | |
| Chamomile | <i>Chamaemelum nobile</i> | + | | | | | | | | | | | | | | |
| Rosebay willowherb | <i>Chamerion angustifolium</i> | | | | | | | | | | | | | | | |
| Many-seeded goosefoot | <i>Chenopodium polyspermum</i> | | | | | | | | | | | | | | | |
| Red goosefoot | <i>Chenopodium rubrum</i> | | | | | | | | | | | | | | | |
| Creeping thistle | <i>Cirsium arvense</i> | | | | | | | | | | | | | | | |
| Spear thistle | <i>Cirsium vulgare</i> | | | | | | | | | | | | | | | |
| Lichen species | <i>Cladonia sp.</i> | f | o | r | | | | | | | | | | | | |
| Danish scurvygrass | <i>Cochlearia danica</i> | | | (+) | | | | | | | | | | | | |
| Hemlock | <i>Conium maculatum</i> | | | | | | | | | | | | | | | |
| Field bindweed | <i>Convolvulus arvensis</i> | | | | | | | | | | | | | | | |
| Pampas grass | <i> Cortaderia selloana?</i> | + | | | | | | | | | | | | | | |
| Grey hair-grass | <i>Corynephorus canescens</i> | o-f | f | f | o-f | | | | | | | | | | | |
| Smooth hawk's-beard | <i>Crepis capillaris</i> | | | | | | | | | | | | | | | |
| Rock samphire | <i>Crithmum maritimum</i> | | | | | | | | | | | | | | | |

Appendix 1 Species Found in the Different Plant Communities in 2014

| English Name | Scientific Name | A | B | Bi | Bii | C | D | E | F | G | H | I | J | K | L | T |
|---------------------------|--|------|------|------|-----|----------|-------|-----|----|---|---|-------|---|---|------|-------|
| Dodder | <i>Cuscuta epithymum</i> | o-f | lo | f | | o | (+) | | | | | r-o | | | | |
| Crested dog's-tail | <i>Cynosurus cristatus</i> | | | o-f | | | | | | | | | | | | f |
| Cock's-foot | <i>Dactylis glomerata</i> | a | o | o-f | r-o | f-f | o-f | f | | | | (r-o) | r | | | |
| Heath-grass | <i>Danthonia decumbens</i> | | | | | | | | | | | o-of | | | | r |
| Wild carrot | <i>Daucus carota</i> | o | r-o | r-o | (o) | o | of | o-f | r | | | o | | | | |
| Foxglove | <i>Digitalis purpurea</i> | | | | | | | | | | | | | | r | |
| Perennial wall-rocket | <i>Diplotaxis tenifolia</i> | (f) | | | | | | | | | | | | | | |
| Broad buckler-fern | <i>Dryopteris dilatata</i> | | | | | | | | | | | | | | lf | (o-f) |
| Male-fern | <i>Dryopteris filix-mas</i> | | | | | | | | | | | | | | r-o | |
| Common spike-rush | <i>Eleocharis palustris</i> | | | | | | | | | | | | | | | |
| Sea couch | <i>Elytrigia atherica</i> | o-if | lo | | | o-la | o | | | | | | | | | |
| Sand couch | <i>Elytrigia juncea</i> | | | | | a | lo | + | | | | | | | | |
| Couch grass | <i>Elytrigia repens</i> | | | | | | lo | lo | lo | | | lo | | | | |
| Great willowherb | <i>Epilobium hirsutum</i> | | | | | | | | | | | | | | | |
| Broad-leaved willowherb | <i>Epilobium montanum</i> | | | | | | | | | | | | | | | |
| Square-stalked willowherb | <i>Epilobium tetragonum</i> | | | | | | | | | | | | | | | |
| Marsh horsetail | <i>Equisetum palustre</i> | | | | | | | | | | | | | | | (r) |
| Bell heather | <i>Erica cinerea</i> | | | | | r-o | r | | | | | | | | | |
| Blue fleabane | <i>Erigeron acer</i> | (r) | (+) | | | (r) | (+) | | | | | | | | | |
| Common stork's-bill | <i>Erodium cicutarium</i> | o | r-o | o | (o) | | | | | | | | | | | |
| Common whitlowgrass | <i>Erophila verna</i> | r | r | (o) | | r-if | lf | + | | | | | | | | |
| Sea-holly | <i>Eryngium maritimum</i> | | | (f) | | | | | | | | | | | | |
| Hemp-agrimony | <i>Eupatorium cannabinum</i> | | | | | | | | | | | | | | | |
| Portland spurge | <i>Euphorbia portlandica</i> | o-f | f | + | f | o | o-f | | | | | r | | | | r |
| Eyebright | <i>Euphrasia officinalis</i> | o | o-if | o | | r | | | | | | | | | | r |
| Sheep's-fescue | <i>Festuca ovina</i> | o | a | a | f | f-a | o-f | r-f | | | | f-o | | | | o-f |
| Red fescue | <i>Festuca rubra</i> | | | | | f-a | o-f | o-f | | | | (f) | | | | |
| Fescue species | <i>Festuca</i> sp. | | | | | | | | | | | | | | | f |
| Common cudweed | <i>Filago vulgaris</i> | | | | | | | | | | | | | | | (+) |
| Fennel | <i>Foeniculum vulgare</i> | lf | | r | | lf coast | lf | o-f | | | | (f) | | | | |
| Common ramping-furniture | <i>Fumaria muralis</i> ssp. <i>boreaei</i> | (r) | | | | | | + | | | | | | | (lo) | |
| Cleavers | <i>Galium aparine</i> | | | | | | | | | | | | | | | |
| Lady's bedstraw | <i>Galium verum</i> | + | f | f | o-f | o-f | o-f | | | | | | | | | |
| Crane's-bill spp | <i>Geranium</i> spp. | | | (o) | a | (f) | o | (+) | | | | o | | | | |
| Dove's-foot crane's-bill | <i>Geranium molle</i> | (f) | (o) | (o) | (o) | (+) | (+) | (o) | | | | o | | | | |
| Herb-Robert | <i>Geranium robertianum</i> | | | | | | | | | | | | | | | |
| Round-leaved crane's-bill | <i>Geranium rotundifolium</i> | r | | | | | | | | | | | | | | |
| Wood avens | <i>Geum urbanum</i> | | | | | | | | | | | | | | | |
| Ground-ivy | <i>Glechoma hederacea</i> | | | | | | | | | | | | | | | |
| Cudweed species | <i>Graphealium</i> sp. | | | | | | | | | | | | | | | |
| Cape Cudweed | <i>Gnaphalium undulatum</i> | r-if | r | r | o-f | r | r-o | o-f | lf | o | o | o-lo | | | | |
| Ivy | <i>Hedera helix</i> | | | r | (+) | (o) | o | f | la | | | lf | | | | |
| Hogweed | <i>Heracleum sphondylium</i> | r-lo | | r | | | | | | | | | | | | |
| Orange hawkweed | <i>Hieracium pilosella</i> | | | | | | | | | | | | | | | (r) |
| Lizard orchid | <i>Himantoglossum hircinum</i> | (r) | | | | | | | | | | | | | | o |
| Yorkshire-fog | <i>Holcus lanatus</i> | f | | o | | f-a | o-f | o | lf | f | | (o-f) | | | | |
| Wall barley | <i>Hordeum murinum</i> | r | r | | | | | | | | | | | | | f |
| Spanish bluebell | <i>Hyacinthoides hispanica</i> | | | | | | | | | | | | | | | |
| Bluebell species | <i>Hyacinthoides</i> sp. | | | | | | | | | | | | | | | |
| Marsh pennwort | <i>Hydrocotyle vulgaris</i> | | | | | | | | | | | | | | | |
| Smooth cat's-ear | <i>Hypochoeris glabra</i> | f | | f-la | r-o | lf | | | | | | | | | | |
| Common cat's-ear | <i>Hypochoeris radicata</i> | o | r-o | r-f | o | lf | (r-o) | (+) | | | | r-o | | | | |
| Candytuft species | <i>Iberis</i> sp. | | | | | | | | | | | | | | | |

Appendix 1 Species Found in the Different Plant Communities in 2014

| English Name | Scientific Name | A | B | Bi | Bii | C | D | E | F | G | H | I | J | K | L | T |
|---------------------------------|----------------------------------|-----|-----|------|------|---------|------|-------|---|-----|-------|-------|-------|----|------|---|
| Sinking iris | <i>Iris foetidissima</i> | | r | | | | | r | | r | | | | | If-O | |
| Sheep's-bit | <i>Jasione montana</i> | | | | | | | | | | | | | | r-lo | |
| Sharp-flowered rush | <i>Juncus acutiflorus</i> | | | | | | | | | | | la | | | | |
| Sharp rush | <i>Juncus acutus</i> | | | | | | | | | | | (+) | | | | |
| Jointed rush | <i>Juncus articulatus</i> | | | | | | | | | | o | | | | | |
| Toad rush | <i>Juncus bufonius</i> | r | | | | | | | | | | | | | | |
| Hard rush | <i>Juncus inflexus</i> | | | | | | | | | | | if | | | | |
| Crested hair-grass | <i>Koeleria cristata</i> | | | r-f | r-f | o | o-f | r-o | | | | o | | | | |
| Hare's-tail | <i>Lagurus ovatus</i> | f | ff | o-la | o | lo | r-if | o-if | | lo | (+) | | | | | |
| Nipplewort | <i>Lapsana communis</i> | | | | | | | | | | | | | | r | |
| Narrow-leaved everlasting-pea | <i>Lathyrus latifolius</i> | | | | | | | | | | | r | | | | |
| Meadow vetchling | <i>Lathyrus pratensis</i> | | (o) | | (+) | o | | | | | | | | | | |
| Autumn hawkbit | <i>Leontodon autumnalis</i> | | | r | o | o | | | | r | o | | | | | |
| Lesser hawkbit | <i>Leontodon saxatilis</i> | | | f | o | o | f-if | f | | r | | | | | o | |
| Oxeye daisy | <i>Leucanthemum vulgare</i> | | | | | | | | | | | r | | | | |
| Perennial ryegrass | <i>Lolium perenne</i> | (f) | | o-la | | o-la | | o | | lo | r-if | (+) | | | lo-r | |
| Honeysuckle | <i>Lonicera periclymenum</i> | | | | | | | | | | | | | | f | |
| Common bird's-foot-trefoil | <i>Lotus corniculatus</i> | | | f | o-f | r-f | (+) | o | | o-f | | | | | | |
| Hairy bird's-foot-trefoil | <i>Lotus subtilis</i> | | | ff | o | (o) | | (o-f) | | (+) | | | | | | |
| Field wood-rush | <i>Luzula campestris</i> | | | f | o-f | o | | (+) | | (+) | | if | | | o | |
| Gypsywort | <i>Lycopus europaeus</i> | | | | | | | | | | | | | | o | |
| Musk-mallow | <i>Malva moschata</i> | | | | | | | | | | | | | | | |
| Common mallow | <i>Malva sylvestris</i> | o | | + | | | | | | r | r | (o) | | | | |
| Sea stock | <i>Matthiola sinuata</i> | | | | | (1) | | | r | | | | | | | |
| Spotted medick | <i>Medicago arabica</i> | | r | | | (o) | | | | | | | | | | |
| Licocene | <i>Medicago sativa</i> | | | | | | | | r | | | | | | | |
| Ribbed melilot | <i>Mellilotus officinalis</i> | | | | | | | | r | | | | | | | |
| Water mint | <i>Mentha aquatica</i> | | | | | | | | | | | o-if | | | lo | |
| Early sand-grass | <i>Mibora minima</i> | | | f | o-f | r | o | | | | | | | | r | |
| Purple moor-grass | <i>Molinia caerulea</i> | | | | | | | | | | | (+) | | | (r) | |
| Spring beauty | <i>Monilia perfoliata</i> | | | | | | | | | | | (+) | | | | |
| Moss species | <i>Moss sp.</i> | | | o | o | r-o | f | | f | | | | | | r | |
| Changing forget-me-not | <i>Myosotis discolor</i> | | | | | (r) | | (+) | | | | | | | | |
| Early forget-me-not | <i>Myosotis ramosissima</i> | | | | | r | (o) | (+) | | | | (+) | | | | |
| Wild daffodil | <i>Narcissus pseudonarcissus</i> | | | | | +> | | | r | | (+) | | | | | |
| Garden daffodil | <i>Narcissus sp.</i> | | | | | | | | | | | if | | | | |
| Water-cress | <i>Nasturtium officinale agg</i> | | | | | | | | | | | | | | | |
| Red bartisia | <i>Odontites vernae</i> | | r | r-f | | | | | | | | lo-la | | | | |
| Hemlock water-dropwort | <i>Oenanthe crocata</i> | | | | | | | | | | | | la-if | | | |
| Common evening-primrose | <i>Oenothera biennis</i> | | | | | | | | | | | | (r) | | | |
| Large-flowered evening-primrose | <i>Oenothera glazioviana</i> | r | | r | | o-f | o | o-f | | r | o | r-o | | | | |
| Fragrant evening-primrose | <i>Oenothera stricta</i> | o | f | f | o-f | o-f | o-f | o | | f | | | | | | |
| Common restarrow | <i>Ononis repens</i> | f | | f | | (lo | (lf | o-f | o | o-f | | | o | | | |
| Green-winged orchid | <i>Orchis morio</i> | | | | | | | | | | | (+) | | | | |
| Bird's-foot | <i>Ornithopus perpusillus</i> | | | | | | | | | | | | | | | |
| Broomrape species | <i>Orobanche sp.</i> | | | r | r-if | coastal | o | o | o | o | lo-if | (+) | | | | |
| Sorrel species | <i>Oxalis sp.</i> | | | | | | | | | | | | | | | |
| Common poppy | <i>Papaver rhoeas</i> | | | | | | | | | | | | r | | | |
| Opium poppy | <i>Papaver somniferum</i> | | | | | | | | | | | | r | | | |
| Yellow bartsia | <i>Parentucellia viscosa</i> | | | | | | | | | | | lo | | | | |
| Peltitory of the wall | <i>Parietaria judaica</i> | r | | | | | | | | | | lr | la | | lo | |
| Dog lichen species | <i>Peltigera sp.</i> | | | | | | | | | | | | | | | |
| Winter heliotrope | <i>Petrosites fragrans</i> | | | f-o | o | | | | | | | | | if | | |

Appendix 1 Species Found in the Different Plant Communities in 2014

| English Name | Scientific Name | A | B | Bi | Bii | C | D | E | F | G | H | I | J | K | L | T |
|---------------------------|--------------------------------|------|------|--------|------|------|------|-----|-----|------|-----|------|---|------|-----|------|
| Chidling pink | <i>Petrorhagia nanettii</i> | | | r | (lf) | | | | | | | | | | | |
| Sand cat's-tail | <i>Phleum arenaria</i> | | f | r-f | r | r-o | o | | | | | | | | r | |
| Common reed | <i>Phragmites australis</i> | | | | | | | | | | | la | | | | |
| Hart's-tongue | <i>Phyllitis scolopendrium</i> | | | (+) | | r | r | (+) | | | | | | r-o | | |
| Shaggy mouse-ear hawkweed | <i>Pilosella peleteriana</i> | | r | r | r | r | r | r | r | | | | | (f) | | r |
| Buck's-horn plantain | <i>Plantago coronopus</i> | f | o-f | o-f | o-la | | | | | | | | | | | |
| Ribwort plantain | <i>Plantago lanceolata</i> | o-a | o-f | o-f | o | o | o-f | f | | | | | | | r | |
| Greater plantain | <i>Plantago major</i> | | | r | (f) | | | | | | | | | + | | lf-o |
| Annual meadow-grass | <i>Poa annua</i> | (f) | | | (o) | | | | | | | | | | | |
| Bulbous meadow-grass | <i>Poa bulbosa</i> | | r | (r) | | | | | | | | | | | | |
| Early meadow-grass | <i>Poa infirma</i> | | (r) | | (+) | | | | | | | | | | | |
| Smooth meadow-grass | <i>Poa pratensis</i> | | | o | | of | o | o | | | o | | | | | r |
| Rough meadow-grass | <i>Poa trivialis</i> | | | | | | | | | | | | | lo | | |
| Four-leaved allseed | <i>Polykarpon tetraphyllum</i> | | o | o | | | | | | | | | | | | |
| Heath milkwort | <i>Polygala serpyllifolia</i> | | | | | | | | | | | | | | | r |
| Common milkwort | <i>Polygala vulgaris</i> | o | (f) | | | r | | | | | | | | | | r |
| Common polypody | <i>Polyodium interjectum</i> | (r) | lr | | | o | | lr | (+) | (+) | o | | | | | |
| Moss species | <i>Polytrichum juniperinum</i> | | | | | | | | | | | | | | | |
| Tormentil | <i>Potentilla erecta</i> | | | | | | | | | | | | | | | |
| Bracken | <i>Pteridium aquilinum</i> | o-la | o-la | | | la | o-la | la | o | a-la | | d | | | fd | la |
| Common fleabane | <i>Pulicaria dysenterica</i> | | | | | | | | | | | | | | | |
| Meadow buttercup | <i>Ranunculus acris</i> | | | r | (a) | (f) | | | | | | | | | | |
| Bulbous buttercup | <i>Ranunculus bulbosus</i> | | | | | | | | | | | | | | | |
| Lesser celandine | <i>Ranunculus ficaria</i> | | | | | | | | | | | | | | | |
| Creeping buttercup | <i>Ranunculus repens</i> | (o) | | f | o | lo | (+) | o-f | | | | | | | r | |
| Sea radish | <i>Raphanus maritimus</i> | f | | | | | | | | | | | | lf | | |
| Wild mignonette | <i>Reseda luteola</i> | (o) | | | | | | | | | | | | | | |
| Yellow rattle | <i>Rhinanthus minor</i> | (r) | (lf) | | (+) | (+) | | | | | | | | | | |
| Sand crocus | <i>Romulea columnae</i> | (o) | r-o | r-o | | | | | | | | | | | r | |
| Wild madder | <i>Rubia peregrina</i> | | (r) | + | | | | | | | | | | o-f | o | |
| Bramble | <i>Rubus fruticosus</i> | r-o | r | o | o | o | o | o | o | a-la | o-f | lo-f | | lf-o | o | |
| Common sorrel | <i>Rumex acetosa</i> | | | r | (+) | (+) | lo | lf | lf | (+) | (+) | (+) | | (+) | r | |
| Sheep's sorrel | <i>Rumex acetosella</i> | | | r | r | | | | | | | | | | | + |
| Curled dock | <i>Rumex crispus</i> | | | r-o | | | | | | | | | | | | |
| Wood dock | <i>Rumex sanguineus</i> | | | | | | | | | | | | | | | r |
| Wild clary | <i>Salvia verbenaca</i> | | | (o) | | | | | | | | | | | (a) | |
| Rue-leaved saxifrage | <i>Saxifraga tridactylites</i> | | | (lf) | | (+) | | | | | | | | | | |
| Autumn squill | <i>Scilla autumnalis</i> | | (o) | | | | | | | | | | | | | |
| Moss species | <i>Scleropodium purum</i> | | la | (la) | | (a) | | | | | | | | | | (lf) |
| Balm-leaved figwort | <i>Scrophularia scorodonia</i> | la | | | lo | (+) | | | | | | | | | | |
| Biting-stonecrop | <i>Sedum acre</i> | | f | f | o | o | | | | | | | | | | |
| White stonecrop | <i>Sedum album</i> | | lf | lf | la | | | | | | | | | | | r |
| English stonecrop | <i>Sedum anglicum</i> | | (lf) | (la) | (lf) | | | | | | | | | | | r |
| Ragwort | <i>Senecio jacobaea</i> | o | o | o | o | o-of | la | o | o | o | o | la | | | | r |
| Groundsel | <i>Senecio vulgaris</i> | (f) | | r-o | + | | | | | | | | | | | |
| Field madder | <i>Sheperdia arvensis</i> | (r) | | + | | | | | | | | | | | | (r) |
| Sand catchfly | <i>Silene conica</i> | (o) | (r) | (lo-f) | | | | | | | | | | | | |
| Red campion | <i>Silene dioica</i> | | | | | | | | | | | | | | r-o | |
| Small-flowered catchfly | <i>Silene gallica</i> | | | | | | | | | | | | | | | |
| Nottingham catchfly | <i>Silene nutans</i> | | o | o | r | (+) | | | | | | | | (+) | o | |
| Sea campion | <i>Silene uniflora</i> | r | | (lo) | | | | | | | | | | | | o |
| Hedge mustard | <i>Sisymbrium officinale</i> | | | | | | | | | | | | | | | o |
| Alexanders | <i>Smyrnium olusatrum</i> | | | | | | | | | | | | | | | o-f |

Appendix 1 Species Found in the Different Plant Communities in 2014

| English Name | Scientific Name | A | B | Bi | Bii | C | D | E | F | G | H | I | J | K | L | T |
|--------------------------|-----------------------------------|---|-----|----|-----|-----|---|-----|-----|---|-----|----|---|---|---|---|
| Tall nightshade | <i>Solanum chenopodioides</i> | | | | | | | r | | | | r | | | r | |
| Bittersweet | <i>Solanum dulcamara</i> | | | | | | | | | | (+) | lo | r | | r | |
| Prickly sow-thistle | <i>Sonchus asper</i> | | | | | | | | | | o | | | | o | |
| Smooth sow-thistle | <i>Sonchus oleraceus</i> | r | (r) | + | | | | (+) | o | | (+) | | | o | | |
| Sow-thistle species | <i>Sonchus</i> sp. | | | | | | | + | r | | | | | | | |
| Greek sand-spurrey | <i>Spergularia villosa</i> | | | | | | | | | | | | | | | |
| Sand spurrey | <i>Spergularia rubra</i> | | | | | | | | | | | | | | | |
| Autumn lady's-tresses | <i>Spiranthes spiralis</i> | | | | | | | (+) | | | | | | | | |
| Hedge woundwort | <i>Stachys sylvatica</i> | | | | | | | | | | | | | | | |
| Common chickweed | <i>Stellaria media</i> | | | | | | | | | | | | | | | |
| Rock dandelion | <i>Taraxacum laevigatum</i> | | | | | | | | | | | | | | | |
| Dandelion | <i>Taraxacum officinale agg</i> | | | | | | | | | | | | | | | |
| Wood sage | <i>Teucrium scorodonia</i> | | | | | | | | | | | | | | | |
| Bastard toadflax | <i>Thesium humifusum</i> | | | | | | | | | | | | | | | |
| Wild thyme | <i>Thymus polytrichus</i> | | | | | | | | | | | | | | | |
| Moss species | <i>Tortula</i> sp. | | | | | | | | | | | | | | | |
| Hare's-foot clover | <i>Trifolium arvense</i> | | | | | | | | | | | | | | o | |
| Hop trefoil | <i>Trifolium campestre</i> | | | | | | | | | | | | | | r | |
| Lesser trefoil | <i>Trifolium dubium</i> | | | | | | | | | | | | | | | |
| Red clover | <i>Trifolium pratense</i> | | | | | | | | | | | | | | | |
| White clover | <i>Trifolium repens</i> | | | | | | | | | | | | | | | |
| Rough clover | <i>Trifolium scabrum</i> | | | | | | | | | | | | | | | |
| Clover species | <i>Trifolium</i> sp. | | | | | | | | | | | | | | | |
| Sea mayweed | <i>Tripleurospermum maritimum</i> | | | | | | | | | | | | | | | |
| Mayweed species | <i>Tripleurospermum</i> sp. | | | | | | | | | | | | | | | |
| Bulrush species | <i>Typha</i> sp. | | | | | | | | | | | | | | | |
| Navelwort | <i>Umbilicus rupestris</i> | + | | | | r | | | | | | | | | | |
| Common nettle | <i>Urtica dioica</i> | | | | | | | | | | | | | | | |
| Keeled-fruited cornsalad | <i>Valerianella carinata</i> | | (f) | | (o) | | | | | | | | | | | |
| Great mullein | <i>Verbascum thapsus</i> | | | r | r | | | r | (+) | | | | | | | |
| Vervain | <i>Verbenia officinalis</i> | | | | | | | | | | | | | | | |
| Wall speedwell | <i>Veronica arvensis</i> | | | | | | | | | | | | | | | |
| German speedwell | <i>Veronica chamaedrys</i> | | | | | | | | | | | | | | | |
| Ivy-leaved speedwell | <i>Veronica hederifolia</i> | | | | | | | | | | | | | | | |
| Wood speedwell | <i>Veronica montana</i> | | | | | | | | | | | | | | | |
| Heath speedwell | <i>Veronica officinalis</i> | | | r | | | | | | | | | | | | |
| Thyme-leaved speedwell | <i>Veronica serpyllifolia</i> | | r | | r | | | | | | | | | | | |
| Speedwell species | <i>Veronica</i> sp. | | | | | | | | | | | | | | | |
| Hairy tare | <i>Vicia hirsuta</i> | o | r | | | | | | | | | | | | | |
| Spurred vetch | <i>Vicia lathyroides</i> | | | | | | | | | | | | | | | |
| Common vetch | <i>Vicia sativa</i> | o | r | | | | | | | | | | | | | |
| Dwarf pansy | <i>Viola kitaibeliana</i> | | | r | r | (o) | | | | | | | | | r | |
| Common dog-violet | <i>Viola riviniana</i> | | | | | | | | | | | | | | | |
| Squirreltail fescue | <i>Vulpia bromoides</i> | r | r | | | | | | | | | | | | | |
| Dune fescue | <i>Vulpia fasciculata</i> | | | | | | | | | | | | | | r | |

+ = present no Dafor given

T = a new tall ruderal community found on the grass clippings waste piles by the golf course

Brackets = Previously recorded but not found in that habitat in 2014


APPENDIX 2

Target Notes

Appendix 2 Target Notes

| Target Note Number | Easting | Northing | Map Location | Description | |
|--------------------|---------|----------|--------------|---|--|
| 1 | 33175 | 66136 | 27 | Pyramidal orchids x 1 | |
| 2 | 33216 | 66264 | 25 | Pyramidal orchids x 23 | |
| 3 | 33235 | 66442 | 21 | Strandline vegetation | |
| 4 | 33269 | 66368 | 25 | Childing pink | |
| 5 | 33323 | 66137 | 27 | Shaggy mouse-ear hawkweed | |
| 6 | 33461 | 66691 | 15 | Shrubby orache | |
| 7 | 33482 | 66396 | 26 | Shaggy mouse-ear hawkweed | |
| 8 | 33566 | 66725 | 16 | Small hare's-ear | |
| 9 | 33674 | 66805 | 16 | Shaggy mouse-ear hawkweed | |
| 10 | 33758 | 66715 | 16 | Heath speedwell | |
| 11 | 33851 | 66635 | 23 | Heath speedwell | |
| 12 | 34010 | 66531 | 23 | Good quality closed dune grassland | |
| 13 | 34028 | 66842 | 17 | Sea stock | |
| 14 | 34289 | 66970 | 12 | Pyramidal orchids x 20 | |
| 15 | 34385 | 66965 | 12 | Pyramidal orchids | |
| 16 | 34395 | 67496 | 2 | Russian vine | |
| 17 | 34442 | 67235 | 14 | Ancient low pollarded oak | |
| 18 | 34446 | 67242 | 14 | Pyramidal orchids x31 beyond mowing strip | |
| 19 | 34802 | 67124 | 13 | Pyramidal orchids x2 | |
| 20 | 33385 | 66492 | 21 | Hairy bird's-foot trefoil | |
| 21 | 33454 | 66899 | 15 | Jersey thrift | |
| 22 | 33499 | 66639 | 22 | Wetland | |
| | | | | Wetland fringe around pond supporting; Parentucellia viscosa (la), Conium maculatum (o), Epilobium hirsutum (la), Juncus articulatus (o) Hypericum tetapterum (r), Salix cinerea (la) | |
| 23 | 33499 | 67017 | 10 | Early sand-grass | |
| 24 | 33501 | 66977 | 10 | Small hare's-ear | |
| 25 | 33504 | 66977 | 10 | Pyramidal orchids | |
| 26 | 33505 | 66635 | 22 | New pond | |
| | | | | New pond, open water with Eleocharis palustris (o), Nymphaea alba (o), Myriophyllum aquaticum (la) | |
| 27 | 33533 | 66827 | 16 | Jersey thrift | |
| 28 | 33551 | 66831 | 16 | Small hare's-ear | |
| 29 | 33605 | 66936 | 10 | Very heavily grazed | |
| 30 | 33616 | 66594 | 22 | Shaggy mouse-ear hawkweed | |
| 31 | 33650 | 66659 | 22 | Small hare's-ear | |
| 32 | 33708 | 66645 | 22 | Dodder | |
| 33 | 33751 | 67156 | 10 | Four-leaved allseed | |
| 34 | 33964 | 66753 | 17 | Erica cinerea | |
| 35 | 33984 | 66635 | 23 | Heath speedwell | |
| 36 | 34031 | 67343 | 5 | Four-leaved allseed | |
| 37 | 34036 | 66788 | 17 | Sea stock | |
| 38 | 34054 | 67360 | 5 | Pyramidal orchids x3 | |
| 39 | 34116 | 67353 | 5 | Pyramidal orchids | |
| 40 | 34207 | 67321 | 6 | Bluebell | |
| 41 | 34232 | 67383 | 6 | C. 100+ spikes of Nottingham catchfly | |
| 42 | 34312 | 67192 | 6 | Pyramidal orchids x1 | |
| 43 | 34394 | 67086 | 12 | Grey hair-grass | |
| 44 | 34442 | 67235 | 6 | Pyramidal orchids x4 | |
| 45 | 34446 | 67242 | 6 | Pyramidal orchids x2 | |
| 46 | 34502 | 67204 | 6 | Pyramidal orchids x30 | |
| 47 | 34514 | 67197 | 6 | Pyramidal orchids x60 | |
| 48 | 34604 | 67405 | 7 | Small hare's-ear | |

Penny Anderson
Associates Ltd
CONSULTANT ECOLOGISTS



Park Lea, 60 Park Road, Buxton, Derbyshire SK17 6SN