



Public Health
England

Protecting and improving the nation's health

Channel Islands Cancer Report 2020

Incorporating data up to 2016

Produced by the Public Health England National Cancer Registration and Analysis Service
for the Guernsey and Jersey Medical Officers of Health

PUBLIC REPORT (numbers less than 5 are suppressed for confidentiality)

About Public Health England

Public Health England exists to protect and improve the nation's health and wellbeing, and reduce health inequalities. We do this through world-leading science, knowledge and intelligence, advocacy, partnerships and the delivery of specialist public health services. We are an executive agency of the Department of Health and Social Care, and a distinct delivery organisation with operational autonomy. We provide government, local government, the NHS, Parliament, industry and the public with evidence-based professional, scientific and delivery expertise and support.

Public Health England Wellington House
133-155 Waterloo Road London
SE1 8UG
Tel: 020 7654 8000
www.gov.uk/phe Twitter: @PHE_uk
Facebook: www.facebook.com/PublicHealthEngland

Prepared by: Isobel Tudge and Thomas Higgins; Cancer Intelligence Analysts, National Cancer Registration & Analysis Service.

For queries relating to this document, please contact: ncrasenquiries@phe.gov.uk.

Table of Contents

About Public Health England	2
Table of Contents	3
Executive summary.....	5
Incidence	5
Mortality	5
Introduction	7
Methods	7
Data sources	7
Data quality.....	8
Methods.....	9
Populations.....	10
Key results.....	10
Guernsey.....	12
Incidence.....	12
Mortality	12
Jersey.....	13
Incidence.....	13
Mortality	14
All Cancers (C00-C97 excluding C44) - Incidence	20
All Cancers (C00-C97 excluding C44) - Mortality.....	22
Bladder Cancer (C67) - Incidence.....	24
Bladder Cancer (C67) - Mortality	26
Brain and CNS Cancer (C70 - C72) - Incidence.....	28
Brain and CNS Cancer (C70 - C72) - Mortality	30
Breast Cancer (C50) - Incidence.....	32
Breast Cancer (C50) - Mortality	34
Colorectal Cancer (C18-C21) - Incidence	36
Colorectal Cancer (C18-C21) - Mortality	38
Head and Neck Cancer (C00-C14, C30-C32, C73) - Incidence	40
Head and Neck Cancer (C00-C14, C30-C32, C73) - Mortality.....	42
Hepatobiliary Cancer (C22-C23) - Incidence.....	44

Hepatobiliary Cancer (C22-C23) - Mortality	46
Kidney and Ureter Cancer (C64-C68) - Incidence.....	48
Kidney and Ureter Cancer (C64-C68) - Mortality	50
Leukaemia Cancer (C91-C95) - Incidence.....	52
Leukaemia Cancer (C91-C95) - Mortality.....	54
Lung Cancer (C33-C34) - Incidence	56
Lung Cancer (C33-C34) - Mortality	58
Lymphoma Cancer (C81-C85, C96) - Incidence	60
Lymphoma Cancer (C81-C85, C96) - Mortality	62
Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Incidence	64
Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Mortality	66
Malignant Melanoma Cancer (C43) - Incidence	68
Malignant Melanoma Cancer (C43) - Mortality.....	70
Other Cancers (other 'C' codes excl. C44) - Incidence	72
Other Cancers (other 'C' codes excl. C44) - Mortality	74
Other Gynaecological Cancers (C51-C53, C57-C58) - Incidence	76
Other Gynaecological Cancers (C51-C53, C57-C58) - Mortality	78
Other Skin Cancers (C44) - Incidence	80
Other Skin Cancers (C44) - Mortality	82
Ovarian Cancer (C56) - Incidence	84
Ovarian Cancer (C56) - Mortality	86
Prostate Cancer (C61) - Incidence.....	88
Prostate Cancer (C61) - Mortality	90
Upper Gastrointestinal Cancers (C15-C16, C25) - Incidence.....	92
Upper Gastrointestinal Cancers (C15-C16, C25) - Mortality.....	94
Uterine Cancer (C54-C55) - Incidence.....	96
Uterine Cancer (C54-C55) - Mortality.....	98
Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Incidence.....	100
Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Mortality	102
Staging completeness	104
Appendix - ICD-10 codes	105

Executive summary

This report provides basic statistics on cancer in residents of the Channel Islands between 2003 and 2016. Information on age-standardised rates of incident (newly diagnosed) cancer and deaths from cancer are provided for 21 cancer types/sites as three year rolling averages and for the latest five years available (2012-2016). Rates are compared to the South West region and to England as a whole.

Incidence

In Guernsey there were an average of 731 malignant cancers registered each year between 2012 and 2016. Non-melanoma skin cancers (NMSC) account for 48% of the annual mean count of 731 cancers. In Jersey there were an average of 1,013 malignant cancers registered each year between 2012 and 2016. NMSC account for around 42% of the annual mean count of 1,013 cancers. In Guernsey, the three most commonly registered cancers, after NMSC, were prostate, breast and colorectal cancer. In Jersey, the three most commonly registered cancers, after NMSC, were prostate, breast and lung cancer.

In Guernsey, the age-standardised incidence rate (ASR) for malignant melanoma and non-melanoma skin cancer was higher than in the South West and England. The ASR for kidney and ureter cancer was lower than in the South West, though did not differ significantly from the England average. The ASR for leukaemia was lower than the South West and England. The ASR for upper gastrointestinal was lower than England though did not differ significantly to the South West.

In Jersey, the ASR for all cancers excluding non-melanoma skin cancer, head and neck cancers, malignant melanoma, non-melanoma skin cancer, and prostate cancer was higher than the South West and England. The ASR for lung cancer was higher than the South West but similar to England. The ASR for male urogenital (excluding prostate) was higher than England though did not differ significantly from the South West average. The ASR for brain and central nervous system (CNS) cancers, kidney and ureter cancers, leukaemia, and uterus cancer was lower than the South West and England. The ASR for other gynaecological cancers (excluding ovary and uterus) was lower than the South West though did not differ significantly from the England average.

Mortality

In Guernsey there were an average of 164 deaths due to malignant cancers registered each year between 2012 and 2016. In Jersey there were an average of 242 deaths due to malignant cancers registered each year between 2012 and 2016. In both Guernsey and Jersey, the three main causes of death due to cancers were lung, prostate and upper gastrointestinal cancer.

In Guernsey, the age standardised mortality rate (ASMR) for lung cancer was higher than the South West but similar to the England average. The ASMR for breast cancer and lymphoma in Guernsey was lower than in the South West and England.

In Jersey, the ASMR for head and neck cancer was higher than in the South West and England. The ASMR for lung cancer was higher than in the South West but similar to the England average. The ASMR for colorectal cancer was lower than in the South West and England.

Introduction

Public Health England's National Cancer Registration and Analysis Service (NCRAS) collates and analyses data on cancers diagnosed in residents of the Channel Islands, on behalf of their Public Health departments. This is the 12th report from this service to incorporate basic statistics on cancer for Guernsey and Jersey. Data for the South West of England and the whole of England are provided for comparison.

NCRAS holds data on cancer incidence and cancer mortality for the Channel Islands for the period 2003 to 2016 inclusive, with data for the South West of England and the whole of England available from 1995 to 2018.

Methods

Data sources

Data on incidence are supplied by the health departments of Jersey and Guernsey and are registered on the NCRAS Cancer Analysis System.

Data on deaths are supplied from deaths registers on each island. The underlying cause is used to identify those dying from cancer. The data available are for 2003 to 2016 inclusive.

Guernsey figures include cancer deaths in residents of Alderney and incident cancers in residents of Alderney and Sark. The data available are for 2003 to 2016 inclusive.

Incident cancers and cancer deaths are coded according to the 10th revision of the International Classification of Diseases (ICD-10) coding system. The cancers are grouped according to the table below. A full list of ICD codes and descriptions is in the appendix.

Cancer groups and ICD-10 codes

Cancer Site	ICD-10 codes
All Cancers excluding non-melanoma skin	C00-C97 excl. C44
Bladder	C67
Brain and CNS	C70-C72
Breast	C50
Colorectal	C18-C21
Head & neck	C00-C14, C30-C32, C73
Hepatobiliary	C22-C24
Kidney and ureter	C64-C66
Leukaemia	C91-C95
Lung	C33-C34
Lymphoma	C81-C85, C96
Male urogenital (excl. prostate)	C60-C63 excl. C61
Malignant melanoma	C43
Other skin (non-melanoma skin cancer)	C44
Other cancer	Other Cs
Other gynaecological	C51-C53, C57-C58
Ovary	C56
Paediatric (0-19 years)	C00-C97 excl. C44
Prostate	C61
Upper gastrointestinal	C15-C16, C25
Uterus	C54-C55

Data quality

The quality of cancer registration data in the UK is amongst the highest in the world, and a substantial amount of time is spent ensuring data are accurate. The introduction of electronic pathology feeds to the cancer registry has brought a higher level of accuracy in diagnosis to the registration process. However, the unique situation regarding registration of data for the Channel Islands does cause some difficulties. Because the health systems in Jersey and Guernsey do not use NHS numbers it is not possible to link patients who have been diagnosed or had previous cancers when living on the UK mainland, and subsequently moved to the Channel Islands, and vice versa. This means that some cancers which are technically recurrences of a previous cancer; cancers diagnosed many years previously and detected at death; and secondary cancers from previously diagnosed primary cancers, may be registered as if they were new cases. The recurrence rate of many cancers is low which makes this an uncommon occurrence,

while better pathology reporting makes it easier to determine if cancers are secondary to another cancer, therefore this is likely to be a relatively small problem.

Non melanoma skin cancer (NMSC) is not recorded comprehensively in England. Only the first basal cell carcinoma (BCC) and squamous cell carcinoma (SCC) per patient is recorded as a minimum and therefore the incidence will be an underestimate of cases. Regional differences exist in the recording of NMSC, however the data registration in the Channel Islands and the South West is comparable, so we can be confident in comparing data to this region.

Data on deaths are based on those living in the Channel Islands at time of death, with the exception of death data for Jersey between 2001 and 2009. There was no postcode recorded at time of death for the 2001 to 2009 records, so this data is based on individuals who were diagnosed with cancer in Jersey some of whom may not have been resident in Jersey at the time of their death. The quality of data will only be affected by the accuracy of the death certificate (ICD-10 codes) completed by the doctor certifying the death.

Due to the continual update of the source database, the data for previously published years (2003-2014) in this report may not perfectly match the data in previous reports.

Methods

The risk of developing or dying from cancer is strongly influenced by age and sex, and so the makeup of the population in an area will affect the number of cases/deaths. To allow a fair comparison between different areas, or the same area through time, directly age-standardised rates (ASRs) are calculated. This method looks at the occurrence of cancer/death in the population of interest, and calculates what the rate would be in a pre-determined population (known as the standard population), controlling for age. If the same standard population is used for all populations analysed, then the rates are directly comparable with each other. This allows any differences to be assessed to see if they are independent of the population differences. Rates in this report are standardised to the 2013 European Standard Population, and reported per 100,000 people.

When ASRs are reported, the 95% confidence intervals are also reported (Lower Confidence Interval: LCI, Upper Confidence Interval: UCI). The confidence interval is a statistical concept which defines the degree of variation in a rate which can be considered normal. Occurrence of, or death from, a disease depends on complicated relationships between a multitude of risk factors, so there are fluctuations over time or geography which do not necessarily reflect a real increase or decrease in a rate. As the population of interest becomes smaller, an increase or decrease of just one or two cases/deaths has a larger effect on the rate. Hence the smaller the population and the smaller the number of cases/deaths, the larger the confidence interval.

Generally speaking, if the confidence interval of two ASRs overlap it is not possible to say that there is a statistically significant difference between the area investigated and the comparison area. 95% confidence intervals mean that out of 100 comparisons/tests we could expect five to show a significant difference when none exists, or vice versa.

For some data, more sophisticated statistical tests are used. These report the likelihood that two rates are not significantly different (for example, that the observed differences could have occurred by chance) as a p-value. It is convention to accept a p-value of 0.05 or less as evidence that the rates are significantly different.

The maximum and minimum values in England are calculated for the former Government Office Regions (of which South West is one). The former GORs are: North East, North West, Yorkshire and the Humber, East Midland, West Midlands, East of England, London, South East and the South West.

Unless otherwise specified, counts and rates are for those aged 20 years and older.

Populations

Populations used for England and the South West are mid-year estimates supplied by the Office for National Statistics (ONS), based on the 2011 Census and taking into account births, deaths and migration.

Populations used for Guernsey are supplied by the Guernsey Health Department. They are estimated by Guernsey's central policy unit based on social security data and data from the education department.

Populations used for Jersey are supplied by the Jersey Health Department. They are end-of-year estimates produced by the States of Jersey Statistics Unit, who use a population model based on baseline figures from the 2011 Jersey Census and adjusted for population changes by administrative data, such as Social Security and Education department data, and migration information from the Census.

Key results

This section highlights those cancers which have a high or low rate compared to the South West or England. All comparisons are based on aggregated data for 2012-2016. Risk factors for those cancers are listed.

In all these comparisons, the number of cases/deaths should be taken into account as well as the comparison of rates. As numbers for some cancers are small, a large relative incidence/mortality rate may only reflect a few extra cases/deaths each year and hence are clinically less important.

Where a rate is described as higher or lower, it means that it is statistically significant i.e. the differences seen are unlikely to be just a chance variation. If differences are likely to be only by chance, they are described as 'similar'.

Unless otherwise specified, counts and rates are for those aged 20 years and older.

In tables, ‘-’ indicates that there were no cases/deaths in that time period for that cancer.

Top 10 incident cancers by age-standardised rate, for Guernsey, Jersey, South West and England (2012-2016)

Guernsey		Jersey		South West		England	
Cancer Site	ASR	Cancer Site	ASR	Cancer Site	ASR	Cancer Site	ASR
Other Skin	713.7	Other Skin	605.6	Other Skin	386.5	Other Skin	320.9
Prostate	239.1	Prostate	274.5	Prostate	239.7	Prostate	232.8
Breast	201.8	Breast	230.8	Breast	227.3	Breast	216.6
Colorectal	99.8	Lung	102.9	Colorectal	97.0	Lung	101.8
Lung	94.3	Colorectal	98.3	Lung	84.9	Colorectal	95.0
Malignant Melanoma	53.4	Malignant Melanoma	72.2	Upper Gastrointestinal	53.8	Upper Gastrointestinal	56.9
Upper Gastrointestinal	45.3	Upper Gastrointestinal	55.4	Malignant Melanoma	43.6	Uterus	37.2
Uterus	43.5	Head and Neck	43.1	Uterus	38.0	Lymphoma	34.4
Lymphoma	39.0	Lymphoma	38.1	Lymphoma	36.2	Malignant Melanoma	33.0
Head and Neck	32.8	Uterus	28.6	Head and Neck	29.3	Head and Neck	31.8

Note: All cancers and 'other' cancers excluded from list.

Top 10 cancer causes of death by age-standardised rate, for Guernsey, Jersey, South West and England (2012-2016)

Guernsey		Jersey		South West		England	
Cancer Site	ASR	Cancer Site	ASR	Cancer Site	ASR	Cancer Site	ASR
Lung	75.3	Lung	78.4	Prostate	63.7	Lung	76.7
Prostate	72.4	Prostate	58.5	Lung	63.1	Prostate	61.7
Upper Gastrointestinal	39.3	Upper Gastrointestinal	49.6	Upper Gastrointestinal	44.7	Upper Gastrointestinal	46.9
Colorectal	30.2	Breast	47.1	Breast	43.7	Breast	44.5
Breast	28.9	Colorectal	26.9	Colorectal	35.3	Colorectal	35.8
Ovary	15.6	Lymphoma	14.6	Ovary	15.8	Ovary	16.1
Bladder	15.1	Bladder	14.4	Bladder	11.7	Hepatobiliary	12.7
Leukaemia	13.0	Ovary	13.8	Hepatobiliary	11.3	Bladder	12.6
Hepatobiliary	12.8	Head and Neck	13.8	Lymphoma	11.3	Lymphoma	11.4
Head and Neck	10.7	Hepatobiliary	13.4	Leukaemia	10.7	Leukaemia	10.5

Note: All cancers and 'other' cancers excluded from list.

Guernsey

Incidence

The rate of kidney and ureter cancer in Guernsey is lower than in the South West however there is no significant difference when compared to England. The age-standardised rate (ASR) is 21 per 100,000. The rate in the South West is 28 per 100,000, and in England is 27 per 100,000. Around 10 new cases of kidney and ureter cancer are diagnosed each year in Guernsey. The major risk factors are excessive body weight and smoking.

The rate of leukaemia in Guernsey is lower than in the South West and England. The ASR is 14 per 100,000 in Guernsey in comparison to 22 and 21 per 100,000 for the South West and England respectively.

The rate of malignant melanoma in Guernsey is higher than in the South West and England. The ASR is 53 per 100,000. The rate in the South West is 44 per 100,000, and in England is 33 per 100,000. Around 26 new cases of malignant melanoma are diagnosed each year in Guernsey, and it is one of the most common cancers in those aged under 40. The major risk factor is UV exposure through sunlight or sunbeds.

The rate of non-melanoma skin cancers in Guernsey is higher than the recorded rate in the South West and England. However, care must be taken as not all parts of England record non-melanoma skin cancer comprehensively. The data registration in the Channel Islands and the South West is comparable, so we can be confident that the ASR is higher than in the South West. The ASR in Guernsey is 714 per 100,000 and in the South West is 387 per 100,000. Around 350 new cases in Guernsey are diagnosed each year. The risk factors are the same as those for malignant melanoma.

The rate of upper gastrointestinal cancers in Guernsey is lower than England however is not statistically different from the South West. The ASR is 45 per 100,000 in comparison to the rate in England of 57 per 100,000. The rate in the South West is 54 per 100,000. Around 22 new cases are diagnosed each year in Guernsey. The main risk factors are smoking, low fruit and vegetable intake, *Helicobacter pylori* (for stomach cancer), and excess body weight.

There is no significant difference in the rates of other cancers included in this report in Guernsey in comparison to the South West and England.

Mortality

The death rate from breast cancer in Guernsey is lower than in the South West and in England. The ASMR is 29 per 100,000 in comparison to 44 per 100,000 in the South West and England. It is lower than the lowest ASMR in the England regions, which is 43 per 100,000. Around 8 women in Guernsey die from breast cancer each year.

The death rate from lung cancer in Guernsey is higher than in the South West, however, is not statistically different to England. The ASMR is 75 per 100,000. The rate in the South West is 63 per 100,000. The rate in England is 77 per 100,000. The South West has the lowest mortality from lung cancer in England. Around 35 people in Guernsey die from lung cancer each year.

The death rate from lymphoma in Guernsey is lower than in the South West and England. The ASMR is 5 per 100,000 in comparison to 11 per 100,000 in the South West and England. It is lower than the lowest ASMR in the England regions, which is 11 per 100,000. Fewer than 5 people a year die from lymphoma in Guernsey.

There is no significant difference in the rates of mortality for other cancers included in this report in Guernsey in comparison to the South West and England.

Jersey

Incidence

The rate of all cancers (excluding non-melanoma skin) in Jersey is higher than in the South West and England. The age-standardised rate (ASR) is 838 per 100,000. The rate in the South West is 787 per 100,000. The rate in England is 784 per 100,000. It is higher than the highest ASR in the England regions, which is 834 per 100,000. Around 593 new cases in Jersey are diagnosed each year.

The rate of brain and CNS cancers in Jersey is lower than in the South West and England. The ASR is 7 per 100,000 in comparison to 12 and 11 per 100,000 for the South West and England respectively. Approximately 5 cases are diagnosed in Jersey per year.

The rate of head and neck cancers in Jersey is higher than in the South West and England. The ASR is 43 per 100,000. The rate in the South West is 29 per 100,000, and in England is 32 per 100,000. It is higher than the highest ASR in the England regions, which is 37 per 100,000. Around 32 new cases of head and neck cancer are diagnosed each year. The main risk factors are smoking and excessive alcohol use, especially when in combination.

The rate of kidney and ureter cancer in Jersey is lower than in the South West and the England average. The ASR is 17 per 100,000. The rate in the South West is 28 per 100,000 and in England is 27 per 100,000. The rate is lower than the lowest ASR in the England regions, which is 25 per 100,000. Around 12 new cases of kidney and ureter cancer are diagnosed each year in Jersey. The risk of kidney cancer is increased by being overweight or obese, by smoking and by certain genetic conditions.

The rate of leukaemia in Jersey is lower than in the South West or England. The ASR is 15 per 100,000 in comparison to 22 and 21 per 100,000 in the South West and England respectively. There are around 10 cases diagnosed in Jersey per year.

The rate of lung cancer in Jersey is higher than in the South West however is not statistically different to the England average. The ASR is 103 per 100,000. The rate in the South West is 85 per 100,000 and in England is 102 per 100,000. It is lower than the highest ASR in the England regions, which is 143 per 100,000. Around 70 new cases of lung cancer are diagnosed each year. Smoking is responsible for about 86% of lung cancers.

The rate of malignant melanoma in Jersey is higher than in the South West and England. The ASR is 72 per 100,000. The rate in the South West is 44 per 100,000, and in England is 33 per 100,000. Around 52 new cases of malignant melanoma are diagnosed each year. The major risk factor is UV exposure through sunlight or sunbeds.

The rate of other gynaecological cancer (excluding ovary and uterus) in Jersey is lower than the South West however is not statistically significantly different to England. The ASR is 15 per 100,000 in comparison to 23 and 20 per 100,000 for the South West and England respectively. Approximately 6 cases are diagnosed in Jersey per year.

The rate of non-melanoma skin cancers in Jersey is higher than the recorded rate in the South West and England. However, care must be taken as not all parts of England record non-melanoma comprehensively. The data registration in the Channel Islands and the South West is comparable, so we can be confident that the ASR is higher than in the South West. The ASR in Jersey is 606 per 100,000 and the rate in the South West is 387 per 100,000. Around 421 new cases are diagnosed each year. The risk factors are the same as those for malignant melanoma.

The rate of prostate cancer in Jersey is higher than in the South West and the England average. The ASR is 275 per 100,000. The rate in the South West is 240 and in England is 233 per 100,000. It is higher than the highest ASR in the England regions, which is 250 per 100,000. Around 90 new cases of prostate cancer are diagnosed each year in Jersey. No major environmental/lifestyle risks for prostate cancer are known; risks are increased in those having a family member with the disease, or in black men.

Mortality

The death rate for colorectal cancer is lower in Jersey than in the South West and England. The ASMR is 27 per 100,000 in comparison to 35 and 36 per 100,000 for the South West and England respectively. It is lower than the lowest ASMR in the England regions, which is 33 per 100,000. Around 18 people in Jersey die of colorectal cancer each year.

The death rate for head and neck cancers in Jersey is higher than in the South West and England. The ASMR is 14 per 100,000. The rate in the South West is 8 per 100,000, and in England is 9 per 100,000. Around 10 people in Jersey die from a head and neck cancer each year. The high death rate is likely to be reflective of the high incidence.

The death rate for lung cancer in Jersey is higher than in the South West, however, it is not statistically significantly different to England. The ASMR is 78 per 100,000. The rate

in the South West is 63 per 100,000. It is lower than the highest ASMR in the England regions, which is 109 per 100,000. Around 53 people in Jersey die from lung cancer each year. The high death rate is likely to be reflective of the higher incidence than the South West.

Age-standardised incidence rates (per 100,000 population) for Guernsey, South West and England (2012-2016)

Age group	Cancer Site	Guernsey					South West				Guernsey compared to South West		England				Guernsey compared to England		Guernsey compared to Jersey	
		Expected cases *	Actual cases	ASR	LCI	UCI	Cases	ASR	LCI	UCI	p value	difference	Cases	ASR	LCI	UCI	p value	difference	p value	difference
0-19	All cancers excl. C44	11	16	23.3	13.3	37.9	948	15.4	14.5	16.4	0.100	-	10,573	16.2	15.8	16.5	0.141	-	0.354	-
20+	All cancers excl. C44	1,933	1,907	772.6	737.6	808.7	172,487	786.7	782.9	790.5	0.432	-	1,494,915	783.9	782.6	785.2	0.526	-	0.005	Lower
20+	Bladder	57	50	21.6	15.9	28.7	5,185	24.3	23.7	25.0	0.407	-	43,823	24.5	24.3	24.7	0.378	-	0.702	-
20+	Brain and CNS	27	25	9.6	6.2	14.3	2,468	11.5	11.0	12.0	0.380	-	21,414	11.0	10.8	11.1	0.512	-	0.334	-
20+	Breast	293	273	201.8	178.3	227.5	26,416	227.3	224.6	230.1	0.050	-	225,839	216.6	215.7	217.5	0.244	-	0.079	-
20+	Colorectal	233	243	99.8	87.4	113.5	21,504	97.0	95.7	98.3	0.659	-	179,849	95.0	94.5	95.4	0.436	-	0.859	-
20+	Head and Neck	80	84	32.8	26.1	40.7	6,282	29.3	28.6	30.0	0.301	-	61,794	31.8	31.6	32.1	0.777	-	0.042	Lower
20+	Hepatobiliary	42	36	15.5	10.7	21.6	3,442	15.7	15.1	16.2	0.942	-	32,444	17.2	17.0	17.4	0.524	-	0.502	-
20+	Kidney and Ureter	66	52	21.3	15.9	28.1	6,116	28.2	27.5	29.0	0.044	Lower	51,162	27.2	26.9	27.4	0.083	-	0.245	-
20+	Leukaemia	52	34	13.9	9.6	19.6	4,785	22.0	21.4	22.7	0.008	Lower	40,485	21.5	21.3	21.7	0.012	Lower	0.802	-
20+	Lung	246	227	94.3	82.2	107.5	18,654	84.9	83.7	86.1	0.117	-	190,349	101.8	101.3	102.2	0.249	-	0.304	-
20+	Lymphoma	85	94	39.0	31.4	47.8	7,892	36.2	35.4	37.0	0.476	-	66,235	34.4	34.1	34.6	0.225	-	0.868	-
20+	Male Urogenital (excl. Prostate)	15	15	11.4	6.4	18.7	1,324	13.3	12.6	14.0	0.549	-	12,419	12.2	11.9	12.4	0.792	-	0.183	-
20+	Malignant Melanoma	82	131	53.4	44.5	63.5	9,402	43.6	42.7	44.5	0.021	Higher	64,088	33.0	32.7	33.2	0.000	Higher	0.005	Lower
20+	Other	137	132	52.5	43.6	62.5	12,214	55.5	54.5	56.5	0.523	-	105,919	56.1	55.7	56.4	0.446	-	0.819	-
20+	Other Gynaecological	27	26	19.4	12.6	28.6	2,520	22.7	21.8	23.6	0.435	-	21,460	20.2	19.9	20.5	0.839	-	0.385	-
20+	Other Skin	775	1,749	713.7	680.0	748.7	84,515	386.5	383.9	389.2	0.000	Higher	599,939	320.9	320.1	321.7	0.000	Higher	0.000	Higher
20+	Ovary	38	43	31.9	23.0	43.1	3,325	28.4	27.5	29.4	0.448	-	29,603	28.5	28.2	28.8	0.451	-	0.498	-
20+	Prostate	264	276	239.1	211.2	269.6	24,665	239.7	236.7	242.7	0.967	-	203,367	232.8	231.8	233.8	0.657	-	0.070	-
20+	Upper Gastrointestinal	138	110	45.3	37.0	54.9	11,842	53.8	52.8	54.8	0.073	-	106,616	56.9	56.5	57.2	0.017	Lower	0.094	-
20+	Uterus	49	56	43.5	32.8	56.7	4,451	38.0	36.8	39.1	0.309	-	38,049	37.2	36.8	37.6	0.242	-	0.026	Higher

Note:

ASR - Directly Age Standardised Incidence Rate (significance testing is at 95% significance level); LCI - 95% Lower Confidence Interval for the ASR; UCI - 95% Upper Confidence Interval for the ASR.

Higher - Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

*Expected cases based on the England average.

Age-standardised incidence rates (per 100,000 population) for Jersey, South West and England (2012-2016)

Age group	Cancer Site	Jersey					South West				Jersey compared to South West		England				Jersey compared to England		Jersey compared to Guernsey	
		Expected cases *	Actual cases	ASR	LCI	UCI	Cases	ASR	LCI	UCI	p value	difference	Cases	ASR	LCI	UCI	p value	difference	p value	difference
0-19	All cancers excl. C44	18	19	17.0	10.2	26.6	948	15.4	14.5	16.4	0.667	-	10,573	16.2	15.8	16.5	0.816	-	0.354	-
20+	All cancers excl. C44	2,742	2,964	838.2	807.7	869.5	172,487	786.7	782.9	790.5	0.001	Higher	1,494,915	783.9	782.6	785.2	0.000	Higher	0.005	Higher
20+	Bladder	78	65	20.1	15.5	25.8	5,185	24.3	23.7	25.0	0.128	-	43,823	24.5	24.3	24.7	0.113	-	0.702	-
20+	Brain and CNS	40	27	7.4	4.8	10.8	2,468	11.5	11.0	12.0	0.022	Lower	21,414	11.0	10.8	11.1	0.038	Lower	0.334	-
20+	Breast	429	455	230.8	209.9	253.2	26,416	227.3	224.6	230.1	0.749	-	225,839	216.6	215.7	217.5	0.175	-	0.079	-
20+	Colorectal	326	338	98.3	87.9	109.6	21,504	97.0	95.7	98.3	0.806	-	179,849	95.0	94.5	95.4	0.520	-	0.859	-
20+	Head and Neck	118	161	43.1	36.6	50.4	6,282	29.3	28.6	30.0	0.000	Higher	61,794	31.8	31.6	32.1	0.000	Higher	0.042	Higher
20+	Hepatobiliary	59	62	17.8	13.6	23.0	3,442	15.7	15.1	16.2	0.316	-	32,444	17.2	17.0	17.4	0.786	-	0.502	-
20+	Kidney and Ureter	94	60	17.1	13.0	22.1	6,116	28.2	27.5	29.0	0.000	Lower	51,162	27.2	26.9	27.4	0.000	Lower	0.245	-
20+	Leukaemia	74	51	14.7	10.9	19.5	4,785	22.0	21.4	22.7	0.004	Lower	40,485	21.5	21.3	21.7	0.007	Lower	0.802	-
20+	Lung	341	349	102.9	92.2	114.5	18,654	84.9	83.7	86.1	0.000	Higher	190,349	101.8	101.3	102.2	0.835	-	0.304	-
20+	Lymphoma	122	137	38.1	31.9	45.2	7,892	36.2	35.4	37.0	0.549	-	66,235	34.4	34.1	34.6	0.229	-	0.868	-
20+	Male Urogenital (excl. Prostate)	24	35	17.1	11.9	23.9	1,324	13.3	12.6	14.0	0.136	-	12,419	12.2	11.9	12.4	0.043	Higher	0.183	-
20+	Malignant Melanoma	121	260	72.2	63.5	81.7	9,402	43.6	42.7	44.5	0.000	Higher	64,088	33.0	32.7	33.2	0.000	Higher	0.005	Higher
20+	Other	191	186	53.8	46.2	62.3	12,214	55.5	54.5	56.5	0.686	-	105,919	56.1	55.7	56.4	0.583	-	0.819	-
20+	Other Gynaecological	41	31	15.4	10.4	21.9	2,520	22.7	21.8	23.6	0.033	Lower	21,460	20.2	19.9	20.5	0.132	-	0.385	-
20+	Other Skin	1,086	2,103	605.6	579.5	632.6	84,515	386.5	383.9	389.2	0.000	Higher	599,939	320.9	320.1	321.7	0.000	Higher	0.000	Lower
20+	Ovary	55	53	27.8	20.8	36.4	3,325	28.4	27.5	29.4	0.870	-	29,603	28.5	28.2	28.8	0.861	-	0.498	-
20+	Prostate	367	452	274.5	249.4	301.5	24,665	239.7	236.7	242.7	0.004	Higher	203,367	232.8	231.8	233.8	0.000	Higher	0.070	-
20+	Upper Gastrointestinal	192	186	55.4	47.5	64.2	11,842	53.8	52.8	54.8	0.688	-	106,616	56.9	56.5	57.2	0.722	-	0.094	-
20+	Uterus	71	56	28.6	21.5	37.2	4,451	38.0	36.8	39.1	0.035	Lower	38,049	37.2	36.8	37.6	0.048	Lower	0.026	Lower

Note:

ASR - Directly Age Standardised Incidence Rate (significance testing is at 95% significance level); LCI - 95% Lower Confidence Interval for the ASR; UCI - 95% Upper Confidence Interval for the ASR.

Higher - Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

*Expected cases based on the England average.

Age-standardised mortality rates (per 100,000 population) for Guernsey, South West and England (2012-2016)

Age group	Cancer Site	Guernsey					South West				Guernsey compared to South West		England				Guernsey compared to England		Guernsey compared to Jersey	
		Expected deaths *	Actual deaths	ASR	LCI	UCI	Deaths	ASR	LCI	UCI	p value	difference	Deaths	ASR	LCI	UCI	p value	difference	p value	difference
0-19	All cancers excl. C44	<5	<5	3.1	0.4	11.2	131	2.2	1.8	2.6	0.617	-	1,459	2.3	2.1	2.4	0.660	-	0.796	-
20+	All cancers excl. C44	864	814	341.6	317.8	366.6	75,030	339.4	336.9	341.9	0.857	-	667,693	357.8	356.9	358.7	0.185	-	0.302	-
20+	Bladder	28	34	15.1	10.2	21.4	2,495	11.7	11.3	12.2	0.142	-	22,001	12.6	12.4	12.8	0.287	-	0.819	-
20+	Brain and CNS	22	15	5.8	3.2	9.6	2,051	9.5	9.1	9.9	0.061	-	17,022	8.9	8.7	9.0	0.104	-	0.339	-
20+	Breast	63	41	28.9	20.6	39.4	5,480	43.7	42.5	44.9	0.008	Lower	47,908	44.5	44.1	44.9	0.006	Lower	0.009	Lower
20+	Colorectal	87	74	30.2	23.5	38.1	7,954	35.3	34.5	36.1	0.176	-	67,280	35.8	35.6	36.1	0.139	-	0.466	-
20+	Head and Neck	21	26	10.7	6.9	15.8	1,797	8.2	7.8	8.6	0.185	-	16,394	8.8	8.6	8.9	0.313	-	0.298	-
20+	Hepatobiliary	31	30	12.8	8.5	18.5	2,498	11.3	10.9	11.8	0.496	-	23,961	12.7	12.6	12.9	0.968	-	0.842	-
20+	Kidney and Ureter	22	23	10.4	6.5	15.8	2,061	9.4	9.0	9.9	0.644	-	17,276	9.3	9.2	9.5	0.606	-	0.196	-
20+	Leukaemia	25	30	13.0	8.7	18.7	2,357	10.7	10.3	11.2	0.289	-	19,433	10.5	10.3	10.7	0.234	-	0.362	-
20+	Lung	185	177	75.3	64.5	87.5	13,851	63.1	62.0	64.2	0.019	Higher	142,851	76.7	76.3	77.1	0.813	-	0.682	-
20+	Lymphoma	28	14	5.5	3.0	9.2	2,506	11.3	10.8	11.7	0.007	Lower	21,364	11.4	11.2	11.5	0.006	Lower	0.001	Lower
20+	Male Urogenital (excl. Prostate)	1	0	0.0	NA	NA	77	0.8	0.6	1.0	NA	-	771	0.9	0.8	0.9	NA	-	NA	-
20+	Malignant Melanoma	13	15	5.8	3.2	9.6	1,402	6.4	6.1	6.8	0.687	-	9,845	5.2	5.1	5.3	0.683	-	0.469	-
20+	Other	122	132	52.3	43.4	62.5	10,939	48.9	47.9	49.8	0.430	-	94,298	50.3	50.0	50.6	0.648	-	0.293	-
20+	Other Gynaecological	8	8	5.8	2.5	11.4	705	5.7	5.3	6.2	0.985	-	6,359	6.0	5.8	6.1	0.930	-	0.589	-
20+	Other Skin	4	8	3.6	1.5	7.1	462	2.1	1.9	2.3	0.140	-	3,368	1.9	1.9	2.0	0.076	-	0.445	-
20+	Ovary	22	20	15.6	9.4	24.3	1,928	15.8	15.1	16.5	0.963	-	16,841	16.1	15.9	16.3	0.892	-	0.689	-
20+	Prostate	61	70	72.4	56.0	92.0	6,065	63.7	62.1	65.4	0.289	-	47,717	61.7	61.1	62.3	0.182	-	0.193	-
20+	Upper Gastrointestinal	113	94	39.3	31.6	48.4	9,868	44.7	43.8	45.6	0.219	-	87,523	46.9	46.6	47.2	0.090	-	0.073	-
20+	Uterus	11	11	7.8	3.8	14.1	996	7.9	7.4	8.4	0.964	-	8,849	8.4	8.2	8.6	0.810	-	0.987	-

Note:

ASR - Directly Age Standardised Mortality Rate (significance testing is at 95% significance level); LCI - 95% Lower Confidence Interval for the ASR; UCI - 95% Upper Confidence Interval for the ASR.

Higher - Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

*Expected cases based on the England average.

Age-standardised mortality rates (per 100,000 population) for Jersey, South West and England (2012-2016)

Age group	Cancer Site	Jersey					South West				Jersey compared to South West		England				Jersey compared to England		Jersey compared to Guernsey	
		Expected deaths *	Actual deaths	ASR	LCI	UCI	Deaths	ASR	LCI	UCI	p value	difference	Deaths	ASR	LCI	UCI	p value	difference	p value	difference
0-19	All cancers excl. C44	<5	<5	3.9	1.1	9.9	131	2.2	1.8	2.6	0.253	-	1,459	2.3	2.1	2.4	0.284	-	0.796	-
20+	All cancers excl. C44	1,192	1,201	357.9	337.5	379.3	75,030	339.4	336.9	341.9	0.068	-	667,693	357.8	356.9	358.7	0.990	-	0.302	-
20+	Bladder	39	46	14.4	10.5	19.2	2,495	11.7	11.3	12.2	0.175	-	22,001	12.6	12.4	12.8	0.375	-	0.819	-
20+	Brain and CNS	32	28	7.9	5.2	11.5	2,051	9.5	9.1	9.9	0.346	-	17,022	8.9	8.7	9.0	0.549	-	0.339	-
20+	Breast	87	91	47.1	37.9	58.0	5,480	43.7	42.5	44.9	0.475	-	47,908	44.5	44.1	44.9	0.579	-	0.009	Higher
20+	Colorectal	120	90	26.9	21.5	33.2	7,954	35.3	34.5	36.1	0.010	Lower	67,280	35.8	35.6	36.1	0.007	Lower	0.466	-
20+	Head and Neck	30	49	13.8	10.1	18.3	1,797	8.2	7.8	8.6	0.000	Higher	16,394	8.8	8.6	8.9	0.002	Higher	0.298	-
20+	Hepatobiliary	43	48	13.4	9.8	17.9	2,498	11.3	10.9	11.8	0.239	-	23,961	12.7	12.6	12.9	0.710	-	0.842	-
20+	Kidney and Ureter	31	23	7.1	4.4	10.8	2,061	9.4	9.0	9.9	0.175	-	17,276	9.3	9.2	9.5	0.190	-	0.196	-
20+	Leukaemia	34	33	10.4	7.1	14.6	2,357	10.7	10.3	11.2	0.839	-	19,433	10.5	10.3	10.7	0.941	-	0.362	-
20+	Lung	255	263	78.4	69.0	88.6	13,851	63.1	62.0	64.2	0.000	Higher	142,851	76.7	76.3	77.1	0.721	-	0.682	-
20+	Lymphoma	38	50	14.6	10.8	19.4	2,506	11.3	10.8	11.7	0.067	-	21,364	11.4	11.2	11.5	0.075	-	0.001	Higher
20+	Male Urogenital (excl. Prostate)	<5	<5	1.3	0.1	4.7	77	0.8	0.6	1.0	0.452	-	771	0.9	0.8	0.9	0.560	-	NA	-
20+	Malignant Melanoma	18	25	7.3	4.7	10.9	1,402	6.4	6.1	6.8	0.513	-	9,845	5.2	5.1	5.3	0.087	-	0.469	-
20+	Other	167	155	46.2	39.0	54.3	10,939	48.9	47.9	49.8	0.492	-	94,298	50.3	50.0	50.6	0.291	-	0.293	-
20+	Other Gynaecological	12	15	7.3	4.1	12.1	705	5.7	5.3	6.2	0.352	-	6,359	6.0	5.8	6.1	0.427	-	0.589	-
20+	Other Skin	6	8	2.5	1.0	4.9	462	2.1	1.9	2.3	0.687	-	3,368	1.9	1.9	2.0	0.488	-	0.445	-
20+	Ovary	30	25	13.8	8.9	20.5	1,928	15.8	15.1	16.5	0.517	-	16,841	16.1	15.9	16.3	0.453	-	0.689	-
20+	Prostate	83	80	58.5	46.1	73.2	6,065	63.7	62.1	65.4	0.448	-	47,717	61.7	61.1	62.3	0.634	-	0.193	-
20+	Upper Gastrointestinal	157	164	49.6	42.0	58.1	9,868	44.7	43.8	45.6	0.185	-	87,523	46.9	46.6	47.2	0.470	-	0.073	-
20+	Uterus	16	14	7.8	4.2	13.1	996	7.9	7.4	8.4	0.940	-	8,849	8.4	8.2	8.6	0.767	-	0.987	-


Note:

ASR - Directly Age Standardised Mortality Rate (significance testing is at 95% significance level); LCI - 95% Lower Confidence Interval for the ASR; UCI - 95% Upper Confidence Interval for the ASR.

Higher - Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

*Expected cases based on the England average.

All Cancers (C00-C97 excluding C44) - Incidence



All Cancers (C00-C97 excluding C44) - Incidence



Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	1,420	850.0	804.6	897.2	748	1,002.6	929.1	1,080.3	672	697.4	645.0	752.8	999	808.4	757.5	861.8	488	893.3	813.3	978.9	511	723.5	661.6	789.5
2004-06	1,487	875.7	830.0	923.2	811	1,061.4	986.5	1,140.3	676	689.9	638.3	744.5	950	756.3	707.5	807.4	460	827.4	751.2	909.0	490	685.1	625.3	749.1
2005-07	1,498	859.1	814.6	905.4	806	1,024.0	951.7	1,100.2	692	694.3	643.0	748.6	948	738.7	691.2	788.5	483	834.8	760.1	914.7	465	642.7	585.1	704.4
2006-08	1,533	864.9	820.5	911.0	847	1,053.2	980.5	1,129.6	686	676.6	626.4	729.8	965	734.6	687.9	783.6	506	846.8	773.1	925.6	459	622.4	566.1	682.7
2007-09	1,479	813.8	771.4	858.0	791	964.5	895.8	1,036.8	688	663.2	614.0	715.3	1,084	819.6	770.1	871.5	591	980.5	900.6	1,065.4	493	658.8	601.2	720.4
2008-10	1,635	887.7	843.7	933.5	877	1,052.1	980.9	1,127.1	758	723.3	672.2	777.3	1,120	837.1	787.2	889.2	597	986.3	906.2	1,071.3	523	687.9	629.4	750.3
2009-11	1,723	904.7	861.1	949.9	926	1,066.9	996.8	1,140.6	797	742.5	691.3	796.4	1,152	843.4	793.9	895.1	587	951.2	873.4	1,033.8	565	735.6	675.4	799.7
2010-12	1,796	918.3	875.0	963.1	962	1,074.4	1,005.2	1,147.0	834	762.1	710.8	816.1	1,170	830.9	782.9	881.1	569	891.9	818.6	970.0	601	769.9	708.9	834.8
2011-13	1,718	852.1	811.2	894.4	919	992.6	927.7	1,060.8	799	711.5	662.6	763.1	1,188	829.0	781.6	878.5	588	893.9	821.8	970.6	600	764.1	703.4	828.5
2012-14	1,779	859.5	819.2	901.3	918	962.4	899.6	1,028.2	861	756.7	706.6	809.5	1,167	798.6	752.6	846.6	597	884.5	813.7	959.6	570	712.7	654.7	774.3
2013-15	1,815	855.6	815.9	896.6	962	974.1	912.3	1,038.9	853	737.0	688.0	788.6	1,109	748.2	704.0	794.5	570	830.5	762.6	902.8	539	666.0	610.3	725.4
2014-16	1,842	846.0	807.2	886.2	974	956.4	896.2	1,019.6	868	735.6	687.1	786.7	1,102	732.5	689.1	777.9	549	792.3	726.3	862.6	553	672.7	617.1	732.0



Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	68.4	68.6	66.3	69.4
Median	70.0	69.0	67.0	71.0
5th percentile	43.0	45.0	42.0	44.0
95th percentile	89.0	90.0	87.0	89.0



All Cancers (C00-C97 excluding C44) - Mortality



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West









— England — Guernsey — Jersey — South West

All Cancers (C00-C97 excluding C44) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	531	333.6	304.5	364.7	284	409.9	361.4	462.8	247	257.3	225.9	291.8	480	408.4	370.9	448.4	247	495.7	433.4	564.2	233	321.0	280.7	365.4
2004-06	580	364.3	333.7	396.8	307	447.0	395.9	502.7	273	281.5	248.8	317.3	457	380.2	344.7	418.3	230	448.7	390.5	512.9	227	311.8	272.2	355.5
2005-07	622	387.0	355.5	420.3	346	490.9	437.8	548.5	276	283.0	250.3	318.8	435	352.4	319.0	388.3	229	426.3	371.4	486.8	206	278.5	241.4	319.7
2006-08	595	363.9	333.7	396.0	339	469.1	417.7	524.7	256	258.7	227.7	292.8	411	323.3	291.7	357.4	212	382.8	331.5	439.7	199	263.9	228.0	303.8
2007-09	570	336.9	308.5	367.0	325	431.6	383.7	483.5	245	242.1	212.4	274.7	471	370.5	336.2	407.3	255	464.0	406.5	527.1	216	277.0	240.8	317.1
2008-10	626	358.4	329.5	389.1	351	451.5	403.1	503.9	275	265.3	234.6	298.9	473	369.2	335.0	405.7	270	479.3	421.4	542.7	203	259.0	224.1	297.9
2009-11	675	374.0	345.1	404.6	371	458.8	411.2	510.3	304	289.2	257.3	323.9	491	379.5	345.1	416.2	287	504.0	445.1	568.2	204	254.9	220.6	293.1
2010-12	702	377.2	348.7	407.3	386	459.8	413.2	510.1	316	294.5	262.7	329.2	491	364.6	331.9	399.5	273	457.8	403.6	517.2	218	271.3	235.9	310.5
2011-13	673	351.6	324.7	380.1	371	428.3	384.4	475.6	302	275.0	244.6	308.1	500	363.7	331.5	398.2	269	446.0	393.0	504.1	231	281.4	245.7	320.7
2012-14	700	355.2	328.7	383.3	361	407.5	365.4	453.0	339	303.0	271.3	337.3	510	365.0	333.0	399.1	273	441.5	389.5	498.4	237	288.5	252.4	328.3
2013-15	709	352.8	326.7	380.5	373	409.8	368.2	454.6	336	295.9	264.8	329.6	456	322.3	292.6	354.2	249	394.9	346.3	448.2	207	249.8	216.4	286.9
2014-16	756	367.1	340.8	394.8	395	422.3	380.7	467.0	361	311.9	280.3	346.1	476	326.6	297.1	358.2	256	395.2	347.3	447.7	220	258.0	224.5	295.1

Bladder Cancer (C67) - Incidence



Bladder Cancer (C67) - Incidence


Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	49	32.3	23.5	43.1	34	49.4	33.7	69.6	15	15.2	8.4	25.2	44	38.9	27.9	52.7	33	62.2	42.2	88.2	11	15.6	7.7	28.0
2004-06	48	31.0	22.4	41.8	33	47.7	32.0	68.0	15	14.4	8.0	23.9	50	41.5	30.6	55.0	32	58.3	39.7	82.5	18	24.8	14.6	39.4
2005-07	42	26.5	18.8	36.2	28	39.3	25.6	57.4	14	13.8	7.5	23.2	59	47.9	36.2	62.0	39	70.1	49.7	96.0	20	25.7	15.6	39.8
2006-08	55	36.2	26.7	47.7	41	58.3	40.9	80.2	14	14.1	7.6	23.7	58	44.3	33.4	57.5	35	59.0	41.0	82.3	23	29.6	18.6	44.5
2007-09	51	32.8	24.0	43.6	39	54.1	37.8	74.8	12	11.4	5.9	20.1	63	49.3	37.5	63.4	37	64.3	44.8	89.1	26	34.2	22.2	50.4
2008-10	55	35.1	26.1	46.2	45	60.3	43.4	81.5	10	9.9	4.7	18.3	59	47.4	35.5	61.8	35	62.9	42.9	88.7	24	31.9	20.3	47.6
2009-11	56	31.8	23.9	41.4	39	47.7	33.8	65.4	17	15.8	9.2	25.4	58	46.3	34.7	60.4	38	66.6	46.4	92.4	20	26.0	15.8	40.3
2010-12	53	28.9	21.5	37.9	36	41.9	29.2	58.1	17	15.8	9.2	25.5	46	37.2	26.9	50.1	36	61.6	42.5	86.0	10	12.9	6.1	23.8
2011-13	51	27.3	20.1	36.1	35	40.5	28.0	56.7	16	14.0	7.9	22.8	37	28.3	19.8	39.2	29	46.3	30.8	66.8	8	10.3	4.4	20.4
2012-14	41	21.4	15.2	29.2	31	34.3	23.1	48.9	10	8.5	4.0	15.7	30	22.3	14.9	32.0	25	38.2	24.5	56.6	5	6.5	2.0	15.2
2013-15	38	19.4	13.6	26.8	28	30.0	19.8	43.6	10	8.8	4.2	16.2	26	17.6	11.4	25.8	20	28.5	17.3	44.2	6	6.6	2.4	14.5
2014-16	35	17.3	12.0	24.2	23	24.4	15.4	36.7	12	10.3	5.3	18.0	28	19.7	12.9	28.8	20	31.0	18.7	48.3	8	8.4	3.5	16.6



Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	74.9	76.2	72.4	75.3
Median	76.0	76.0	74.0	76.0
5th percentile	55.0	60.0	52.0	56.0
95th percentile	91.0	91.0	88.0	91.0



Bladder Cancer (C67) - Mortality




— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West









Bladder Cancer (C67) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	29	20.9	13.5	30.6	21	33.7	20.1	52.5	8	8.1	3.4	15.9	17	13.6	7.7	21.9	9	17.0	7.7	32.5	8	10.1	4.3	19.9
2004-06	31	22.6	14.6	33.1	18	32.6	18.3	52.9	13	12.6	6.7	21.6	17	14.1	8.0	22.7	10	19.7	9.4	36.2	7	8.4	3.4	17.4
2005-07	27	21.1	13.1	31.7	18	33.6	18.8	54.5	9	8.6	3.9	16.3	19	15.3	9.0	24.1	11	21.2	10.6	37.9	8	9.4	4.0	18.5
2006-08	21	15.9	9.1	25.2	12	23.2	11.2	41.8	9	8.5	3.9	16.2	16	12.6	7.1	20.7	10	18.3	8.8	33.7	6	6.9	2.5	15.1
2007-09	10	6.7	2.9	12.8	5	8.6	2.5	20.8	5	4.7	1.5	11.1	17	14.1	7.8	23.0	10	19.8	9.1	37.1	7	8.3	3.3	17.2
2008-10	15	9.5	5.0	16.0	8	12.2	4.8	24.7	7	6.7	2.7	13.9	20	17.7	10.3	27.9	13	26.5	13.5	46.3	7	8.8	3.5	18.2
2009-11	20	12.2	7.2	19.1	14	18.7	9.8	31.9	6	5.7	2.0	12.4	17	15.0	8.4	24.6	11	22.3	10.7	40.7	6	7.7	2.8	16.9
2010-12	29	17.1	11.2	24.8	21	26.8	16.3	41.4	8	7.3	3.1	14.4	20	15.8	9.5	24.7	12	21.6	10.9	38.0	8	10.1	4.3	20.1
2011-13	27	14.6	9.5	21.3	19	22.2	13.3	34.8	8	7.0	3.0	13.8	18	14.4	8.3	23.1	10	18.8	8.7	35.1	8	10.0	4.2	19.9
2012-14	27	14.6	9.5	21.3	19	22.4	13.4	35.0	8	6.8	2.9	13.4	22	17.2	10.5	26.5	14	24.7	13.1	42.0	8	9.8	4.1	19.5
2013-15	24	12.1	7.7	18.1	17	18.4	10.6	29.5	7	5.8	2.3	12.1	17	12.9	7.2	21.0	10	17.7	8.1	33.0	7	8.1	3.2	16.9
2014-16	28	14.0	9.3	20.4	19	20.6	12.4	32.3	9	7.5	3.4	14.2	20	14.0	8.3	22.0	12	19.2	9.6	34.1	8	8.8	3.7	17.4

Brain and CNS Cancer (C70 - C72) - Incidence



Brain and CNS Cancer (C70 - C72) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	19	9.8	5.8	15.3	14	14.6	7.9	24.7	5	4.9	1.6	11.5	12	9.7	5.0	17.0	7	11.9	4.7	24.6	5	7.5	2.4	17.5
2004-06	20	10.6	6.4	16.4	15	16.5	9.1	27.3	5	4.7	1.5	11.0	11	8.2	4.1	14.8	6	9.3	3.4	20.4	5	7.1	2.3	16.7
2005-07	21	10.8	6.6	16.6	13	13.8	7.2	23.7	8	7.8	3.3	15.4	7	5.1	2.0	10.6	<5	5.7	1.5	14.9	<5	4.5	0.9	13.1
2006-08	23	11.8	7.4	17.8	11	11.8	5.8	21.3	12	11.8	6.0	20.7	11	8.5	4.2	15.2	<5	11.5	4.5	23.8	<5	5.4	1.4	14.0
2007-09	19	9.4	5.6	14.8	8	8.1	3.4	16.1	11	10.8	5.3	19.4	20	15.4	9.3	23.9	12	19.2	9.8	33.8	8	11.5	4.9	22.8
2008-10	21	10.3	6.3	15.9	8	8.3	3.4	16.5	13	12.3	6.5	21.2	22	16.3	10.1	24.8	13	20.2	10.7	34.8	9	12.3	5.6	23.5
2009-11	15	7.1	3.9	11.8	9	8.7	3.9	16.6	6	5.5	2.0	12.1	17	12.0	6.9	19.3	9	13.2	6.0	25.1	8	10.8	4.6	21.4
2010-12	20	9.9	6.0	15.3	13	13.1	6.9	22.6	7	6.6	2.6	13.8	7	4.5	1.8	9.2	<5	1.3	0.0	7.2	<5	7.6	2.8	16.7
2011-13	20	9.9	6.0	15.3	<5	16.3	9.2	26.6	<5	3.4	0.9	8.8	8	5.3	2.3	10.4	<5	0.0	0.0	0.0	<5	10.5	4.5	20.8
2012-14	17	8.3	4.8	13.3	10	10.6	5.0	19.5	7	6.0	2.4	12.3	15	9.8	5.5	16.3	<5	4.2	0.8	12.3	<5	15.5	8.0	27.1
2013-15	14	6.4	3.5	10.8	8	7.8	3.3	15.5	6	5.1	1.8	11.1	18	11.7	6.9	18.6	5	6.7	2.1	15.7	13	16.7	8.8	28.7
2014-16	13	5.4	2.9	9.3	6	4.7	1.7	10.3	7	6.1	2.5	12.7	18	11.5	6.8	18.3	6	7.8	2.8	17.1	12	15.2	7.8	26.7

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	62.3	55.7	62.3	64
Median	65.0	57.0	66.0	66
5th percentile	30.0	31.0	30.0	32
95th percentile	86.0	70.0	85.0	86

Brain and CNS Cancer (C70 - C72) - Mortality









Brain and CNS Cancer (C70 - C72) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	13	6.7	3.5	11.6	8	8.4	3.6	16.8	5	5.0	1.6	11.8	12	9.6	4.9	16.9	6	10.1	3.6	22.2	6	9.1	3.3	19.9
2004-06	14	7.3	3.9	12.4	<5	10.5	4.9	19.6	<5	4.1	1.1	10.7	7	5.1	2.0	10.5	<5	4.7	1.0	13.8	<5	5.5	1.4	14.0
2005-07	15	7.9	4.4	13.1	9	9.7	4.3	18.5	6	6.1	2.2	13.4	10	7.1	3.4	13.2	<5	5.9	1.5	15.2	<5	8.3	3.0	18.2
2006-08	9	4.9	2.2	9.4	<5	6.9	2.4	15.1	<5	2.9	0.6	8.6	9	6.7	3.0	12.7	<5	6.3	1.6	16.3	<5	7.0	2.2	16.4
2007-09	11	5.4	2.7	9.8	5	5.6	1.8	13.1	6	5.3	1.9	11.5	14	10.2	5.5	17.3	6	9.4	3.4	20.5	8	11.1	4.7	22.1
2008-10	14	7.1	3.8	11.9	6	6.8	2.4	14.9	8	7.3	3.1	14.5	15	10.9	6.0	18.1	6	9.4	3.4	20.6	9	12.4	5.6	23.7
2009-11	17	8.0	4.6	12.8	8	7.8	3.3	15.6	9	8.1	3.6	15.4	12	8.5	4.3	15.0	5	7.6	2.4	17.8	7	9.5	3.7	19.6
2010-12	18	9.1	5.3	14.4	11	11.3	5.6	20.4	7	6.9	2.7	14.2	7	5.0	2.0	10.3	<5	5.7	1.5	14.8	<5	4.2	0.8	12.5
2011-13	17	8.5	4.9	13.7	<5	14.2	7.6	24.0	<5	2.8	0.6	8.1	<5	2.0	0.4	6.0	<5	1.3	0.0	7.1	<5	2.8	0.3	10.2
2012-14	17	8.5	4.9	13.6	12	12.4	6.3	21.9	5	4.5	1.5	10.5	9	6.0	2.7	11.5	<5	3.0	0.3	10.7	<5	9.1	3.6	18.8
2013-15	15	7.1	3.9	11.8	10	9.7	4.5	18.1	5	4.5	1.4	10.5	12	7.8	4.0	13.7	<5	1.7	0.0	9.4	<5	13.9	6.9	25.0
2014-16	16	7.1	4.0	11.5	7	6.1	2.4	12.7	9	8.0	3.6	15.2	12	7.5	3.9	13.2	<5	2.9	0.3	10.7	<5	12.2	5.8	22.4

Breast Cancer (C50) - Incidence



Breast Cancer (C50) - Incidence






Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	NA	NA	NA	NA	NA	NA	NA	NA	NA	193.7	166.8	223.7	NA	NA	NA	NA	NA	NA	NA	NA	230.3	196.1	268.7	
2004-06	NA	NA	NA	NA	NA	NA	NA	NA	NA	197.2	170.3	227.1	NA	NA	NA	NA	NA	NA	NA	NA	228.0	194.0	266.3	
2005-07	NA	NA	NA	NA	NA	NA	NA	NA	NA	205.5	178.2	235.7	NA	NA	NA	NA	NA	NA	NA	NA	189.6	158.8	224.5	
2006-08	NA	NA	NA	NA	NA	NA	NA	NA	NA	209.1	182.0	239.0	NA	NA	NA	NA	NA	NA	NA	NA	182.0	151.9	216.3	
2007-09	NA	NA	NA	NA	NA	NA	NA	NA	NA	221.3	193.7	251.7	NA	NA	NA	NA	NA	NA	NA	NA	169.6	141.1	202.2	
2008-10	NA	NA	NA	NA	NA	NA	NA	NA	NA	232.7	204.5	263.7	NA	NA	NA	NA	NA	NA	NA	NA	191.8	161.6	226.0	
2009-11	NA	NA	NA	NA	NA	NA	NA	NA	NA	234.0	206.1	264.8	NA	NA	NA	NA	NA	NA	NA	NA	201.2	170.4	235.9	
2010-12	NA	NA	NA	NA	NA	NA	NA	NA	NA	237.8	209.9	268.4	NA	NA	NA	NA	NA	NA	NA	NA	220.5	188.5	256.4	
2011-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	229.6	202.5	259.2	NA	NA	NA	NA	NA	NA	NA	NA	213.1	182.0	248.1	
2012-14	NA	NA	NA	NA	NA	NA	NA	NA	NA	229.3	202.5	258.7	NA	NA	NA	NA	NA	NA	NA	NA	209.4	178.7	243.9	
2013-15	NA	NA	NA	NA	NA	NA	NA	NA	NA	230.0	203.2	259.3	NA	NA	NA	NA	NA	NA	NA	NA	200.5	170.6	234.2	
2014-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	232.8	206.0	262.0	NA	NA	NA	NA	NA	NA	NA	NA	191.5	162.3	224.3	

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	63.4	63.8	62.3	64.7
Median	64.0	63.0	61.0	65.0
5th percentile	41.0	43.0	41.0	42.0
95th percentile	88.0	89.0	86.0	88.0

Breast Cancer (C50) - Mortality









Breast Cancer (C50) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey															
	Persons				Males				Females				Persons				Males				Females							
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI				
2003-05	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.8	37.7	67.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	47.7	32.9	66.8
2004-06	NA	NA	NA	NA	NA	NA	NA	NA	NA	46.2	33.9	61.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	48.8	33.9	67.9
2005-07	NA	NA	NA	NA	NA	NA	NA	NA	NA	46.4	34.0	61.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	48.8	33.8	68.0
2006-08	NA	NA	NA	NA	NA	NA	NA	NA	NA	42.0	30.3	56.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	36.2	23.5	53.2
2007-09	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.7	30.0	56.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	35.9	23.7	52.1
2008-10	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.6	33.5	60.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	31.4	20.2	46.6
2009-11	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.3	37.7	65.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	24.9	15.3	38.2
2010-12	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.0	40.1	68.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.6	16.3	40.8
2011-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	52.6	39.8	68.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.9	18.3	43.2
2012-14	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.9	37.6	65.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	37.8	25.6	53.6
2013-15	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.9	33.3	59.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	33.2	21.9	48.2
2014-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.6	32.4	57.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.7	15.9	39.1

Colorectal Cancer (C18-C21) - Incidence



Colorectal Cancer (C18-C21) - Incidence






Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	158	98.4	83.0	115.7	82	117.4	92.4	146.9	76	79.4	62.4	99.6	116	95.2	78.2	114.8	65	118.3	90.6	151.6	51	72.2	53.6	95.1
2004-06	176	108.0	92.0	125.9	98	136.7	110.0	167.7	78	79.3	62.5	99.2	122	98.7	81.5	118.4	74	132.2	103.2	166.8	48	65.2	47.9	86.6
2005-07	189	112.1	96.2	129.7	111	144.6	118.3	174.8	78	79.6	62.8	99.5	130	103.8	86.4	123.6	81	140.1	110.9	174.6	49	67.4	49.7	89.4
2006-08	185	108.2	92.6	125.6	108	138.8	112.9	168.8	77	77.6	61.1	97.2	121	94.2	77.9	112.8	81	134.6	106.5	167.7	40	53.8	38.2	73.5
2007-09	175	100.5	85.6	117.1	99	124.1	99.9	152.2	76	76.9	60.5	96.4	129	100.9	83.8	120.4	83	138.9	109.8	173.0	46	62.9	45.9	84.2
2008-10	192	108.4	92.9	125.6	110	135.4	110.0	164.7	82	81.4	64.6	101.2	118	90.7	74.6	109.1	74	122.4	95.4	154.6	44	58.9	42.5	79.3
2009-11	190	104.2	89.4	120.7	112	132.6	108.1	160.7	78	75.8	59.8	94.8	129	97.3	80.8	116.1	75	122.4	95.7	154.2	54	72.2	53.9	94.5
2010-12	196	104.6	90.1	120.9	116	133.9	109.8	161.5	80	75.4	59.7	94.0	150	107.1	90.4	125.9	78	120.9	95.3	151.1	72	93.2	72.7	117.8
2011-13	175	90.0	76.9	104.7	103	114.5	93.0	139.4	72	65.6	51.2	82.8	151	106.2	89.6	124.9	77	117.9	92.7	147.7	74	94.5	73.9	119.0
2012-14	186	90.6	77.8	104.9	91	96.5	77.3	118.9	95	84.8	68.4	103.9	148	102.2	86.1	120.4	76	115.4	90.5	144.8	72	89.0	69.4	112.5
2013-15	200	94.4	81.5	108.7	102	102.8	83.5	125.2	98	86.0	69.6	104.9	148	102.1	86.0	120.4	78	119.7	94.2	149.9	70	84.5	65.6	107.2
2014-16	217	103.0	89.5	118.0	115	117.6	96.6	141.7	102	88.5	72.0	107.6	144	97.6	82.0	115.3	72	108.1	84.2	136.6	72	87.1	67.9	110.0

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	71	72.3	69.1	72.2
Median	73	74.0	70.0	74.0
5th percentile	48	51.0	47.0	49.0
95th percentile	89	90.0	88.0	90.0

Colorectal Cancer (C18-C21) - Mortality









Colorectal Cancer (C18-C21) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	60	39.8	29.7	52.1	33	52.8	35.4	75.3	27	26.9	17.6	39.3	44	35.9	25.5	48.9	18	38.4	22.2	61.4	26	33.4	21.7	49.1
2004-06	60	39.3	29.3	51.3	33	51.8	34.8	73.9	27	26.7	17.5	39.0	42	33.9	23.9	46.4	21	40.9	24.8	63.4	21	26.8	16.5	41.1
2005-07	62	38.8	29.3	50.4	32	47.9	32.1	68.4	30	29.8	20.0	42.6	40	31.6	22.4	43.3	25	43.8	28.1	64.9	15	19.4	10.8	32.2
2006-08	50	30.2	22.1	40.3	27	37.8	24.4	55.7	23	22.7	14.3	34.1	35	26.2	18.1	36.6	22	35.7	22.2	54.3	13	16.6	8.7	28.6
2007-09	51	29.5	21.7	39.3	26	34.8	22.2	51.7	25	24.3	15.6	36.0	35	26.9	18.4	37.9	20	35.3	21.0	55.2	15	18.6	10.2	30.8
2008-10	58	33.4	24.9	43.8	35	45.2	30.7	63.9	23	21.6	13.6	32.5	32	24.2	16.2	34.6	19	32.9	19.3	52.2	13	15.4	8.1	26.6
2009-11	60	34.7	26.0	45.3	40	50.4	35.0	69.8	20	19.1	11.6	29.5	44	33.6	23.9	45.6	28	48.7	31.7	71.1	16	18.5	10.5	30.2
2010-12	52	28.6	21.0	37.9	37	43.2	29.8	60.4	15	14.0	7.8	23.1	49	35.6	26.0	47.5	30	49.6	33.1	71.2	19	21.6	12.9	33.9
2011-13	43	22.0	15.7	29.8	23	25.5	15.9	38.7	20	18.4	11.2	28.4	49	34.4	25.2	45.8	27	43.8	28.7	64.0	22	25.0	15.6	38.0
2012-14	45	22.0	15.9	29.6	17	19.0	10.8	30.7	28	25.1	16.6	36.3	49	34.0	24.9	45.2	26	40.9	26.5	60.2	23	27.0	17.0	40.6
2013-15	50	25.6	18.8	34.0	21	25.1	15.3	38.8	29	26.0	17.4	37.5	46	30.9	22.4	41.5	25	38.2	24.5	56.7	21	23.6	14.5	36.2
2014-16	61	30.5	23.1	39.4	28	32.3	21.2	47.0	33	28.7	19.7	40.4	44	30.1	21.7	40.8	28	43.0	28.3	62.4	16	17.3	9.8	28.2

Head and Neck Cancer (C00-C14, C30-C32, C73) - Incidence



Head and Neck Cancer (C00-C14, C30-C32, C73) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	81	44.9	35.5	56.1	51	58.8	43.4	77.8	30	31.1	20.8	44.5	52	40.6	30.2	53.4	35	57.2	39.5	79.9	17	24.0	13.9	38.5
2004-06	93	50.9	40.9	62.6	66	75.0	57.7	95.8	27	26.9	17.6	39.3	39	29.4	20.8	40.4	24	38.0	24.2	56.8	15	20.8	11.6	34.5
2005-07	96	51.7	41.7	63.4	69	76.5	59.2	97.3	27	26.9	17.6	39.3	42	30.8	22.1	41.8	24	37.0	23.6	55.4	18	24.6	14.5	39.0
2006-08	93	49.6	39.9	61.0	71	77.7	60.4	98.4	22	21.6	13.4	32.8	43	30.2	21.7	40.8	27	39.9	26.1	58.3	16	20.5	11.6	33.5
2007-09	84	44.0	34.9	54.7	61	66.0	50.2	85.1	23	22.0	13.8	33.2	51	35.3	26.2	46.5	32	45.9	31.2	65.1	19	24.6	14.7	38.6
2008-10	85	43.2	34.3	53.6	65	68.1	52.2	87.2	20	18.2	11.1	28.3	55	38.0	28.5	49.7	38	54.6	38.4	75.2	17	21.5	12.5	34.6
2009-11	85	41.0	32.6	51.0	63	63.0	48.1	81.0	22	19.1	11.9	29.0	56	38.4	28.9	50.0	36	50.7	35.3	70.5	20	26.1	15.8	40.4
2010-12	92	42.3	34.0	52.1	65	60.9	46.7	77.9	27	23.8	15.6	34.7	57	39.7	29.8	51.7	35	51.1	35.1	71.6	22	28.3	17.6	43.0
2011-13	95	43.1	34.8	52.8	60	55.5	42.2	71.7	35	30.7	21.3	42.8	49	32.9	24.2	43.7	26	36.4	23.5	53.9	23	29.3	18.5	44.1
2012-14	97	44.3	35.8	54.2	60	56.4	42.9	72.9	37	32.2	22.6	44.4	42	28.2	20.1	38.2	23	32.6	20.4	49.4	19	23.7	14.2	37.0
2013-15	90	40.8	32.7	50.2	57	53.4	40.2	69.3	33	28.2	19.3	39.7	34	22.0	15.2	30.8	19	25.4	15.2	39.7	15	18.6	10.3	30.7
2014-16	95	41.6	33.6	51.0	59	53.7	40.7	69.5	36	29.5	20.6	40.9	56	35.7	26.9	46.4	33	43.9	30.1	61.8	23	27.4	17.3	41.3

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	61.7	63.5	61.1	63.1
Median	63.0	64.0	62.0	64.0
5th percentile	34.0	41.0	35.0	37.0
95th percentile	85.0	85.0	81.0	87.0

Head and Neck Cancer (C00-C14, C30-C32, C73) - Mortality









Head and Neck Cancer (C00-C14, C30-C32, C73) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	23	13.5	8.5	20.4	17	20.7	11.9	33.3	6	6.4	2.3	14.0	16	13.9	7.8	22.7	11	20.0	9.8	36.0	5	7.8	2.5	18.2
2004-06	16	9.0	5.1	14.7	<5	14.7	7.7	25.4	<5	3.3	0.7	9.6	11	9.4	4.6	17.0	<5	14.0	5.9	27.9	<5	4.8	1.0	14.1
2005-07	23	12.6	7.9	19.0	17	18.5	10.7	29.9	6	6.6	2.4	14.4	8	6.7	2.9	13.4	<5	9.0	2.8	21.1	<5	4.5	0.9	13.2
2006-08	23	13.2	8.3	19.9	<5	23.1	14.0	35.8	<5	3.3	0.7	9.8	9	6.7	3.1	12.9	<5	7.8	2.5	18.3	<5	5.7	1.5	14.5
2007-09	23	12.9	8.1	19.4	18	20.4	12.0	32.4	5	5.3	1.7	12.5	13	9.7	5.1	16.7	<5	14.0	6.3	26.7	<5	5.4	1.5	13.8
2008-10	25	13.4	8.6	19.9	<5	23.6	14.6	36.0	<5	3.2	0.6	9.3	14	9.7	5.2	16.3	<5	14.4	6.8	26.7	<5	4.9	1.3	12.5
2009-11	22	11.3	7.0	17.2	<5	18.7	11.0	29.8	<5	3.8	1.0	9.8	10	7.0	3.3	13.0	<5	11.7	5.0	23.3	<5	2.3	0.3	8.2
2010-12	28	13.8	9.1	20.1	<5	25.9	16.7	38.2	<5	1.7	0.2	6.4	10	7.6	3.4	14.5	5	9.0	2.5	21.7	5	6.3	2.0	14.9
2011-13	23	10.9	6.8	16.4	<5	21.0	13.0	32.0	<5	0.7	0.0	3.9	10	7.4	3.4	14.0	5	8.8	2.6	21.0	5	6.1	1.9	14.3
2012-14	28	13.0	8.5	18.9	<5	22.4	14.2	33.6	<5	3.5	0.9	9.0	14	9.6	5.0	16.3	7	11.3	4.3	23.7	7	7.8	3.1	16.2
2013-15	28	13.1	8.6	18.9	20	18.9	11.5	29.4	8	7.2	3.1	14.2	14	9.3	5.0	15.7	<5	15.5	7.7	27.9	<5	3.1	0.6	9.1
2014-16	32	15.1	10.2	21.4	21	20.4	12.5	31.4	11	9.7	4.8	17.4	16	10.7	6.1	17.4	<5	16.6	8.5	29.1	<5	4.8	1.2	12.3

Hepatobiliary Cancer (C22-C23) - Incidence



Hepatobiliary Cancer (C22-C23) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	14	8.2	4.4	13.8	8	9.8	4.1	19.4	6	6.6	2.4	14.3	5	5.5	1.4	13.7	<5	11.0	2.7	27.4	<5	0.0	0.0	0.0
2004-06	16	9.1	5.1	14.8	10	12.1	5.7	22.5	6	6.0	2.2	13.2	5	5.2	1.3	12.9	<5	5.6	0.2	21.6	<5	4.8	1.0	14.0
2005-07	20	11.1	6.7	17.2	13	14.9	7.9	25.6	7	7.3	2.9	15.2	6	4.7	1.7	10.3	<5	3.2	0.4	11.5	<5	6.3	1.7	16.1
2006-08	29	17.2	11.2	25.1	19	24.0	13.9	38.3	10	10.4	4.9	19.2	13	10.1	5.3	17.4	7	11.3	4.5	23.5	6	8.9	3.2	19.4
2007-09	33	19.8	13.3	28.1	23	29.3	18.0	44.6	10	10.3	4.9	19.0	16	12.3	7.0	20.1	<5	19.2	9.8	33.7	<5	5.4	1.5	13.9
2008-10	36	21.1	14.5	29.5	24	30.5	19.1	46.0	12	11.6	6.0	20.4	17	13.1	7.5	21.0	<5	20.5	10.8	35.2	<5	5.6	1.5	14.5
2009-11	34	18.1	12.5	25.5	23	26.2	16.5	39.5	11	10.1	5.0	18.0	15	11.6	6.4	19.1	10	15.3	7.2	28.3	5	7.8	2.5	18.2
2010-12	39	19.1	13.5	26.2	23	23.7	14.9	35.7	16	14.5	8.2	23.6	16	13.1	7.3	21.5	11	19.0	9.1	34.5	5	7.2	2.3	17.0
2011-13	38	18.8	13.1	26.0	22	23.6	14.4	36.1	16	14.0	8.0	22.8	19	14.9	8.8	23.5	13	21.7	11.3	37.4	6	8.2	3.0	18.0
2012-14	46	22.3	16.2	29.9	27	28.1	18.3	41.3	19	16.5	9.9	25.8	18	13.7	8.0	21.8	<5	23.8	13.1	39.5	<5	3.6	0.7	10.4
2013-15	36	17.5	12.2	24.4	22	23.3	14.4	35.6	14	11.8	6.4	19.8	23	15.4	9.7	23.2	16	22.7	12.9	36.9	7	8.1	3.2	16.8
2014-16	35	16.6	11.5	23.2	24	24.0	15.1	35.9	11	9.3	4.6	16.6	22	15.0	9.2	22.9	16	23.1	13.0	37.8	6	6.8	2.4	15.1

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	71.9	74	71.2	72.9
Median	73.0	73	72.0	74.0
5th percentile	50.0	59	51.0	52.0
95th percentile	90.0	91	90.0	90.0

Hepatobiliary Cancer (C22-C23) - Mortality









Hepatobiliary Cancer (C22-C23) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	9	5.7	2.6	10.9	<5	8.3	3.0	18.2	<5	3.1	0.6	8.9	<5	4.2	0.6	11.9	<5	7.3	0.7	23.2	<5	1.1	0.0	6.3
2004-06	15	8.8	4.8	14.6	8	10.4	4.4	20.7	7	7.1	2.8	14.7	5	4.9	1.1	12.3	<5	4.0	0.1	22.5	<5	5.8	1.5	14.9
2005-07	13	7.4	3.9	12.7	8	9.9	4.2	19.6	5	4.9	1.5	11.5	<5	2.3	0.5	6.8	<5	0.0	NA	NA	<5	4.7	1.0	13.7
2006-08	17	9.3	5.4	15.0	10	11.8	5.6	21.9	7	6.9	2.7	14.2	5	3.9	1.2	9.1	<5	3.0	0.3	11.1	<5	4.7	1.0	13.8
2007-09	20	12.6	7.4	19.9	14	19.3	10.0	33.1	6	5.9	2.1	13.0	<5	3.4	0.9	8.7	<5	6.7	1.8	17.4	<5	0.0	NA	NA
2008-10	28	16.7	10.8	24.5	20	25.5	15.0	40.0	8	8.0	3.4	15.8	7	5.6	2.2	11.6	<5	11.2	4.4	23.2	<5	0.0	NA	NA
2009-11	28	16.0	10.4	23.5	20	24.5	14.5	38.5	8	7.6	3.2	15.0	9	7.2	3.2	13.7	<5	11.1	4.4	23.1	<5	3.2	0.4	11.5
2010-12	28	14.3	9.4	20.7	19	20.3	12.1	31.8	9	8.2	3.7	15.6	15	11.6	6.3	19.5	<5	17.7	8.4	32.3	<5	5.6	1.5	14.4
2011-13	29	14.1	9.4	20.4	16	17.0	9.6	27.7	13	11.3	6.0	19.4	15	11.5	6.2	19.2	10	16.3	7.5	30.4	5	6.7	2.1	15.7
2012-14	34	16.1	11.1	22.5	17	17.5	10.1	28.1	17	14.7	8.5	23.5	13	9.8	5.1	17.0	<5	14.7	6.5	28.2	<5	4.9	1.3	12.6
2013-15	30	14.1	9.4	20.2	15	15.6	8.7	25.9	15	12.6	7.0	20.8	9	6.2	2.8	11.8	<5	6.2	1.7	15.9	<5	6.1	1.9	14.4
2014-16	26	12.0	7.7	17.6	15	14.7	8.2	24.4	11	9.2	4.5	16.5	19	12.9	7.6	20.3	13	18.7	9.8	32.4	6	7.1	2.5	15.5

Kidney and Ureter Cancer (C64-C68) - Incidence



Kidney and Ureter Cancer (C64-C68) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	32	18.5	12.5	26.2	17	21.2	12.2	34.3	15	15.7	8.7	26.0	36	29.3	20.1	41.1	19	33.4	19.2	53.4	17	25.3	14.7	40.6
2004-06	36	20.9	14.5	29.1	22	27.3	16.9	41.5	14	14.6	7.9	24.6	31	24.5	16.3	35.3	14	24.4	12.6	42.2	17	24.5	14.2	39.4
2005-07	25	15.0	9.6	22.2	19	24.2	14.4	38.0	6	5.8	2.1	12.6	25	19.7	12.4	29.5	13	22.4	11.2	39.3	12	17.0	8.7	29.9
2006-08	24	14.3	9.1	21.4	19	23.6	14.1	37.0	5	5.1	1.6	11.9	20	14.6	8.8	22.6	11	17.6	8.7	31.7	9	11.5	5.2	21.9
2007-09	31	18.3	12.2	26.4	23	28.8	17.7	43.9	8	7.9	3.4	15.6	28	21.3	14.0	31.0	21	34.3	21.1	52.5	7	8.4	3.3	17.4
2008-10	32	17.9	12.0	25.7	22	26.3	15.9	40.5	10	9.6	4.5	17.7	31	23.9	16.1	34.2	23	38.7	24.5	58.2	8	9.2	3.9	18.1
2009-11	37	20.5	14.0	28.8	23	28.0	16.9	43.2	14	13.0	7.0	21.9	28	21.1	13.9	30.7	20	33.1	20.1	51.2	8	9.1	3.9	18.0
2010-12	30	15.4	10.1	22.3	17	18.9	10.5	31.0	13	11.9	6.2	20.4	22	16.1	10.0	24.5	14	22.2	12.0	37.3	8	10.0	4.3	19.8
2011-13	40	20.1	14.1	27.6	26	27.5	17.6	40.8	14	12.7	6.8	21.4	24	17.3	11.0	25.8	17	25.6	14.8	41.2	7	8.9	3.5	18.4
2012-14	38	18.3	12.9	25.2	26	25.9	16.8	38.2	12	10.6	5.4	18.7	28	19.3	12.7	27.9	22	30.9	19.3	47.0	6	7.6	2.7	16.6
2013-15	37	17.5	12.3	24.2	28	27.2	17.9	39.4	9	7.9	3.6	15.0	31	21.4	14.5	30.5	<5	37.7	24.7	55.0	<5	5.1	1.3	13.2
2014-16	35	16.6	11.5	23.1	25	24.8	16.0	36.8	10	8.3	4.0	15.4	34	22.7	15.6	31.8	26	35.5	23.1	52.1	8	9.9	4.2	19.7

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	68.7	67.8	68	70
Median	70.0	72.0	68	71
5th percentile	45.0	47.0	46	47
95th percentile	88.0	87.0	85	88

Kidney and Ureter Cancer (C64-C68) - Mortality









Kidney and Ureter Cancer (C64-C68) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	8	4.6	1.9	9.1	<5	7.5	2.7	16.5	<5	1.6	0.2	5.9	9	7.7	3.4	14.7	<5	9.5	3.0	22.2	<5	5.9	1.6	15.2
2004-06	10	5.6	2.6	10.3	<5	8.4	3.3	17.5	<5	2.7	0.6	7.9	9	8.8	3.7	17.3	<5	13.3	4.3	30.0	<5	4.3	0.9	12.7
2005-07	14	7.7	4.2	13.1	9	10.5	4.7	20.0	5	5.0	1.6	11.8	6	5.8	1.7	13.3	<5	7.6	1.2	23.3	<5	3.9	0.8	11.4
2006-08	11	6.3	3.1	11.3	<5	8.4	3.3	17.4	<5	4.1	1.1	10.6	6	5.5	1.6	12.6	<5	8.7	1.9	23.4	<5	2.2	0.3	7.9
2007-09	16	9.5	5.4	15.5	<5	15.8	8.3	27.2	<5	3.2	0.6	9.4	13	9.6	5.0	16.6	<5	14.9	6.8	28.4	<5	4.3	1.2	11.1
2008-10	19	10.1	6.0	15.8	13	14.9	7.8	25.6	6	5.2	1.9	11.4	14	10.7	5.8	18.1	<5	18.2	9.0	32.7	<5	3.2	0.7	9.4
2009-11	24	11.8	7.5	17.7	15	15.8	8.8	26.3	9	7.8	3.6	14.9	20	15.1	9.1	23.5	15	24.7	13.8	40.9	5	5.5	1.8	12.8
2010-12	22	10.9	6.6	16.9	11	12.3	5.6	22.8	11	9.6	4.8	17.2	15	11.1	6.1	18.5	<5	18.0	9.0	32.3	<5	4.2	1.1	10.9
2011-13	16	8.5	4.7	14.0	10	11.7	5.3	22.0	6	5.3	1.9	11.6	19	13.6	8.1	21.3	12	18.8	9.7	33.0	7	8.3	3.3	17.3
2012-14	16	8.9	5.0	14.5	<5	14.0	7.1	24.7	<5	3.7	1.0	9.6	15	11.2	6.1	18.8	10	16.6	7.8	30.8	5	5.9	1.9	13.9
2013-15	13	6.7	3.5	11.5	<5	10.7	5.1	19.8	<5	2.7	0.5	7.8	14	10.4	5.6	17.7	<5	15.9	7.4	29.5	<5	5.0	1.3	12.9
2014-16	14	6.8	3.7	11.5	9	9.4	4.3	18.0	5	4.2	1.3	9.8	11	8.8	4.2	15.9	<5	16.6	7.8	30.9	<5	0.9	0.0	5.0

Leukaemia Cancer (C91-C95) - Incidence



Leukaemia Cancer (C91-C95) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey														
	Persons				Males				Females				Persons				Males				Females						
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI
2003-05	28	17.0	11.1	24.7	16	22.0	12.4	35.9	12	11.9	6.1	21.0	18	15.6	9.1	24.8	12	23.0	11.8	40.2	6	8.2	3.0	18.0			
2004-06	28	16.5	10.8	24.0	17	21.2	12.2	34.3	11	11.7	5.8	21.1	17	13.8	7.9	22.2	9	17.1	7.8	32.4	8	10.5	4.5	20.8			
2005-07	34	20.9	14.1	29.6	23	31.0	19.1	47.2	11	10.8	5.3	19.4	17	13.1	7.5	21.1	8	14.2	6.1	28.1	9	11.9	5.4	22.7			
2006-08	49	29.6	21.4	39.7	32	42.5	28.2	61.1	17	16.7	9.7	26.8	21	17.0	10.2	26.5	12	21.7	10.7	38.8	9	12.3	5.5	23.5			
2007-09	57	33.5	24.9	43.9	39	49.8	34.5	69.1	18	17.2	10.1	27.2	28	24.3	15.5	36.0	19	36.5	20.8	58.6	9	12.1	5.4	23.1			
2008-10	60	33.2	25.0	43.1	42	49.2	34.8	67.3	18	17.2	10.1	27.3	31	26.5	17.4	38.4	22	41.5	25.0	64.3	9	11.5	5.1	21.9			
2009-11	46	23.9	17.4	32.1	30	32.6	21.8	46.9	16	15.3	8.7	24.9	38	30.1	20.7	42.0	21	37.7	22.4	58.9	17	22.5	12.9	36.2			
2010-12	34	17.7	12.0	25.0	19	21.6	12.5	34.3	15	13.8	7.7	22.8	34	25.0	17.1	35.3	16	26.1	14.6	43.0	18	23.9	14.0	38.0			
2011-13	30	15.7	10.4	22.7	15	17.8	9.7	29.7	15	13.7	7.6	22.6	35	25.1	17.3	35.2	16	25.3	14.1	41.5	19	24.9	14.8	39.2			
2012-14	34	16.9	11.6	23.8	17	18.9	10.8	30.6	17	14.9	8.6	23.9	22	15.4	9.5	23.4	12	18.1	9.3	31.8	10	12.6	5.9	23.5			
2013-15	37	17.9	12.5	24.8	21	21.8	13.4	33.5	16	14.0	8.0	22.8	19	12.9	7.7	20.2	11	15.4	7.6	27.7	8	10.4	4.4	20.5			
2014-16	32	14.6	9.9	20.7	17	16.6	9.6	26.7	15	12.7	7.1	20.9	17	11.4	6.6	18.3	11	14.7	7.3	26.5	6	8.1	2.9	17.7			

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	69.6	70.8	68.6	70.5
Median	72.0	75.0	69.0	73.0
5th percentile	41.0	48.0	49.0	43.0
95th percentile	90.0	92.0	89.0	90.0

Leukaemia Cancer (C91-C95) - Mortality









Leukaemia Cancer (C91-C95) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	12	7.4	3.7	13.2	7	10.0	3.9	20.8	5	4.9	1.5	11.5	12	10.7	5.5	18.8	<5	20.3	10.1	36.4	<5	1.1	0.0	6.3
2004-06	18	11.2	6.5	17.9	10	14.2	6.7	26.3	8	8.2	3.5	16.3	11	9.8	4.8	17.7	<5	18.5	8.8	34.3	<5	1.1	0.0	6.3
2005-07	19	11.7	6.9	18.4	11	15.5	7.7	27.7	8	7.9	3.4	15.6	11	9.0	4.4	16.3	<5	15.5	7.0	29.7	<5	2.6	0.3	9.3
2006-08	24	16.2	10.0	24.8	16	24.8	13.5	41.2	8	7.7	3.3	15.3	7	6.6	2.4	14.3	<5	10.8	3.1	26.1	<5	2.5	0.3	9.1
2007-09	23	14.7	8.8	22.7	15	22.3	11.7	37.9	8	7.1	3.0	14.1	12	11.1	5.2	20.1	7	15.5	5.5	33.3	5	6.6	2.1	15.5
2008-10	23	14.5	8.7	22.4	15	21.9	11.5	37.2	8	7.1	3.0	14.1	13	11.7	5.7	20.8	8	16.9	6.6	34.7	5	6.5	2.0	15.3
2009-11	17	8.8	5.1	14.2	8	9.8	4.2	19.4	9	7.8	3.6	14.9	17	13.6	7.4	22.4	7	14.6	5.2	31.1	10	12.6	5.9	23.3
2010-12	13	7.6	3.8	13.2	6	8.6	2.9	19.2	7	6.5	2.6	13.5	14	10.4	5.4	17.9	5	9.4	2.7	22.6	9	11.5	5.1	21.9
2011-13	15	8.5	4.6	14.3	8	10.1	4.1	20.4	7	6.9	2.8	14.3	21	15.6	9.5	24.2	9	16.3	7.3	31.2	12	14.9	7.6	26.3
2012-14	17	9.3	5.3	15.0	10	11.7	5.4	21.9	7	6.9	2.7	14.2	21	15.7	9.5	24.2	11	18.9	9.3	34.1	10	12.4	5.8	23.0
2013-15	20	10.0	6.0	15.5	14	14.4	7.8	24.4	6	5.5	2.0	12.1	19	13.8	8.2	21.8	11	17.9	8.8	32.2	8	9.8	4.1	19.5
2014-16	23	11.3	7.1	17.1	17	17.3	10.0	27.8	6	5.4	2.0	11.8	15	10.7	5.9	17.9	10	15.5	7.3	28.8	5	5.9	1.8	13.9

Lung Cancer (C33-C34) - Incidence



Lung Cancer (C33-C34) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	179	114.0	97.3	132.7	108	150.7	122.5	183.2	71	77.3	60.2	97.8	132	110.4	91.9	131.5	76	141.4	110.8	177.8	56	79.4	59.8	103.3
2004-06	190	119.4	102.4	138.4	114	156.4	127.8	189.2	76	82.4	64.8	103.3	128	105.6	87.7	126.1	75	136.7	106.9	172.2	53	74.5	55.7	97.7
2005-07	188	116.4	99.7	134.9	121	161.3	132.7	194.0	67	71.5	55.2	90.9	109	88.7	72.5	107.4	65	114.2	87.5	146.2	44	63.2	45.8	85.1
2006-08	184	111.0	95.0	128.9	119	154.0	126.5	185.5	65	68.0	52.4	86.9	115	90.5	74.5	109.0	75	125.2	98.2	157.3	40	55.9	39.8	76.4
2007-09	163	95.0	80.6	111.2	102	127.7	103.5	155.9	61	62.3	47.6	80.2	120	94.0	77.6	112.8	72	120.1	93.5	151.9	48	67.9	49.9	90.3
2008-10	212	121.9	105.4	140.2	119	149.9	123.0	180.8	93	94.0	75.7	115.3	130	104.3	86.5	124.5	77	134.0	104.7	168.6	53	74.6	55.6	97.9
2009-11	226	125.3	108.9	143.4	118	144.6	118.6	174.4	108	106.0	86.8	128.2	130	103.0	85.5	122.8	72	124.2	96.3	157.3	58	81.8	61.9	106.0
2010-12	241	129.3	113.0	147.3	132	153.5	127.4	183.2	109	105.1	86.2	127.0	143	108.7	91.3	128.5	79	129.9	102.3	162.5	64	87.6	67.3	112.2
2011-13	203	104.3	90.1	120.1	111	122.3	99.9	148.0	92	86.3	69.4	106.0	141	102.1	85.7	120.6	79	121.6	96.0	151.7	62	82.6	63.1	106.1
2012-14	213	107.3	93.1	123.1	117	126.7	104.2	152.5	96	87.9	71.1	107.5	139	98.3	82.5	116.2	77	115.8	91.2	144.9	62	80.8	61.8	103.8
2013-15	206	101.7	88.0	116.8	110	117.1	95.8	141.6	96	86.2	69.7	105.4	128	89.2	74.2	106.2	73	107.7	84.3	135.6	55	70.6	53.0	92.1
2014-16	219	105.4	91.7	120.6	124	127.2	105.5	152.0	95	83.7	67.6	102.5	131	89.0	74.2	105.9	66	97.5	75.2	124.4	65	80.6	61.9	103.0

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	72.4	72.6	69.7	72.7
Median	73.0	73.0	71.0	73.0
5th percentile	54.0	57.0	50.0	54.0
95th percentile	89.0	89.0	88.0	89.0

Lung Cancer (C33-C34) - Mortality









Lung Cancer (C33-C34) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	116	74.8	61.4	90.3	74	104.0	80.8	131.5	42	45.7	32.8	61.9	104	88.4	71.8	107.7	67	126.1	97.1	160.8	37	50.8	35.7	70.2
2004-06	136	87.5	72.7	104.2	80	114.4	89.6	143.8	56	60.6	45.6	78.8	110	90.5	74.1	109.4	66	120.3	92.7	153.3	44	60.8	44.0	81.7
2005-07	156	98.1	82.7	115.4	97	133.1	106.8	163.7	59	63.1	47.9	81.5	100	80.5	65.2	98.3	60	106.5	81.0	137.5	40	54.5	38.8	74.4
2006-08	145	89.0	74.5	105.3	90	120.0	95.4	148.7	55	58.0	43.5	75.6	100	78.6	63.7	95.9	59	101.9	77.3	131.7	41	55.4	39.5	75.4
2007-09	132	78.5	65.3	93.5	87	110.4	87.8	137.0	45	46.6	33.9	62.5	99	79.3	64.0	97.0	64	110.8	84.7	142.4	35	47.7	33.0	66.6
2008-10	134	77.0	64.0	91.8	79	99.0	77.5	124.4	55	55.0	41.3	71.8	105	85.6	69.4	104.3	67	117.6	90.1	150.6	38	53.6	37.7	73.8
2009-11	161	90.1	76.3	105.7	92	111.9	89.4	138.1	69	68.4	53.1	86.7	102	82.6	66.8	100.9	62	109.3	82.8	141.3	40	55.9	39.7	76.3
2010-12	164	89.1	75.6	104.3	89	105.3	83.7	130.5	75	73.0	57.3	91.6	113	87.5	71.7	105.7	62	104.9	79.7	135.2	51	70.2	52.1	92.6
2011-13	158	84.3	71.3	98.9	91	104.8	83.6	129.4	67	63.8	49.4	81.2	103	76.0	61.8	92.5	56	89.7	67.4	116.9	47	62.3	45.6	83.1
2012-14	153	78.4	66.2	92.2	81	90.4	71.2	113.0	72	66.5	51.9	83.8	109	78.9	64.6	95.4	64	97.3	74.7	124.5	45	60.5	44.0	81.2
2013-15	164	81.0	68.8	94.7	85	91.0	72.3	113.0	79	71.0	56.1	88.7	92	65.9	53.0	81.0	58	87.2	66.1	113.0	34	44.6	30.6	62.6
2014-16	168	80.4	68.5	93.7	85	87.8	69.9	108.9	83	72.9	58.0	90.6	108	75.3	61.5	91.1	66	98.2	75.7	125.2	42	52.3	37.4	71.1

Lymphoma Cancer (C81-C85, C96) - Incidence



Lymphoma Cancer (C81-C85, C96) - Incidence



Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	51	28.3	20.9	37.4	21	25.5	15.5	39.4	30	31.0	20.8	44.5	41	31.4	22.4	42.7	20	32.9	19.9	51.2	21	29.8	18.4	45.7
2004-06	56	30.7	23.0	40.1	25	29.5	18.8	43.9	31	32.0	21.6	45.6	40	29.9	21.2	40.9	22	35.2	21.8	53.6	18	24.6	14.5	38.9
2005-07	61	31.9	24.3	41.2	29	31.6	20.9	45.7	32	32.2	21.9	45.6	44	32.8	23.7	44.3	29	45.7	30.3	66.0	15	19.9	11.1	33.0
2006-08	64	33.1	25.3	42.4	36	37.5	25.9	52.2	28	28.7	19.0	41.6	39	28.9	20.4	39.7	22	34.6	21.5	52.7	17	23.2	13.4	37.3
2007-09	63	32.1	24.5	41.2	37	38.0	26.5	52.8	26	26.1	17.0	38.3	55	41.6	31.0	54.6	28	45.0	29.3	66.0	27	38.2	25.0	55.9
2008-10	56	29.8	22.2	39.1	36	39.1	26.6	55.0	20	20.6	12.5	31.9	52	39.2	28.9	51.8	22	37.4	22.9	57.3	30	41.0	27.5	58.8
2009-11	63	33.4	25.3	43.1	42	46.7	33.0	63.9	21	20.0	12.3	30.7	58	42.2	31.7	54.9	25	40.9	26.0	61.1	33	43.4	29.7	61.3
2010-12	73	37.0	28.8	46.9	48	50.9	37.0	68.1	25	23.2	14.9	34.4	50	35.3	26.1	46.8	25	38.8	25.0	57.4	25	31.9	20.5	47.2
2011-13	84	40.6	32.2	50.5	48	49.0	35.7	65.5	36	32.2	22.5	44.7	59	41.4	31.4	53.5	30	44.2	29.7	63.3	29	38.5	25.7	55.5
2012-14	85	40.4	32.0	50.1	48	48.0	35.0	64.0	37	32.7	23.0	45.2	58	40.6	30.7	52.7	35	50.6	35.0	70.7	23	30.7	19.4	46.2
2013-15	86	39.6	31.6	49.1	48	46.8	34.3	62.4	38	32.4	22.9	44.6	58	40.0	30.2	51.9	35	49.4	34.1	69.2	23	30.6	19.3	46.0
2014-16	82	37.0	29.3	46.0	48	45.4	33.3	60.3	34	28.6	19.7	40.0	53	36.0	26.8	47.3	33	46.0	31.3	65.0	20	26.1	15.9	40.4



Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	65.7	64.7	64.7	67.3
Median	69.0	68.0	68.0	70.0
5th percentile	32.0	35.0	30.0	35.0
95th percentile	87.0	83.0	87.0	88.0



Lymphoma Cancer (C81-C85, C96) - Mortality



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West

Lymphoma Cancer (C81-C85, C96) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	14	8.9	4.8	15.0	7	10.3	4.1	21.3	7	7.5	3.0	15.4	16	12.9	7.2	21.2	6	12.1	4.4	26.4	10	13.7	6.5	25.2
2004-06	15	9.9	5.4	16.4	9	13.3	6.0	25.3	6	6.4	2.3	14.1	15	10.9	6.0	18.2	5	9.0	2.9	21.2	10	12.8	6.1	23.7
2005-07	15	9.2	5.1	15.3	7	9.9	3.9	20.4	8	8.5	3.6	16.9	12	8.4	4.2	14.8	<5	7.0	1.8	18.0	<5	9.7	4.2	19.3
2006-08	17	9.9	5.7	16.0	10	12.0	5.6	22.3	7	7.8	3.1	16.1	13	9.2	4.8	15.9	6	10.0	3.5	22.0	7	8.4	3.3	17.3
2007-09	22	12.3	7.6	18.8	13	15.5	8.1	26.7	9	9.2	4.1	17.5	9	6.6	2.9	12.7	<5	8.3	2.7	19.5	<5	4.9	1.3	12.6
2008-10	21	12.3	7.3	19.2	13	16.6	8.2	29.3	8	8.0	3.4	15.8	11	7.9	3.8	14.2	<5	11.2	4.5	23.3	<5	4.5	1.2	11.5
2009-11	22	13.2	8.0	20.3	14	18.5	9.7	31.6	8	7.9	3.4	15.5	8	5.8	2.4	11.5	<5	8.0	2.6	18.9	<5	3.5	0.7	10.3
2010-12	18	10.6	6.1	17.0	10	13.2	6.0	24.8	8	7.9	3.4	15.7	9	6.2	2.8	11.9	<5	6.4	1.7	16.4	<5	6.1	1.9	14.3
2011-13	20	10.3	6.2	16.0	12	13.2	6.8	23.2	8	7.4	3.2	14.7	9	6.5	2.9	12.3	<5	6.5	1.8	16.6	<5	6.5	2.1	15.1
2012-14	30	14.7	9.8	21.0	11	12.0	5.9	21.5	19	17.4	10.4	27.2	9	5.9	2.6	11.2	<5	4.6	1.0	13.5	<5	7.1	2.6	15.6
2013-15	38	18.2	12.8	25.2	16	17.5	9.9	28.6	22	18.9	11.8	28.8	9	5.8	2.6	11.1	<5	3.0	0.4	11.0	<5	8.6	3.4	17.8
2014-16	37	17.7	12.4	24.5	17	18.1	10.4	29.1	20	17.3	10.5	26.9	7	4.2	1.7	8.8	<5	1.5	0.0	8.4	<5	7.0	2.5	15.3

Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Incidence



Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	NA	NA	NA	NA	NA	21.7	13.5	33.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.4	5.5	23.7	NA	NA	NA	NA
2004-06	NA	NA	NA	NA	NA	20.1	12.3	30.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.2	3.7	18.9	NA	NA	NA	NA
2005-07	NA	NA	NA	NA	NA	16.5	9.6	26.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.1	6.3	24.1	NA	NA	NA	NA
2006-08	NA	NA	NA	NA	NA	12.8	7.3	20.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.2	4.4	20.2	NA	NA	NA	NA
2007-09	NA	NA	NA	NA	NA	7.9	3.8	14.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.4	5.2	21.7	NA	NA	NA	NA
2008-10	NA	NA	NA	NA	NA	8.9	4.1	16.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.0	3.6	18.5	NA	NA	NA	NA
2009-11	NA	NA	NA	NA	NA	15.1	8.6	24.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.2	4.4	20.2	NA	NA	NA	NA
2010-12	NA	NA	NA	NA	NA	19.4	12.0	29.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.7	2.8	16.8	NA	NA	NA	NA
2011-13	NA	NA	NA	NA	NA	19.5	12.2	29.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.9	3.6	18.4	NA	NA	NA	NA
2012-14	NA	NA	NA	NA	NA	16.5	10.0	25.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.1	4.4	20.0	NA	NA	NA	NA
2013-15	NA	NA	NA	NA	NA	13.0	7.4	21.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.5	6.0	23.0	NA	NA	NA	NA
2014-16	NA	NA	NA	NA	NA	18.5	11.7	27.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.6	6.0	23.1	NA	NA	NA	NA

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	45.1	47.9	43.2	46.2
Median	41.0	47.0	39.0	42.0
5th percentile	23.0	32.0	23.0	23.0
95th percentile	80.0	67.0	75.0	82.0

Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Mortality




Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	NA	NA	NA	NA	<5	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2004-06	NA	NA	NA	NA	<5	1.6	0.0	9.0	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2005-07	NA	NA	NA	NA	<5	1.5	0.0	8.6	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2006-08	NA	NA	NA	NA	<5	1.5	0.0	8.3	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2007-09	NA	NA	NA	NA	<5	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2008-10	NA	NA	NA	NA	<5	0.9	0.0	4.8	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2009-11	NA	NA	NA	NA	<5	2.3	0.2	8.4	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2010-12	NA	NA	NA	NA	<5	2.2	0.2	8.1	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2011-13	NA	NA	NA	NA	<5	1.3	0.0	7.3	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2012-14	NA	NA	NA	NA	<5	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2013-15	NA	NA	NA	NA	<5	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA
2014-16	NA	NA	NA	NA	<5	2.1	0.2	7.7	NA	NA	NA	NA	NA	NA	NA	NA	<5	0	NA	NA	NA	NA	NA	NA

Malignant Melanoma Cancer (C43) - Incidence



Malignant Melanoma Cancer (C43) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	104	55.9	45.3	68.2	48	56.8	41.1	76.3	56	55.0	41.3	71.7	47	38.1	27.6	51.2	20	37.0	21.7	58.3	27	39.2	25.8	57.2
2004-06	92	49.3	39.2	61.1	42	50.1	35.0	69.2	50	48.5	35.8	64.2	47	37.3	27.0	50.0	21	36.5	21.8	56.9	26	38.0	24.8	55.8
2005-07	96	50.0	40.1	61.5	43	49.9	35.4	68.2	53	50.1	37.3	65.8	46	36.5	26.2	49.4	21	37.4	22.1	58.7	25	35.6	23.0	52.7
2006-08	103	52.9	42.8	64.6	48	54.3	39.3	72.9	55	51.4	38.6	67.2	44	34.2	24.3	46.5	17	30.8	17.0	50.7	27	37.5	24.6	54.7
2007-09	120	61.5	50.6	74.0	61	69.3	52.4	89.9	59	53.6	40.7	69.3	60	46.0	34.6	59.7	31	53.1	35.2	76.6	29	38.8	25.9	55.9
2008-10	122	62.9	51.9	75.5	61	68.8	52.0	89.1	61	57.1	43.5	73.5	78	55.4	43.6	69.4	43	66.5	47.9	89.8	35	44.4	30.7	61.9
2009-11	125	63.0	52.0	75.6	68	74.5	57.0	95.5	57	51.5	38.9	66.9	101	71.2	57.7	86.9	51	79.1	58.4	104.6	50	63.4	46.9	83.8
2010-12	117	57.2	46.9	68.9	60	63.1	47.4	82.2	57	51.2	38.6	66.5	100	69.0	55.9	84.2	49	73.6	54.1	97.8	51	64.4	47.8	84.8
2011-13	128	61.9	51.4	74.0	70	73.1	56.4	93.0	58	50.8	38.4	65.8	101	70.4	57.1	85.9	46	69.8	50.6	93.6	55	71.1	53.4	92.7
2012-14	153	72.5	61.2	85.3	79	80.6	63.3	101.0	74	64.4	50.5	81.1	94	65.1	52.4	79.9	50	74.0	54.5	98.0	44	56.2	40.7	75.7
2013-15	181	84.0	72.0	97.5	100	98.8	80.0	120.6	81	69.3	54.9	86.2	81	56.1	44.3	69.9	40	59.9	42.5	82.0	41	52.2	37.3	71.1
2014-16	174	78.3	66.9	91.1	89	85.3	68.1	105.4	85	71.3	56.9	88.3	69	46.0	35.6	58.5	38	54.7	38.4	75.5	31	37.3	25.2	53.1

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	62.8	66.3	62.9	65.4
Median	65.0	68.0	64.0	67.0
5th percentile	33.0	39.0	36.0	36.0
95th percentile	87.0	89.0	85.0	88.0

Malignant Melanoma Cancer (C43) - Mortality









Malignant Melanoma Cancer (C43) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	13	6.3	3.3	10.8	5	5.3	1.6	12.5	8	7.2	3.1	14.3	5	4.3	1.4	10.1	<5	7.4	2.0	19.0	<5	1.2	0.0	6.8
2004-06	13	7.1	3.7	12.2	6	7.6	2.8	16.7	7	6.5	2.6	13.4	5	3.8	1.2	9.0	<5	3.5	0.4	12.6	<5	4.2	0.8	12.3
2005-07	13	7.5	4.0	13.0	<5	11.1	5.0	21.2	<5	4.0	1.1	10.2	5	3.8	1.2	9.0	<5	3.5	0.3	12.9	<5	4.1	0.8	12.0
2006-08	15	8.5	4.7	14.1	10	12.4	5.9	22.9	5	4.6	1.5	10.8	9	6.6	3.0	12.7	<5	5.1	1.0	15.2	<5	8.1	2.9	17.7
2007-09	14	7.5	4.0	12.8	9	10.6	4.8	20.3	5	4.5	1.4	10.4	7	5.2	2.0	10.8	<5	5.0	1.0	14.6	<5	5.5	1.5	14.0
2008-10	15	8.3	4.6	13.8	9	11.1	5.0	21.2	6	5.5	2.0	12.1	8	5.3	2.3	10.5	<5	1.7	0.0	9.5	<5	8.9	3.6	18.5
2009-11	13	7.3	3.8	12.5	8	9.6	4.1	19.1	5	4.9	1.6	11.5	7	5.7	2.0	12.4	<5	6.8	1.1	20.5	<5	4.7	1.3	12.0
2010-12	17	8.8	5.1	14.2	10	11.0	5.2	20.4	7	6.5	2.6	13.5	10	7.7	3.4	14.7	<5	11.1	3.7	24.7	<5	4.4	1.2	11.3
2011-13	14	6.7	3.6	11.3	8	8.2	3.5	16.3	6	5.2	1.9	11.3	12	9.2	4.6	16.4	<5	13.6	5.6	27.2	<5	4.9	1.3	12.7
2012-14	12	5.6	2.9	9.9	7	7.0	2.8	14.6	5	4.2	1.3	9.8	11	7.5	3.7	13.5	5	7.3	2.3	17.2	6	7.6	2.7	16.7
2013-15	11	5.7	2.8	10.3	<5	9.7	4.4	18.5	<5	1.8	0.2	6.4	9	5.9	2.7	11.3	<5	4.2	0.8	12.4	<5	7.7	2.8	16.8
2014-16	15	7.6	4.2	12.6	<5	12.3	6.3	21.6	<5	2.9	0.6	8.4	6	3.5	1.2	7.6	<5	1.3	0.0	7.1	<5	5.7	1.8	13.3

Other Cancers (other 'C' codes excl. C44) - Incidence



Other Cancers (other 'C' codes excl. C44) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	113	70.4	57.6	85.2	58	79.6	59.6	104.0	55	61.2	46.0	79.8	67	55.2	42.3	70.7	36	67.8	46.8	94.8	31	42.6	28.8	60.6
2004-06	98	60.5	48.7	74.1	51	70.3	51.8	93.1	47	50.6	37.1	67.5	74	58.7	45.8	74.1	38	69.0	48.6	95.1	36	48.4	33.8	67.2
2005-07	92	55.8	44.6	69.0	47	64.8	46.9	87.1	45	46.8	34.0	62.8	75	56.7	44.3	71.4	39	66.4	46.9	91.1	36	47.0	32.8	65.2
2006-08	74	44.9	34.8	56.8	41	56.0	39.5	76.8	33	33.7	23.1	47.5	82	59.9	47.4	74.6	42	69.4	49.8	94.1	40	50.4	35.8	68.8
2007-09	75	43.7	33.9	55.2	42	54.0	38.2	74.0	33	33.3	22.8	46.9	84	60.5	47.8	75.4	49	78.7	57.6	104.8	35	42.3	29.3	59.0
2008-10	98	54.8	43.9	67.4	52	66.0	48.3	87.7	46	43.6	31.9	58.3	87	63.6	50.6	78.9	46	76.1	55.2	102.1	41	51.2	36.5	69.7
2009-11	127	69.9	57.8	83.7	72	87.8	67.8	111.6	55	52.0	39.1	67.8	93	67.7	54.3	83.3	50	81.6	60.1	108.1	43	53.7	38.7	72.7
2010-12	130	70.7	58.6	84.5	73	88.5	68.6	112.2	57	52.9	39.9	68.6	92	62.6	50.2	77.1	38	58.9	41.5	81.1	54	66.3	49.5	86.8
2011-13	121	63.1	52.1	75.7	65	74.7	57.3	95.7	56	51.5	38.8	67.0	95	63.0	50.6	77.4	44	65.7	47.3	88.8	51	60.3	44.6	79.6
2012-14	114	56.6	46.5	68.2	57	61.9	46.6	80.7	57	51.3	38.7	66.6	79	50.9	40.0	63.8	33	48.0	32.6	67.9	46	53.9	39.2	72.2
2013-15	122	58.7	48.6	70.3	69	71.2	55.1	90.5	53	46.3	34.5	60.6	73	48.7	37.8	61.7	35	54.1	37.2	75.8	38	43.3	30.5	59.7
2014-16	114	53.5	44.0	64.5	71	70.3	54.6	89.0	43	36.8	26.5	49.7	71	47.7	36.9	60.6	32	50.7	34.3	72.1	39	44.7	31.6	61.3

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	71.3	71.8	70	72.3
Median	73.0	73.0	71	74.0
5th percentile	45.0	48.0	45	47.0
95th percentile	90.0	92.0	90	91.0

Other Cancers (other 'C' codes excl. C44) - Mortality




Other Cancers (other 'C' codes excl. C44) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	59	36.3	27.5	47.1	29	39.1	25.9	56.5	30	33.6	22.6	48.0	72	58.8	45.7	74.4	39	72.5	51.3	99.5	33	45.0	30.8	63.4
2004-06	60	36.6	27.6	47.6	27	37.6	24.2	55.5	33	35.6	24.4	50.2	67	54.4	41.9	69.3	33	61.4	42.1	86.6	34	47.3	32.6	66.3
2005-07	59	35.4	26.6	46.0	27	37.4	24.1	55.1	32	33.4	22.7	47.3	78	61.8	48.4	77.7	40	73.9	52.3	101.2	38	49.8	35.1	68.6
2006-08	54	31.9	23.5	42.2	26	35.6	22.4	53.3	28	28.3	18.7	41.0	67	51.8	39.6	66.5	31	58.7	39.3	84.2	36	45.0	31.3	62.5
2007-09	45	25.1	18.0	34.0	19	24.8	14.4	39.5	26	25.5	16.5	37.4	84	64.1	50.2	80.3	39	74.0	51.5	102.5	45	54.2	39.3	72.8
2008-10	54	30.5	22.3	40.5	25	33.5	20.6	50.9	29	27.5	18.4	39.6	76	58.1	45.1	73.6	40	71.8	50.4	98.9	36	44.5	30.9	61.9
2009-11	73	40.8	31.4	51.8	33	43.5	29.0	62.2	40	38.0	27.1	51.9	78	57.7	45.1	72.6	42	71.3	50.8	97.1	36	44.1	30.7	61.4
2010-12	85	46.5	36.7	57.9	47	58.5	42.3	78.6	38	34.5	24.3	47.4	75	51.2	40.0	64.4	37	57.9	40.6	80.0	38	44.5	31.2	61.3
2011-13	90	47.4	37.8	58.5	50	60.0	44.2	79.5	40	34.7	24.7	47.4	76	50.8	39.6	64.0	33	53.6	36.5	75.7	43	47.9	34.5	64.8
2012-14	91	46.2	37.0	57.0	51	58.3	43.1	77.0	40	34.2	24.4	46.7	82	55.1	43.4	69.0	40	63.4	44.8	87.0	42	46.8	33.5	63.6
2013-15	98	48.8	39.4	59.8	54	59.9	44.6	78.5	44	37.8	27.3	50.8	71	49.3	38.0	62.7	37	59.5	41.4	82.8	34	39.0	26.8	54.8
2014-16	99	48.2	39.0	58.9	57	60.2	45.2	78.3	42	36.3	26.1	49.1	78	51.8	40.6	65.2	35	54.3	37.3	76.2	43	49.4	35.5	66.8


Other Gynaecological Cancers (C51-C53, C57-C58) - Incidence

Incidence rates in persons, 2003-2016




— England — Guernsey — Jersey — South West

Incidence rates in persons, latest 5-years




Area

Incidence rates in males, 2003-2016




— England — Guernsey — Jersey — South West

Incidence rates in males, latest 5-years




Area

Incidence rates in females, 2003-2016



— England — Guernsey — Jersey — South West

Incidence rates in females, latest 5-years



Area

Other Gynaecological Cancers (C51-C53, C57-C58) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.3	16.6	36.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	32.6	20.6	49.0
2004-06	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.6	11.5	28.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.8	14.0	37.7
2005-07	NA	NA	NA	NA	NA	NA	NA	NA	NA	21.7	13.8	32.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.0	15.0	39.1
2006-08	NA	NA	NA	NA	NA	NA	NA	NA	NA	15.7	9.1	25.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.6	16.2	41.3
2007-09	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.1	11.8	29.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.4	13.0	35.9
2008-10	NA	NA	NA	NA	NA	NA	NA	NA	NA	17.3	10.4	27.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.0	13.6	36.5
2009-11	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.6	12.2	29.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	24.2	14.5	38.0
2010-12	NA	NA	NA	NA	NA	NA	NA	NA	NA	15.3	8.8	24.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.6	15.6	39.7
2011-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.1	8.0	22.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	17.4	9.2	29.9
2012-14	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.5	8.4	23.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	15.2	7.8	26.6
2013-15	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.1	11.3	27.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.4	10.1	30.5
2014-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	17.0	10.5	26.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	24.2	14.6	37.6

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	55.8	59	54.9	57.6
Median	55.0	56	54.0	58.0
5th percentile	26.0	30	35.0	26.0
95th percentile	87.0	91	81.0	89.0

Other Gynaecological Cancers (C51-C53, C57-C58) - Mortality





Other Gynaecological Cancers (C51-C53, C57-C58) - Mortality



Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey															
	Persons				Males				Females				Persons				Males				Females							
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI				
2003-05	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.9	2.1	12.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.7	3.9	20.0
2004-06	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.4	3.2	14.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.7	2.1	15.7
2005-07	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.5	2.0	12.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	1.1	0.0	6.2
2006-08	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.5	1.4	10.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	1.1	0.0	5.9
2007-09	NA	NA	NA	NA	NA	NA	NA	NA	<5	2.8	0.6	8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	2.4	0.3	8.9
2008-10	NA	NA	NA	NA	NA	NA	NA	NA	<5	2.8	0.6	8.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	3.4	0.6	9.9
2009-11	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.8	1.5	11.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.6	2.0	15.6
2010-12	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.9	1.5	11.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.9	2.2	16.2
2011-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.3	3.1	14.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	5.5	1.5	14.2
2012-14	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.0	1.8	11.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	4.1	0.8	11.9
2013-15	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.8	2.3	12.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.1	2.5	15.5
2014-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.0	3.8	14.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.0	2.5	15.2



Other Skin Cancers (C44) - Incidence



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West

Other Skin Cancers (C44) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	771	463.9	430.2	499.3	419	561.2	506.1	620.4	352	366.5	328.8	407.3	691	573.8	530.0	620.1	367	690.6	618.8	768.2	324	457.0	408.2	509.9
2004-06	812	473.3	440.1	508.2	434	555.0	501.8	612.2	378	391.5	352.6	433.5	595	478.0	439.1	519.4	300	539.5	477.9	606.6	295	416.6	370.1	467.3
2005-07	843	481.7	448.6	516.5	450	565.0	512.0	621.8	393	398.4	359.6	440.3	597	476.8	437.8	518.2	311	558.6	495.7	627.0	286	395.0	350.2	444.0
2006-08	886	490.9	458.1	525.4	462	563.8	511.8	619.5	424	418.0	378.8	460.2	628	487.9	449.1	529.0	336	581.7	518.9	649.8	292	394.0	349.6	442.5
2007-09	922	502.1	469.1	536.8	468	565.0	513.0	620.7	454	439.2	399.3	482.0	735	565.5	524.0	609.3	419	710.6	642.0	784.4	316	420.4	374.7	470.0
2008-10	955	509.1	476.3	543.6	498	583.2	531.2	638.7	457	435.1	395.7	477.3	759	565.0	524.4	607.8	419	684.7	619.0	755.4	340	445.2	398.5	495.9
2009-11	996	521.8	489.0	556.1	521	594.8	543.2	649.8	475	448.7	408.9	491.4	752	546.9	507.5	588.5	408	651.5	588.4	719.4	344	442.3	396.2	492.3
2010-12	1,088	553.7	520.5	588.4	578	636.1	584.0	691.5	510	471.3	430.9	514.5	844	604.8	563.5	648.2	434	692.5	627.3	762.6	410	517.0	467.4	570.2
2011-13	1,157	576.7	543.2	611.7	611	658.1	605.7	713.8	546	495.3	454.2	539.1	937	657.7	615.2	702.4	493	766.2	698.4	838.6	444	549.3	498.7	603.6
2012-14	1,205	588.8	555.4	623.7	637	672.1	619.9	727.6	568	505.5	464.3	549.3	1,076	744.2	699.4	791.2	583	885.2	813.3	961.6	493	603.2	550.4	659.7
2013-15	1,235	594.0	560.6	628.7	664	690.8	638.3	746.5	571	497.1	456.7	540.1	1,076	735.0	690.8	781.2	570	854.1	784.2	928.4	506	615.9	562.6	672.7
2014-16	1,289	607.8	574.4	642.6	713	725.5	672.2	781.9	576	490.1	450.5	532.2	1,043	700.8	658.1	745.4	547	801.8	735.0	872.9	496	599.8	547.5	655.7

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	71.6	71.2	68.6	72
Median	73.0	73.0	70.0	73
5th percentile	47.0	47.0	45.0	47
95th percentile	90.0	90.0	89.0	90

Other Skin Cancers (C44) - Mortality









Other Skin Cancers (C44) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	<5	2.0	0.4	5.9	<5	2.8	0.3	10.2	<5	1.2	0.0	6.6	<5	3.1	0.8	8.1	<5	2.1	0.1	11.9	<5	4.1	0.8	12.0
2004-06	<5	1.8	0.3	5.5	<5	1.6	0.0	9.0	<5	2.1	0.2	7.6	<5	2.4	0.5	7.2	<5	2.0	0.1	11.2	<5	2.8	0.3	10.3
2005-07	8	6.8	2.5	14.0	<5	10.6	3.0	25.6	<5	2.9	0.6	8.6	<5	2.6	0.5	7.7	<5	4.1	0.5	14.7	<5	1.1	0.0	6.4
2006-08	8	6.6	2.5	13.8	<5	11.5	3.7	26.1	<5	1.7	0.2	6.3	<5	3.9	0.7	10.9	<5	5.7	0.5	21.1	<5	2.2	0.3	8.0
2007-09	8	6.5	2.4	13.5	<5	11.3	3.6	25.5	<5	1.8	0.2	6.4	<5	3.9	0.7	10.8	<5	5.5	0.4	20.7	<5	2.2	0.3	8.1
2008-10	<5	1.1	0.1	3.9	<5	1.2	0.0	6.8	<5	0.9	0.0	5.1	5	4.1	0.9	10.5	<5	3.6	0.1	19.9	<5	4.6	1.2	11.9
2009-11	<5	1.0	0.1	3.7	<5	0.0	NA	NA	<5	2.0	0.2	7.4	5	3.4	1.0	8.1	<5	3.5	0.4	12.5	<5	3.3	0.6	9.9
2010-12	<5	1.0	0.1	3.6	<5	0.0	NA	NA	<5	2.0	0.2	7.1	6	4.2	1.5	9.2	<5	5.0	1.0	14.7	<5	3.3	0.6	9.8
2011-13	<5	2.2	0.6	5.6	<5	2.4	0.3	8.6	<5	2.0	0.2	7.1	<5	3.0	0.8	7.7	<5	5.0	1.0	14.6	<5	0.9	0.0	5.3
2012-14	5	2.6	0.8	6.2	<5	3.6	0.7	10.5	<5	1.6	0.2	5.9	<5	2.2	0.4	6.6	<5	3.4	0.4	12.3	<5	1.1	0.0	6.0
2013-15	5	2.7	0.9	6.3	<5	3.5	0.7	10.3	<5	1.8	0.2	6.7	5	3.6	1.1	8.5	<5	5.0	1.0	14.7	<5	2.1	0.3	7.7
2014-16	5	2.5	0.8	5.8	<5	2.1	0.2	7.7	<5	2.9	0.6	8.4	7	5.1	2.0	10.6	<5	8.1	2.6	18.8	<5	2.2	0.3	7.8

Ovarian Cancer (C56) - Incidence



Ovarian Cancer (C56) - Incidence


Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.2	18.5	41.2	NA	NA	NA	NA	NA	NA	NA	NA	39.9	26.4	57.7	
2004-06	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.6	23.9	48.5	NA	NA	NA	NA	NA	NA	NA	NA	28.0	16.8	43.8	
2005-07	NA	NA	NA	NA	NA	NA	NA	NA	NA	38.0	26.8	52.4	NA	NA	NA	NA	NA	NA	NA	NA	34.6	22.1	51.6	
2006-08	NA	NA	NA	NA	NA	NA	NA	NA	NA	37.7	26.6	52.0	NA	NA	NA	NA	NA	NA	NA	NA	34.4	22.2	51.0	
2007-09	NA	NA	NA	NA	NA	NA	NA	NA	NA	27.7	18.4	39.9	NA	NA	NA	NA	NA	NA	NA	NA	33.6	21.6	49.8	
2008-10	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.6	19.2	41.0	NA	NA	NA	NA	NA	NA	NA	NA	28.8	17.7	44.2	
2009-11	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.9	18.0	38.8	NA	NA	NA	NA	NA	NA	NA	NA	22.9	13.3	36.9	
2010-12	NA	NA	NA	NA	NA	NA	NA	NA	NA	30.2	20.7	42.6	NA	NA	NA	NA	NA	NA	NA	NA	25.1	15.2	38.9	
2011-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.2	17.5	37.7	NA	NA	NA	NA	NA	NA	NA	NA	27.2	16.9	41.3	
2012-14	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.9	20.5	42.1	NA	NA	NA	NA	NA	NA	NA	NA	39.0	26.5	55.3	
2013-15	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.2	16.7	36.5	NA	NA	NA	NA	NA	NA	NA	NA	37.2	25.0	53.3	
2014-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	27.7	18.8	39.2	NA	NA	NA	NA	NA	NA	NA	NA	29.4	18.8	43.9	

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	64.1	64.8	63.7	66.1
Median	66.0	63.0	64.0	67.0
5th percentile	34.0	42.0	44.0	38.0
95th percentile	87.0	85.0	83.0	89.0

Ovarian Cancer (C56) - Mortality









Ovarian Cancer (C56) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey															
	Persons				Males				Females				Persons				Males				Females							
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI				
2003-05	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.2	6.0	21.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	36.1	23.2	53.3
2004-06	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.6	6.4	22.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.6	18.0	45.8
2005-07	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.5	5.7	20.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.8	10.5	33.9
2006-08	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.0	5.4	19.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.7	15.2	40.8
2007-09	NA	NA	NA	NA	NA	NA	NA	NA	NA	15.2	8.5	25.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	24.7	14.7	38.7
2008-10	NA	NA	NA	NA	NA	NA	NA	NA	NA	20.8	12.8	31.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.6	13.3	36.0
2009-11	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.3	16.5	37.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.5	7.4	25.6
2010-12	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.1	10.8	28.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.3	4.4	20.5
2011-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.2	10.9	28.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.5	5.9	23.1
2012-14	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.2	7.9	23.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.3	7.0	25.9
2013-15	NA	NA	NA	NA	NA	NA	NA	NA	NA	17.5	10.5	27.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	15.0	7.6	26.4
2014-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.5	7.5	22.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.3	9.8	30.9

Prostate Cancer (C61) - Incidence



Prostate Cancer (C61) - Incidence


Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	NA	NA	NA	NA	NA	313.4	271.9	359.2	NA	NA	NA	NA	NA	NA	NA	NA	196.1	159.6	238.4	NA	NA	NA	NA	
2004-06	NA	NA	NA	NA	NA	315.3	274.4	360.4	NA	NA	NA	NA	NA	NA	NA	NA	172.0	137.6	212.1	NA	NA	NA	NA	
2005-07	NA	NA	NA	NA	NA	276.3	238.7	318.1	NA	NA	NA	NA	NA	NA	NA	NA	194.5	158.3	236.4	NA	NA	NA	NA	
2006-08	NA	NA	NA	NA	NA	281.0	243.8	322.1	NA	NA	NA	NA	NA	NA	NA	NA	204.3	168.0	246.0	NA	NA	NA	NA	
2007-09	NA	NA	NA	NA	NA	241.1	207.2	278.9	NA	NA	NA	NA	NA	NA	NA	NA	234.9	196.1	279.0	NA	NA	NA	NA	
2008-10	NA	NA	NA	NA	NA	271.9	236.6	310.9	NA	NA	NA	NA	NA	NA	NA	NA	227.7	189.9	270.5	NA	NA	NA	NA	
2009-11	NA	NA	NA	NA	NA	286.2	250.6	325.4	NA	NA	NA	NA	NA	NA	NA	NA	203.4	168.1	243.6	NA	NA	NA	NA	
2010-12	NA	NA	NA	NA	NA	306.6	270.1	346.6	NA	NA	NA	NA	NA	NA	NA	NA	216.6	181.2	256.8	NA	NA	NA	NA	
2011-13	NA	NA	NA	NA	NA	274.4	240.7	311.5	NA	NA	NA	NA	NA	NA	NA	NA	247.5	210.2	289.4	NA	NA	NA	NA	
2012-14	NA	NA	NA	NA	NA	287.2	253.3	324.2	NA	NA	NA	NA	NA	NA	NA	NA	264.7	226.9	307.0	NA	NA	NA	NA	
2013-15	NA	NA	NA	NA	NA	288.9	255.8	325.1	NA	NA	NA	NA	NA	NA	NA	NA	227.2	192.7	266.1	NA	NA	NA	NA	
2014-16	NA	NA	NA	NA	NA	280.9	248.9	315.8	NA	NA	NA	NA	NA	NA	NA	NA	207.7	174.9	244.7	NA	NA	NA	NA	

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	71.1	69.6	67.9	71.9
Median	71.0	68.0	67.0	71.0
5th percentile	55.0	55.0	53.0	56.0
95th percentile	87.0	89.0	85.0	88.0

Prostate Cancer (C61) - Mortality









Prostate Cancer (C61) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	NA	NA	NA	NA	NA	59.6	40.6	84.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	74.7	49.3	107.8	NA	NA	NA	NA
2004-06	NA	NA	NA	NA	NA	72.6	51.6	99.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	59.3	38.2	87.5	NA	NA	NA	NA
2005-07	NA	NA	NA	NA	NA	87.6	63.7	117.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	73.5	50.0	103.9	NA	NA	NA	NA
2006-08	NA	NA	NA	NA	NA	90.4	66.5	119.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	65.3	43.6	93.8	NA	NA	NA	NA
2007-09	NA	NA	NA	NA	NA	87.2	64.6	114.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	88.8	63.1	121.0	NA	NA	NA	NA
2008-10	NA	NA	NA	NA	NA	78.4	58.1	103.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	89.6	64.3	121.2	NA	NA	NA	NA
2009-11	NA	NA	NA	NA	NA	68.1	49.5	91.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	98.3	72.3	130.3	NA	NA	NA	NA
2010-12	NA	NA	NA	NA	NA	54.9	38.4	75.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	88.7	64.6	118.5	NA	NA	NA	NA
2011-13	NA	NA	NA	NA	NA	55.2	39.3	75.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	90.0	66.1	119.7	NA	NA	NA	NA
2012-14	NA	NA	NA	NA	NA	58.3	42.1	78.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	82.5	60.0	110.5	NA	NA	NA	NA
2013-15	NA	NA	NA	NA	NA	55.2	39.9	74.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	68.9	48.7	94.5	NA	NA	NA	NA
2014-16	NA	NA	NA	NA	NA	61.5	45.4	81.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	61.3	42.8	84.9	NA	NA	NA	NA

Upper Gastrointestinal Cancers (C15-C16, C25) - Incidence



Upper Gastrointestinal Cancers (C15-C16, C25) - Incidence

Age-standardised incidence rates (per 100,000 population), 2003-2016


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	86	51.9	41.2	64.6	46	61.8	44.6	83.1	40	42.1	29.9	57.5	81	69.3	54.4	86.8	46	88.7	63.9	119.6	35	49.8	34.6	69.4
2004-06	112	66.5	54.4	80.5	64	83.4	63.6	107.3	48	49.7	36.5	66.0	74	63.1	48.8	80.0	44	83.7	59.6	113.9	30	42.4	28.5	60.7
2005-07	111	64.7	52.7	78.5	62	79.3	59.9	102.8	49	50.1	36.9	66.4	74	58.2	45.3	73.5	41	70.7	50.1	96.7	33	45.6	31.3	64.3
2006-08	115	64.5	52.9	77.8	67	81.0	62.2	103.6	48	48.1	35.3	63.9	78	59.7	46.9	75.0	46	76.7	55.6	102.9	32	42.8	29.1	60.8
2007-09	91	50.9	40.7	62.8	55	66.3	49.4	86.9	36	35.5	24.7	49.2	87	64.5	51.3	80.0	48	78.8	57.6	105.2	39	50.2	35.4	68.9
2008-10	106	56.8	46.3	68.9	60	69.7	52.9	90.0	46	43.9	32.0	58.7	82	59.1	46.6	73.8	47	74.9	54.5	100.2	35	43.4	30.0	60.7
2009-11	116	59.9	49.3	72.0	65	73.2	56.3	93.6	51	46.5	34.5	61.3	78	55.4	43.4	69.7	46	72.8	52.6	98.0	32	38.1	25.9	53.9
2010-12	132	67.0	55.8	79.8	70	78.6	60.8	99.8	62	55.4	42.4	71.2	71	49.6	38.4	62.9	42	64.4	46.0	87.5	29	34.7	23.1	50.1
2011-13	122	62.8	51.8	75.4	75	84.0	65.5	106.0	47	41.6	30.5	55.4	66	47.0	36.1	60.1	41	63.0	44.8	86.1	25	30.9	19.9	45.8
2012-14	114	57.7	47.3	69.6	64	70.8	54.1	91.0	50	44.5	32.9	58.8	59	42.3	31.9	54.9	37	58.2	40.5	80.8	22	26.4	16.5	40.2
2013-15	108	53.6	43.7	65.1	68	72.0	55.4	91.9	40	35.3	25.1	48.1	64	45.0	34.4	57.8	42	63.6	45.5	86.6	22	26.3	16.4	40.0
2014-16	107	51.3	41.8	62.3	61	63.1	47.9	81.6	46	39.5	28.8	52.8	67	45.3	34.8	57.9	39	58.9	41.5	80.9	28	31.7	20.9	46.0

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	72.3	71.8	71.7	73.2
Median	73.0	73.0	73.0	74.0
5th percentile	51.0	47.0	50.0	52.0
95th percentile	90.0	90.0	91.0	90.0


Upper Gastrointestinal Cancers (C15-C16, C25) - Mortality

Mortality rates in persons, 2003-2016




— England — Guernsey — Jersey — South West

Mortality rates in persons, latest 5-years




Area

Mortality rates in males, 2003-2016




— England — Guernsey — Jersey — South West

Mortality rates in males, latest 5-years




Area

Mortality rates in females, 2003-2016



— England — Guernsey — Jersey — South West

Mortality rates in females, latest 5-years









Area

Upper Gastrointestinal Cancers (C15-C16, C25) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	68	42.1	32.2	53.9	36	50.3	34.3	70.7	32	33.9	23.1	48.0	68	61.7	46.9	79.4	37	80.4	55.1	112.6	31	43.1	29.1	61.3
2004-06	75	45.7	35.6	57.7	42	57.1	40.6	77.8	33	34.4	23.6	48.4	67	59.9	45.4	77.3	38	79.9	55.0	111.8	29	39.8	26.5	57.3
2005-07	82	48.9	38.6	61.1	50	64.9	47.6	86.2	32	33.0	22.5	46.8	59	47.8	36.0	62.2	32	58.9	39.8	83.8	27	36.8	24.1	53.7
2006-08	85	48.3	38.4	59.9	50	61.2	45.2	81.0	35	35.4	24.5	49.4	57	43.4	32.5	56.7	30	51.0	33.9	73.6	27	35.7	23.3	52.2
2007-09	77	43.9	34.4	55.3	45	56.4	40.6	76.0	32	31.5	21.4	44.6	69	52.5	40.5	66.9	36	61.5	42.6	85.8	33	43.4	29.7	61.3
2008-10	87	48.5	38.6	60.2	51	62.1	45.7	82.3	36	34.9	24.4	48.5	64	46.8	35.7	60.3	35	57.6	39.6	80.8	29	36.0	23.9	52.0
2009-11	78	42.7	33.5	53.6	50	59.3	43.6	78.7	28	26.0	17.2	37.7	69	50.7	39.0	64.7	42	69.6	49.5	94.8	27	31.8	20.8	46.6
2010-12	98	51.8	41.7	63.5	57	66.4	49.7	86.7	41	37.2	26.6	50.6	64	44.2	33.7	56.9	37	58.0	40.5	80.4	27	30.5	20.0	44.5
2011-13	87	46.4	36.9	57.7	54	63.9	47.5	84.0	33	29.0	19.9	40.8	69	49.0	37.8	62.4	44	68.5	49.3	92.5	25	29.6	19.0	43.8
2012-14	98	50.2	40.4	61.6	54	62.2	46.2	81.7	44	38.2	27.7	51.4	57	40.9	30.7	53.4	35	56.3	38.8	78.8	22	25.6	15.9	38.8
2013-15	88	44.9	35.7	55.6	57	63.6	47.7	82.9	31	26.2	17.7	37.2	51	37.6	27.7	49.8	37	58.9	41.1	81.8	14	16.2	8.8	27.3
2014-16	97	47.4	38.2	58.2	55	59.4	44.3	77.9	42	35.5	25.5	48.0	51	35.3	26.0	46.7	29	46.1	30.6	66.5	22	24.5	15.2	37.2

Uterine Cancer (C54-C55) - Incidence



Uterine Cancer (C54-C55) - Incidence






Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.7	10.8	30.0	NA	NA	NA	NA	NA	NA	NA	NA	27.1	16.2	42.5	
2004-06	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.7	10.8	30.0	NA	NA	NA	NA	NA	NA	NA	NA	19.6	10.6	32.9	
2005-07	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.4	17.0	39.1	NA	NA	NA	NA	NA	NA	NA	NA	24.7	14.6	39.1	
2006-08	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.8	17.5	39.4	NA	NA	NA	NA	NA	NA	NA	NA	27.5	16.7	42.6	
2007-09	NA	NA	NA	NA	NA	NA	NA	NA	NA	27.8	18.4	40.3	NA	NA	NA	NA	NA	NA	NA	NA	36.6	24.0	53.5	
2008-10	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.3	16.4	37.1	NA	NA	NA	NA	NA	NA	NA	NA	38.9	25.9	56.0	
2009-11	NA	NA	NA	NA	NA	NA	NA	NA	NA	31.2	21.3	44.2	NA	NA	NA	NA	NA	NA	NA	NA	32.5	21.1	47.6	
2010-12	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.2	19.7	41.6	NA	NA	NA	NA	NA	NA	NA	NA	30.6	19.8	45.3	
2011-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.3	16.7	36.6	NA	NA	NA	NA	NA	NA	NA	NA	36.4	24.1	52.7	
2012-14	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.6	19.4	40.4	NA	NA	NA	NA	NA	NA	NA	NA	42.5	29.2	59.9	
2013-15	NA	NA	NA	NA	NA	NA	NA	NA	NA	32.7	23.1	45.0	NA	NA	NA	NA	NA	NA	NA	NA	36.8	24.6	53.1	
2014-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	33.7	24.0	45.9	NA	NA	NA	NA	NA	NA	NA	NA	44.3	30.7	61.8	

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	66.9	67.3	62	68.2
Median	67.0	68.0	62	68.0
5th percentile	48.0	49.0	44	49.0
95th percentile	86.0	85.0	80	87.0

Uterine Cancer (C54-C55) - Mortality









Uterine Cancer (C54-C55) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey															
	Persons				Males				Females				Persons				Males				Females							
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI				
2003-05	NA	NA	NA	NA	NA	NA	NA	NA	<5	4.6	1.3	11.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	5.3	1.4	13.6
2004-06	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.0	2.6	15.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	5.2	1.4	13.3
2005-07	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.8	3.8	17.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	1.1	0.0	6.2
2006-08	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.0	5.3	20.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	2.7	0.3	10.0
2007-09	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.4	4.2	17.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	4.0	0.8	11.8
2008-10	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.0	2.1	13.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<5	2.9	0.3	10.5
2009-11	NA	NA	NA	NA	NA	NA	NA	NA	<5	3.6	1.0	9.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.7	4.1	19.3
2010-12	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.3	1.9	11.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.3	3.3	17.2
2011-13	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.5	1.4	10.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.5	4.1	18.9
2012-14	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.4	3.8	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.7	2.8	16.8
2013-15	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.7	3.3	15.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.8	3.5	18.3
2014-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.4	4.5	17.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.5	5.4	21.3

Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Incidence



Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	10	17.0	8.1	31.2	<5	23.5	9.5	48.5	<5	10.4	2.1	30.5	6	13.7	5.0	29.9	<5	17.9	4.9	45.8	<5	9.5	1.1	34.4
2004-06	11	18.5	9.2	33.1	<5	23.2	9.3	47.7	<5	13.9	3.8	35.5	5	11.4	3.7	26.5	<5	18.1	4.9	46.2	<5	4.6	0.1	25.9
2005-07	10	16.5	7.9	30.4	5	16.2	5.3	37.8	5	16.8	5.5	39.3	6	13.6	5.0	29.6	<5	27.2	10.0	59.2	<5	0.0	0.0	0.0
2006-08	11	18.1	9.0	32.4	<5	9.5	2.0	27.9	<5	26.7	11.5	52.6	6	13.6	5.0	29.7	<5	27.3	10.0	59.5	<5	0.0	0.0	0.0
2007-09	10	16.3	7.8	30.0	<5	6.3	0.8	22.7	<5	26.3	11.4	51.9	8	18.3	7.8	36.1	<5	31.3	12.5	64.7	<5	5.3	0.1	29.3
2008-10	14	23.1	12.6	38.7	<5	12.8	3.5	32.8	<5	33.3	16.0	61.4	11	25.8	12.8	46.2	<5	36.9	15.9	72.9	<5	14.7	3.0	43.0
2009-11	14	22.7	12.4	38.1	6	18.9	6.9	41.2	8	26.5	11.4	52.2	11	26.6	13.2	47.7	<5	32.9	13.2	67.8	<5	20.3	5.5	52.1
2010-12	20	31.8	19.4	49.1	10	31.3	15.0	57.6	10	32.3	15.5	59.4	12	29.6	15.2	51.7	7	33.9	13.6	70.0	5	25.2	8.1	58.8
2011-13	15	23.3	13.0	38.5	9	28.0	12.8	53.1	6	18.7	6.8	40.7	10	24.9	11.9	45.9	<5	19.4	5.3	49.7	<5	30.4	11.1	66.3
2012-14	14	21.4	11.7	35.9	8	24.2	10.4	47.8	6	18.5	6.8	40.4	13	31.7	16.9	54.2	<5	19.1	5.2	48.8	<5	44.3	20.2	84.1
2013-15	10	14.9	7.1	27.4	<5	17.6	6.5	38.4	<5	12.1	3.3	31.1	10	24.3	11.6	44.6	<5	13.8	2.8	40.4	<5	34.7	13.9	71.5
2014-16	9	13.2	6.0	25.1	<5	14.4	4.7	33.5	<5	12.1	3.3	30.9	8	19.3	8.3	38.1	<5	9.2	1.1	33.3	<5	29.4	10.8	64.1

Age at diagnosis, 2012-2016 combined data

	England	Guernsey	Jersey	South West
Mean	9.5	10.1	6.9	9.8
Median	9.0	14.0	3.0	10.0
5th percentile	0.0	0.0	0.0	0.0
95th percentile	19.0	18.0	18.0	19.0

Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Mortality



Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2003-05	<5	1.6	0.0	9.1	<5	3.3	0.1	18.2	<5	0.0	NA	NA	<5	4.5	0.5	16.3	<5	9.0	1.1	32.7	<5	0.0	NA	NA
2004-06	<5	1.7	0.0	9.3	<5	3.4	0.1	18.7	<5	0.0	NA	NA	<5	4.6	0.6	16.7	<5	9.2	1.1	33.3	<5	0.0	NA	NA
2005-07	<5	1.6	0.0	9.1	<5	3.3	0.1	18.3	<5	0.0	NA	NA	<5	4.7	0.6	17.1	<5	9.5	1.1	34.3	<5	0.0	NA	NA
2006-08	<5	1.6	0.0	8.9	<5	3.2	0.1	17.8	<5	0.0	NA	NA	<5	0.0	NA	NA	<5	0.0	NA	NA	<5	0.0	NA	NA
2007-09	<5	1.7	0.0	9.4	<5	3.4	0.1	18.7	<5	0.0	NA	NA	<5	0.0	NA	NA	<5	0.0	NA	NA	<5	0.0	NA	NA
2008-10	<5	1.7	0.0	9.5	<5	3.4	0.1	18.9	<5	0.0	NA	NA	<5	2.4	0.1	13.6	<5	4.9	0.1	27.3	<5	0.0	NA	NA
2009-11	<5	3.3	0.4	12.0	<5	3.4	0.1	19.1	<5	3.2	0.1	18.1	<5	2.4	0.1	13.6	<5	4.9	0.1	27.2	<5	0.0	NA	NA
2010-12	<5	3.3	0.4	11.9	<5	3.4	0.1	18.9	<5	3.2	0.1	17.9	<5	2.5	0.1	13.7	<5	4.9	0.1	27.4	<5	0.0	NA	NA
2011-13	<5	6.6	1.8	16.9	<5	6.7	0.8	24.2	<5	6.5	0.8	23.5	<5	0.0	NA	NA	<5	0.0	NA	NA	<5	0.0	NA	NA
2012-14	<5	4.9	1.0	14.4	<5	6.6	0.8	23.7	<5	3.3	0.1	18.5	<5	2.3	0.1	13.0	<5	4.7	0.1	26.0	<5	0.0	NA	NA
2013-15	<5	4.9	1.0	14.3	<5	6.5	0.8	23.5	<5	3.3	0.1	18.3	<5	2.4	0.1	13.1	<5	4.7	0.1	26.2	<5	0.0	NA	NA
2014-16	<5	1.6	0.0	8.8	<5	3.2	0.1	17.6	<5	0.0	NA	NA	<5	5.1	0.6	18.5	<5	4.7	0.1	26.1	<5	5.5	0.1	30.9

Staging completeness

Percentage of cancers with valid stage, for main five cancers, in Guernsey

Site	Year				
	2012	2013	2014	2015	2016
Breast	82%	56%	77%	66%	71%
Colorectal	87%	79%	84%	85%	74%
Lung	58%	74%	79%	74%	74%
Malignant Melanoma	72%	62%	84%	81%	76%
Prostate	34%	32%	56%	46%	54%

Percentage of cancers with valid stage, for main five cancers, in Jersey

Site	Year				
	2012	2013	2014	2015	2016
Breast	42%	44%	61%	53%	49%
Colorectal	17%	34%	22%	23%	37%
Lung	26%	46%	49%	69%	72%
Malignant Melanoma	39%	86%	84%	52%	56%
Prostate	5%	9%	21%	36%	50%

Appendix - ICD-10 codes

ICD-10 code	Site description
C00	Malignant neoplasm of lip
C01	Malignant neoplasm of base of tongue
C02	Malignant neoplasm of other and unspecified parts of tongue
C03	Malignant neoplasm of gum
C04	Malignant neoplasm of floor of mouth
C05	Malignant neoplasm of palate
C06	Malignant neoplasm of other and unspecified parts of mouth
C07	Malignant neoplasm of parotid gland
C08	Malignant neoplasm of other and unspecified major salivary glands
C09	Malignant neoplasm of tonsil
C10	Malignant neoplasm of oropharynx
C11	Malignant neoplasm of nasopharynx
C12	Malignant neoplasm of pyriform sinus
C13	Malignant neoplasm of hypopharynx
C14	Malignant neoplasm of other ill-defined sites of lip/oral cavity/pharynx
C15	Malignant neoplasm of oesophagus
C16	Malignant neoplasm of stomach
C17	Malignant neoplasm of small intestine
C18	Malignant neoplasm of colon
C19	Malignant neoplasm of rectosigmoid junction
C20	Malignant neoplasm of rectum
C21	Malignant neoplasm of anus and anal canal
C22	Malignant neoplasm of liver and intrahepatic bile ducts
C23	Malignant neoplasm of gallbladder
C24	Malignant neoplasm of other and unspecified parts of biliary tract
C25	Malignant neoplasm of pancreas
C26	Malignant neoplasm of other and ill-defined digestive organs
C30	Malignant neoplasm of nasal cavity and middle ear
C31	Malignant neoplasm of accessory sinuses
C32	Malignant neoplasm of larynx
C33	Malignant neoplasm of trachea

C34	Malignant neoplasm of bronchus and lung
C37	Malignant neoplasm of thymus
C38	Malignant neoplasm of heart, mediastinum and pleura
C39	Malignant neoplasm of other and ill-defined sites of respiratory system and intrathoracic organs
C40	Malignant neoplasm of bone and articular cartilage of limbs
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites
C43	Malignant melanoma of skin
C44	Other malignant neoplasm of skin
C45	Mesothelioma
C46	Kaposi's sarcoma
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system
C48	Malignant neoplasm of retroperitoneum and peritoneum
C49	Malignant neoplasm of other connective and soft tissue
C50	Malignant neoplasm of breast
C51	Malignant neoplasm of vulva
C52	Malignant neoplasm of vagina
C53	Malignant neoplasm of cervix uteri
C54	Malignant neoplasm of corpus uteri
C55	Malignant neoplasm of uterus, unspecified
C56	Malignant neoplasm of ovary
C57	Malignant neoplasm of other and unspecified female genital organs
C58	Malignant neoplasm of placenta
C60	Malignant neoplasm of penis
C61	Malignant neoplasm of prostate
C62	Malignant neoplasm of testis
C63	Malignant neoplasm of other and unspecified male genital organs
C64	Malignant neoplasm of kidney, except renal pelvis
C65	Malignant neoplasm of renal pelvis
C66	Malignant neoplasm of ureter
C67	Malignant neoplasm of bladder
C68	Malignant neoplasm of other and unspecified urinary organs
C69	Malignant neoplasm of eye and adnexa
C70	Malignant neoplasm of meninges

C71	Malignant neoplasm of brain
C72	Malignant neoplasm of spinal cord, cranial nerves and other parts of CNS
C73	Malignant neoplasm of thyroid gland
C74	Malignant neoplasm of adrenal gland
C75	Malignant neoplasm of other endocrine glands and related structures
C76	Malignant neoplasm of other and ill-defined sites
C77	Secondary and unspecified malignant neoplasm of lymph nodes
C78	Secondary malignant neoplasm of respiratory and digestive organs
C79	Secondary malignant neoplasm of other sites
C80	Malignant neoplasm without specification of site
C81	Hodgkin lymphoma
C82	Follicular [nodular] non-Hodgkin lymphoma
C83	Diffuse non-Hodgkin lymphoma
C84	Peripheral and cutaneous T-cell lymphomas
C85	Other and unspecified types of non-Hodgkins lymphoma
C88	Malignant immunoproliferative diseases
C90	Multiple myeloma and malignant plasma cell neoplasms
C91	Lymphoid leukaemia
C92	Myeloid leukaemia
C93	Monocytic leukaemia
C94	Other leukaemias of specified cell type
C95	Leukaemia of unspecified cell type
C96	Other and unspecified malignant neoplasm of lymphoid, haematopoietic and reticular tissue
C97	Malignant neoplasms of independent (primary) multiple sites